FLOLIZ NIGERIA LIMITED
RC: 1574833

ADDRESS:
PLOT 54, CHOOS ESTATE,
WUMBA DISTRICT,
ABUJA FCT, NIGERIA.
TEL: +234-818 0640 370,
+234-703 7163 554.
Email: info@floliz.com.ng
Website: www.floliz.com.ng

14.03.2025

THE MANAGING DIRECTOR
MUTUAL TRUST MICROFINANCE BANK LIMITED

Dear Sir,

VULNERABILITY AND PENETRATION TEST REPORT

https://www.mybankone.com

Sequel to the completion of the vulnerability and penetration test conducted on your web application we are pleased to submit the comprehensive vulnerability and penetration test report for your review and consideration.

At Floliz Nigeria Limited, we understand the critical importance of securing your digital infrastructure against potential threats and vulnerabilities. With this in mind, our team has meticulously conducted thorough assessments to identify any potential risks within your system.

The primary objective of our testing was to scrutinize your system's security measures and pinpoint any vulnerabilities or weaknesses that could potentially expose your organization to cyber threats. Our testing methodologies encompassed a wide array of techniques, including but not limited to penetration testing, vulnerability scanning, and risk analysis.

While your system demonstrates commendable resilience in many aspects, our report highlights certain vulnerabilities that could potentially compromise the integrity, confidentiality, and availability of your critical assets.

It is our sincere belief that proactive measures must be taken to address these identified vulnerabilities promptly. Our report provides detailed insights into each identified risk, along with recommendations and mitigation strategies tailored to your organization's specific needs and circumstances.

We urge you to review the report thoroughly and prioritize the implementation of recommended remediation measures. Our team remains committed to supporting you every step of the way, whether it involves further clarification on identified issues or assistance in implementing recommended solutions.

Should you require any additional information or assistance, please do not hesitate to contact us. We are dedicated to ensuring the security and resilience of your digital infrastructure and look forward to partnering with you in fortifying your defenses against evolving cyber threats.

Thank you for entrusting Floliz Nigeria Limited with this critical assessment. We appreciate the opportunity to contribute to the safeguarding of your organization's digital assets.

Yours Faithfully,
For: **Floliz Nigeria Limited**

Visionary & Innovation Officer
Name: **Daniel Uba**
Phone No**: 07075744444, 08180640370, 07045150430**
Email address: **info@floliz.com**

SUMMARY OF REPORT

S/N	VULNERABILITY IDENTIFIED	RISK RATING	APPENDIX PAGE REFERENCE
1	VULNERABILITIES FOUND FOR JQUERY 3.4.1 PORT 443/TCP	MEDIUM	APPENDIX 1

Network Vulnerability Scanner Report

www.mybankone.com

Summary

Overall risk level:
Medium

Risk ratings:

Critical:	0
High:	0
Medium:	1
Low:	0
Info:	96

Scan information:

Start time:	Mar 02, 2025 / 20:11:13 UTC+02
Finish time:	Mar 03, 2025 / 03:32:14 UTC+02
Scan duration:	7 hrs, 21 min, 1 sec
Tests performed:	97/97
Scan status:	Finished

Findings

Vulnerabilities found for jQuery 3.4.1

port 443/tcp

UNCONFIRMED

Risk level	CVSS	CVE	Summary	Exploit
	4.3	CVE-2020-11023	In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.	N/A
	4.3	CVE-2020-11022	In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.	N/A

Details

Risk description:
These vulnerabilities expose the affected applications to the risk of unauthorized access to confidential data and possibly to denial of service attacks. An attacker could search for an appropriate exploit (or create one) for any of these vulnerabilities and use it to attack the system.

Notes:
- The vulnerabilities are identified based on the server's version.
- Only the first 30 vulnerabilities with the highest risk are shown for each port.

Recommendation:
We recommend you to upgrade the affected software to the latest version in order to eliminate the risks imposed by these vulnerabilities.

IP Information

CONFIRMED

IP Address	Hostname	Location	Autonomous system (AS) Information	Organization (Name & Type)
20.88.164.117	www.mybankone.com	Washington, Virginia, United States	Microsoft Corporation (AS8075)	Microsoft Corporation (business)

Details

Risk description:

If an attacker knows the physical location of an organization's IP address and its Autonomous System (AS) number, they could launch targeted physical or cyber attacks, exploiting regional vulnerabilities or disrupting critical infrastructure.

Recommendation:

We recommend reviewing physical security measures and monitoring network traffic for unusual activity, indicating potential cyber threats. Additionally, implementing robust network segmentation and adopting encryption protocols for data in transit can help protect sensitive information, even if attackers are aware of the IP addresses and the Autonomous System (AS) number.

DNS Records

port 53/udp

CONFIRMED

Domain Queried	DNS Record Type	Description	Value
www.mybankone.com	A	IPv4 address	20.88.164.117
www.mybankone.com	CNAME	Canonical name	bankone-live.trafficmanager.net

Details

Risk description:

An initial step for an attacker aiming to learn about an organization involves conducting searches on its domain names to uncover DNS records associated with the organization. This strategy aims to amass comprehensive insights into the target domain, enabling the attacker to outline the organization's external digital landscape. This gathered intelligence may subsequently serve as a foundation for launching attacks, including those based on social engineering techniques. DNS records pointing to services or servers that are no longer in use can provide an attacker with an easy entry point into the network.

Recommendation:

We recommend reviewing all DNS records associated with the domain and identifying and removing unused or obsolete records.

Open ports discovery

CONFIRMED

Port	State	Service	Product	Product Version
80	open	http	None	None
81	open	http	None	None
85	open	mit-ml-dev	None	None
86	open	mfcobol	None	None
443	open	https	None	None
444	open	snpp	None	None
445	open	microsoft-ds	None	None
452	open	sfs-config	None	None
491	open	go-login	None	None
1443	open	ies-lm	None	None
1601	open	http	None	None
1701	open	http	None	None
1760	open	www-ldap-gw	None	None
1988	open	tr-rsrb-p2	None	None
1989	open	tr-rsrb-p3	None	None
2001	open	dc	None	None
2087	open	eli	None	None
2096	open	nbx-dir	None	None
3000	open	ppp	None	None

3001	open	nessus	None	None
3002	open	exlm-agent	None	None
4000	open	remoteanything	None	None
4333	open	msql	None	None
4430	open	rsqlserver	None	None
4443	open	pharos	None	None
5000	open	upnp	None	None
5001	open	commplex-link	None	None
5020	open	http	None	None
5021	open	zenginkyo-2	None	None
5055	open	unot	None	None
5501	open	fcp-addr-srvr2	None	None
7003	open	afs3-vlserver	None	None
7443	open	oracleas-https	None	None
7741	open	scriptview	None	None
8000	open	http	None	None
8001	open	vcom-tunnel	None	None
8002	open	teradataordbms	None	None
8010	open	xmpp	None	None
8011	open	unknown	None	None
8014	open	http	None	None
8015	open	cfg-cloud	None	None
8016	open	ads-s	None	None
8021	open	ftp-proxy	None	None
8022	open	oa-system	None	None
8023	open	arca-api	None	None
8025	open	ca-audit-da	None	None
8052	open	senomix01	None	None
8060	open	aero	None	None
8076	open	slnp	None	None
8080	open	http	None	None
8081	open	blackice-icecap	None	None
8082	open	blackice-alerts	None	None
8084	open	websnp	None	None
8085	open	unknown	None	None
8086	open	d-s-n	None	None
8087	open	http	None	None
8088	open	radan-http	None	None

8090	open	opsmessaging	None	None
8092	open	unknown	None	None
8093	open	unknown	None	None
8095	open	unknown	None	None
8097	open	sac	None	None
8098	open	unknown	None	None
8099	open	unknown	None	None
8181	open	intermapper	None	None
8282	open	libelle	None	None
8383	open	m2mservices	None	None
8443	open	https-alt	None	None
8801	open	unknown	None	None
8888	open	http	None	None
9003	open	http	None	None
9013	open	http	None	None
9080	open	http	None	None
9090	open	zeus-admin	None	None
9091	open	http	None	None
9111	open	DragonIDSConsole	None	None
9443	open	tungsten-https	None	None
9991	open	http	None	None
9999	open	abyss	None	None
10082	open	http	None	None
10083	open	http	None	None
44443	open	coldfusion-auth	None	None
60000	open	unknown	None	None

Details

Risk description:
This is the list of ports that have been found on the target host. Having unnecessary open ports may expose the target to more risks because those network services and applications may contain vulnerabilities.

Recommendation:
We recommend reviewing the list of open ports and closing the ones which are not necessary for business purposes.

Web redirect detected on port 80

CONFIRMED

We managed to detect the redirect using the following Request / Response chain.

Details

Recommendation:
Vulnerability checks are skipped for ports that redirect to another port. We recommend scanning the redirected port directly.

Missing Subresource Integrity

port 443/tcp

CONFIRMED

We managed to detect a Missing Subresource Integrity, using the following Request / Response chain.
We extracted the following information from the target: **https://fonts.googleapis.com/css?family=Public Sans**
Endpoint: **https://www.mybankone.com/ManagedServices/LoginPage.aspx?ReturnUrl=%2fManagedServices%2f**
Details

Vulnerability description:
Checks if external script and stylesheet tags in the HTML response are missing the Subresource Integrity (SRI) attribute.

Risk description:
The risk exists that a remote attacker might leverage the misconfigurations in order to compromise the target.

Recommendation:
We recommend you to analyze if this resource should be available or not.

References:
https://cheatsheetseries.owasp.org/cheatsheets/Third_Party_Javascript_Management_Cheat_Sheet.html#subresource-integrity
https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity

TLS Version

CONFIRMED

port 443/tcp

The following TLS Version: **tls12** was detected.
Endpoint: **www.mybankone.com:443**
Details

Vulnerability description:
TLS version detection is a security process used to determine the version of the Transport Layer Security (TLS) protocol used by a computer or server. It is important to detect the TLS version in order to ensure secure communication between two computers or servers.

Recommendation:
We recommend you to analyze if this resource should be available or not.

TLS Version

CONFIRMED

port 443/tcp

The following TLS Version: **tls13** was detected.
Endpoint: **www.mybankone.com:443**
Details

Vulnerability description:
TLS version detection is a security process used to determine the version of the Transport Layer Security (TLS) protocol used by a computer or server. It is important to detect the TLS version in order to ensure secure communication between two computers or servers.

Recommendation:
We recommend you to analyze if this resource should be available or not.

WAF

CONFIRMED

port 443/tcp

We managed to detect the following Web Application Firewall: **aspgeneric**, using the following Request / Response chain.
Details

Vulnerability description:
A web application firewall was detected.

References:
https://github.com/Ekultek/WhatWaf

DNS SaaS Service

CONFIRMED

We managed to detect a DNS SaaS Service, using the following Request / Response chain.
bankone-live.trafficmanager.net
Details

Vulnerability description:
A CNAME DNS record was discovered

Recommendation:
We recommend you to analyze if this resource should be available or not.

References:
https://ns1.com/resources/cname
https://www.theregister.com/2021/02/24/dns_cname_tracking/
https://www.ionos.com/digitalguide/hosting/technical-matters/cname-record/

SSL DNS Names

CONFIRMED

port 443/tcp

The following SSL DNS Names: ***.mybankone.com, mybankone.com** were detected.
Endpoint: **www.mybankone.com:443**
Details

Vulnerability description:
Extract the Subject Alternative Name (SAN) from the target's certificate. SAN facilitates the usage of additional hostnames with the same certificate.

Recommendation:
We recommend you to analyze if this resource should be available or not.

SSL Certificate Issuer

CONFIRMED

port 443/tcp

The following SSL Certificate Issuer: **GoDaddy.com, Inc.** were detected.
Endpoint: **www.mybankone.com:443**
Details

Vulnerability description:
Extract the issuer's organization from the target's certificate. Issuers are entities which sign and distribute certificates.

Recommendation:
We recommend you to analyze if this resource should be available or not.

Wildcard TLS Certificate

CONFIRMED

port 443/tcp

The following Wildcard TLS Certificate: **SAN: [*.mybankone.com mybankone.com], CN: *.mybankone.com** were detected.
Endpoint: **www.mybankone.com:443**
Details

Vulnerability description:
Checks a sites certificate to see if there are wildcard CN or SAN entries.

Recommendation:
We recommend you to analyze if this resource should be available or not.

References:
https://cheatsheetseries.owasp.org/cheatsheets/Transport_Layer_Security_Cheat_Sheet.html#carefully-consider-the-use-of-wildcard-certificates

SOA Record Service

CONFIRMED

We managed to detect a SOA Record Service, using the following Request / Response chain.
Details

Vulnerability description:
Detects which domain provider a domain is using, detected through SOA records

Recommendation:
We recommend you to analyze if this resource should be available or not.

References:
https://www.cloudflare.com/learning/dns/dns-records/dns-soa-record/

Server software and technologies

port 443/tcp

UNCONFIRMED

Software / Version	Category
Windows Server	Operating systems
Bootstrap	UI frameworks
Microsoft ASP.NET	Web frameworks
IIS 10.0	Web servers
jQuery CDN	CDN
jQuery 3.4.1	JavaScript libraries
Google Font API	Font scripts
HSTS	Security

Details

Vulnerability description:

We noticed that server software and technology details are exposed, potentially aiding attackers in tailoring specific exploits against identified systems and versions.

Risk description:

The risk is that an attacker could use this information to mount specific attacks against the identified software type and version.

Recommendation:

We recommend you to eliminate the information which permits the identification of software platform, technology, server and operating system: HTTP server headers, HTML meta information, etc.

OS detection couldn't determine the operating system.

Version-based detection found no vulnerabilities on port 81

port 81/tcp

Version-based detection found no vulnerabilities on port 85

port 85/tcp

Version-based detection found no vulnerabilities on port 86

port 86/tcp

Version-based detection found no vulnerabilities on port 444

port 444/tcp

Version-based detection found no vulnerabilities on port 445

port 445/tcp

Version-based detection found no vulnerabilities on port 452

port 452/tcp

Version-based detection found no vulnerabilities on port 491

port 491/tcp

Version-based detection found no vulnerabilities on port 1443
port 1443/tcp

Version-based detection found no vulnerabilities on port 1601
port 1601/tcp

Version-based detection found no vulnerabilities on port 1701
port 1701/tcp

Version-based detection found no vulnerabilities on port 1760
port 1760/tcp

Version-based detection found no vulnerabilities on port 1988
port 1988/tcp

Version-based detection found no vulnerabilities on port 1989
port 1989/tcp

Version-based detection found no vulnerabilities on port 2001
port 2001/tcp

Version-based detection found no vulnerabilities on port 2087
port 2087/tcp

Version-based detection found no vulnerabilities on port 2096
port 2096/tcp

Version-based detection found no vulnerabilities on port 3000
port 3000/tcp

Version-based detection found no vulnerabilities on port 3001
port 3001/tcp

Version-based detection found no vulnerabilities on port 3002
port 3002/tcp

Version-based detection found no vulnerabilities on port 4000
port 4000/tcp

Version-based detection found no vulnerabilities on port 4333
port 4333/tcp

Version-based detection found no vulnerabilities on port 4430
port 4430/tcp

Version-based detection found no vulnerabilities on port 4443
port 4443/tcp

Version-based detection found no vulnerabilities on port 5000
port 5000/tcp

Version-based detection found no vulnerabilities on port 5001
port 5001/tcp

Version-based detection found no vulnerabilities on port 5020
port 5020/tcp

Version-based detection found no vulnerabilities on port 5021
port 5021/tcp

Version-based detection found no vulnerabilities on port 5055
port 5055/tcp

Version-based detection found no vulnerabilities on port 5501
port 5501/tcp

Version-based detection found no vulnerabilities on port 7003
port 7003/tcp

Version-based detection found no vulnerabilities on port 7443
port 7443/tcp

Version-based detection found no vulnerabilities on port 7741
port 7741/tcp

Version-based detection found no vulnerabilities on port 8000
port 8000/tcp

Version-based detection found no vulnerabilities on port 8001
port 8001/tcp

Version-based detection found no vulnerabilities on port 8002
port 8002/tcp

Version-based detection found no vulnerabilities on port 8010
port 8010/tcp

Version-based detection found no vulnerabilities on port 8011
port 8011/tcp

Version-based detection found no vulnerabilities on port 8014
port 8014/tcp

Version-based detection found no vulnerabilities on port 8015
port 8015/tcp

Version-based detection found no vulnerabilities on port 8016
port 8016/tcp

Version-based detection found no vulnerabilities on port 8021
port 8021/tcp

Version-based detection found no vulnerabilities on port 8022
port 8022/tcp

Version-based detection found no vulnerabilities on port 8023
port 8023/tcp

Version-based detection found no vulnerabilities on port 8025
port 8025/tcp

Version-based detection found no vulnerabilities on port 8052
port 8052/tcp

Version-based detection found no vulnerabilities on port 8060
port 8060/tcp

Version-based detection found no vulnerabilities on port 8076
port 8076/tcp

Version-based detection found no vulnerabilities on port 8080
port 8080/tcp

Version-based detection found no vulnerabilities on port 8081
port 8081/tcp

Version-based detection found no vulnerabilities on port 8082
port 8082/tcp

Version-based detection found no vulnerabilities on port 8084
port 8084/tcp

Version-based detection found no vulnerabilities on port 8085
port 8085/tcp

Version-based detection found no vulnerabilities on port 8086
port 8086/tcp

Version-based detection found no vulnerabilities on port 8087
port 8087/tcp

Version-based detection found no vulnerabilities on port 8088
port 8088/tcp

Version-based detection found no vulnerabilities on port 8090
port 8090/tcp

Version-based detection found no vulnerabilities on port 8092
port 8092/tcp

Version-based detection found no vulnerabilities on port 8093
port 8093/tcp

Version-based detection found no vulnerabilities on port 8095
port 8095/tcp

Version-based detection found no vulnerabilities on port 8097
port 8097/tcp

Version-based detection found no vulnerabilities on port 8098
port 8098/tcp

Version-based detection found no vulnerabilities on port 8099
port 8099/tcp

Version-based detection found no vulnerabilities on port 8181
port 8181/tcp

Version-based detection found no vulnerabilities on port 8282
port 8282/tcp

Version-based detection found no vulnerabilities on port 8383
port 8383/tcp

Version-based detection found no vulnerabilities on port 8443
port 8443/tcp

Version-based detection found no vulnerabilities on port 8801
port 8801/tcp

Version-based detection found no vulnerabilities on port 8888
port 8888/tcp

Version-based detection found no vulnerabilities on port 9003
port 9003/tcp

Version-based detection found no vulnerabilities on port 9013
port 9013/tcp

Version-based detection found no vulnerabilities on port 9080
port 9080/tcp

Version-based detection found no vulnerabilities on port 9090
port 9090/tcp

Version-based detection found no vulnerabilities on port 9091
port 9091/tcp

Version-based detection found no vulnerabilities on port 9111
port 9111/tcp

Version-based detection found no vulnerabilities on port 9443
port 9443/tcp

Version-based detection found no vulnerabilities on port 9991
port 9991/tcp

Version-based detection found no vulnerabilities on port 9999
port 9999/tcp

Version-based detection found no vulnerabilities on port 10082
port 10082/tcp

Version-based detection found no vulnerabilities on port 10083
port 10083/tcp

Version-based detection found no vulnerabilities on port 44443
port 44443/tcp

Version-based detection found no vulnerabilities on port 60000
port 60000/tcp

Scan coverage information

List of tests performed (97/97)

- ✔ Running IP information lookup phase
- ✔ Performing DNS enumeration
- ✔ Performing OS detection
- ✔ Running port discovery
- ✔ Checking for web redirect on port 80
- ✔ Searching for version-based vulnerabilities on port 81
- ✔ Searching for version-based vulnerabilities on port 85
- ✔ Searching for version-based vulnerabilities on port 86
- ✔ Fingerprinting website for technologies on port 443
- ✔ Scanning for vulnerabilities of jQuery on port 443
- ✔ Searching for version-based vulnerabilities on port 444
- ✔ Searching for version-based vulnerabilities on port 445
- ✔ Searching for version-based vulnerabilities on port 452
- ✔ Searching for version-based vulnerabilities on port 491
- ✔ Searching for version-based vulnerabilities on port 1443
- ✔ Searching for version-based vulnerabilities on port 1601
- ✔ Searching for version-based vulnerabilities on port 1701
- ✔ Searching for version-based vulnerabilities on port 1760
- ✔ Searching for version-based vulnerabilities on port 1988
- ✔ Searching for version-based vulnerabilities on port 1989
- ✔ Searching for version-based vulnerabilities on port 2001
- ✔ Searching for version-based vulnerabilities on port 2087
- ✔ Searching for version-based vulnerabilities on port 2096
- ✔ Searching for version-based vulnerabilities on port 3000
- ✔ Searching for version-based vulnerabilities on port 3001
- ✔ Searching for version-based vulnerabilities on port 3002
- ✔ Searching for version-based vulnerabilities on port 4000
- ✔ Searching for version-based vulnerabilities on port 4333
- ✔ Searching for version-based vulnerabilities on port 4430
- ✔ Searching for version-based vulnerabilities on port 4443
- ✔ Searching for version-based vulnerabilities on port 5000
- ✔ Searching for version-based vulnerabilities on port 5001
- ✔ Searching for version-based vulnerabilities on port 5020
- ✔ Searching for version-based vulnerabilities on port 5021
- ✔ Searching for version-based vulnerabilities on port 5055
- ✔ Searching for version-based vulnerabilities on port 5501
- ✔ Searching for version-based vulnerabilities on port 7003
- ✔ Searching for version-based vulnerabilities on port 7443
- ✔ Searching for version-based vulnerabilities on port 7741
- ✔ Searching for version-based vulnerabilities on port 8000
- ✔ Searching for version-based vulnerabilities on port 8001
- ✔ Searching for version-based vulnerabilities on port 8002
- ✔ Searching for version-based vulnerabilities on port 8010
- ✔ Searching for version-based vulnerabilities on port 8011
- ✔ Searching for version-based vulnerabilities on port 8014
- ✔ Searching for version-based vulnerabilities on port 8015
- ✔ Searching for version-based vulnerabilities on port 8016
- ✔ Searching for version-based vulnerabilities on port 8021
- ✔ Searching for version-based vulnerabilities on port 8022
- ✔ Searching for version-based vulnerabilities on port 8023
- ✔ Searching for version-based vulnerabilities on port 8025
- ✔ Searching for version-based vulnerabilities on port 8052
- ✔ Searching for version-based vulnerabilities on port 8060
- ✔ Searching for version-based vulnerabilities on port 8076
- ✔ Searching for version-based vulnerabilities on port 8080
- ✔ Searching for version-based vulnerabilities on port 8081
- ✔ Searching for version-based vulnerabilities on port 8082
- ✔ Searching for version-based vulnerabilities on port 8084
- ✔ Searching for version-based vulnerabilities on port 8085
- ✔ Searching for version-based vulnerabilities on port 8086
- ✔ Searching for version-based vulnerabilities on port 8087
- ✔ Searching for version-based vulnerabilities on port 8088
- ✔ Searching for version-based vulnerabilities on port 8090
- ✔ Searching for version-based vulnerabilities on port 8092
- ✔ Searching for version-based vulnerabilities on port 8093
- ✔ Searching for version-based vulnerabilities on port 8095
- ✔ Searching for version-based vulnerabilities on port 8097
- ✔ Searching for version-based vulnerabilities on port 8098
- ✔ Searching for version-based vulnerabilities on port 8099
- ✔ Searching for version-based vulnerabilities on port 8181
- ✔ Searching for version-based vulnerabilities on port 8282
- ✔ Searching for version-based vulnerabilities on port 8383
- ✔ Searching for version-based vulnerabilities on port 8443
- ✔ Searching for version-based vulnerabilities on port 8801
- ✔ Searching for version-based vulnerabilities on port 8888

- Searching for version-based vulnerabilities on port 9003
- Searching for version-based vulnerabilities on port 9013
- Searching for version-based vulnerabilities on port 9080
- Searching for version-based vulnerabilities on port 9090
- Searching for version-based vulnerabilities on port 9091
- Searching for version-based vulnerabilities on port 9111
- Searching for version-based vulnerabilities on port 9443
- Searching for version-based vulnerabilities on port 9991
- Searching for version-based vulnerabilities on port 9999
- Searching for version-based vulnerabilities on port 10082
- Searching for version-based vulnerabilities on port 10083
- Searching for version-based vulnerabilities on port 44443
- Searching for version-based vulnerabilities on port 60000
- Checking for Missing Subresource Integrity on port 443
- Checking for TLS Version on port 443
- Checking for TLS Version on port 443
- Checking for WAF on port 443
- Checking for DNS SaaS Service
- Checking for SSL DNS Names on port 443
- Checking for SSL Certificate Issuer on port 443
- Checking for Wildcard TLS Certificate on port 443
- Checking for SOA Record Service

Scan parameters

Target:	www.mybankone.com
Preset:	Deep
Scanning engines:	Version_based, Sniper, Nuclei
Check alive:	True
Extensive modules:	False
Protocol type:	TCP
Ports to scan:	Top 5000 ports
CVEs:	
Requests per second:	-

Password Auditor Report

https://www.mybankone.com/ManagedServices/LoginPage.aspx?ReturnUrl=%2FManagedServices%2F
BANKONE

Summary

Overall risk level:
Info

Risk ratings:

Critical:	0
High:	0
Medium:	0
Low:	0
Info:	6

Scan information:

Start time:	Mar 02, 2025 / 20:15:23 UTC+02
Finish time:	Mar 02, 2025 / 21:27:47 UTC+02
Scan duration:	1 hrs, 12 min, 24 sec
Tests performed:	6/6
Scan status:	Finished

Findings

Web redirect detected on port 80
port 80/tcp

Port 80 redirects to port 443.
Details

Recommendation:
Vulnerability checks are skipped for ports redirecting to another port. We recommend scanning the redirected port directly.

Found 5 open ports

Server	Open Port	Service	URL
www.mybankone.com	80	http	https://www.mybankone.com/ManagedServices/LoginPage.aspx?ReturnUrl=%2fManagedServices%2f
www.mybankone.com	443	https	https://www.mybankone.com/ManagedServices/LoginPage.aspx?ReturnUrl=%2FManagedServices%2F
www.mybankone.com	8000	http	http://www.mybankone.com:8000/
www.mybankone.com	8080	http	http://www.mybankone.com:8080/
www.mybankone.com	8443	https	https://www.mybankone.com:8443

Details

Risk description:
This is the list of ports that have been found open on the target host.
Having unnecessary open ports may expose the target system to risks because those network services and applications may contain vulnerabilities.

Recommendation:
We recommend reviewing the list of open ports and closing the ones which are not necessary for business purposes.

Could not attempt authentication on HTTP service
port 8000/tcp

Could not attempt authentication on HTTP service
port 8080/tcp

Could not attempt authentication on HTTPS service
port 8443/tcp

Attack stopped on HTTPS service due to unusual responses from the target that could generate false positives
port 443/tcp

Scan coverage information

List of tests performed (6/6)

- Web redirect detected on port 80
- Scanning target for open ports...
- Checking service connectivity on port 8000...
- Checking service connectivity on port 8080...
- Checking service connectivity on port 8443...
- Searching for weak credentials on port 443...

Scan parameters

Target:	https://www.mybankone.com/ManagedServices/LoginPage.aspx?ReturnUrl=%2FManagedServices%2F
Attack type:	dictionary
Ports:	Top 100 ports
Services:	AMQP, Docker, FTP, HTTP, MQTT, MSSQL, MySQL, PostgreSQL, RDP, Redis, SSH, STOMP, Telnet, VNC, WinRM
Usernames:	default
Passwords:	default
Time delay between attempts:	0s
Lockout period:	none
Attempts per period:	none
Check default credentials:	True

SSL/TLS Vulnerability Scanner Report

✔ **www.mybankone.com**

Summary

Overall risk level:

Info

Risk ratings:

Critical:	0
High:	0
Medium:	0
Low:	0
Info:	19

Scan information:

Start time:	Mar 02, 2025 / 21:10:53 UTC+02
Finish time:	Mar 02, 2025 / 21:37:20 UTC+02
Scan duration:	26 min, 27 sec
Tests performed:	19/19
Scan status:	Finished

Findings

Found 74 open ports, 1 with SSL/TLS support.

Port	State	Service	Server version	Uses SSL/TLS
80	open	http		No
8016	open	ads-s		No
8888	open	sun-answerbook		No
9003	open	unknown		No
8015	open	cfg-cloud		No
4430	open	rsqlserver		No
8000	open	http		No
8025	open	ca-audit-da		No
8060	open	aero		No
1760	open	www-ldap-gw		No
8181	open	intermapper		No
1701	open	l2f		No
8443	open	https-alt		No
452	open	sfs-config		No
8021	open	ftp-proxy		No
9111	open	DragonIDSConsole		No
4443	open	pharos		No
1989	open	tr-rsrb-p3		No
8084	open	websnp		No
8081	open	blackice-icecap		No
85	open	mit-ml-dev		No

4333	open	msql		No
8082	open	blackice-alerts		No
8086	open	d-s-n		No
9080	open	glrpc		No
5501	open	fcp-addr-srvr2		No
5001	open	commplex-link		No
7443	open	oracleas-https		No
8023	open	arca-api		No
8282	open	libelle		No
9013	open	unknown		No
3002	open	exlm-agent		No
4000	open	remoteanything		No
9991	open	issa		No
10083	open	amidxtape		No
9090	open	zeus-admin		No
10082	open	amandaidx		No
1988	open	tr-rsrb-p2		No
443	open	https		Yes
9091	open	xmltec-xmlmail		No
445	open	microsoft-ds		No
2087	open	eli		No
7741	open	scriptview		No
7003	open	afs3-vlserver		No
8080	open	http		No
8002	open	teradataordbms		No
44443	open	coldfusion-auth		No
5020	open	zenginkyo-1		No
8097	open	sac		No
5000	open	upnp		No
8052	open	senomix01		No
8087	open	simplifymedia		No
3001	open	nessus		No
8014	open	unknown		No
8088	open	radan-http		No
2001	open	dc		No
9999	open	abyss		No
86	open	mfcobol		No
2096	open	nbx-dir		No

8001	open	vcom-tunnel		No
5055	open	unot		No
81	open	hosts2-ns		No
8022	open	oa-system		No
8076	open	slnp		No
8090	open	opsmessaging		No
8383	open	m2mservices		No
3000	open	ppp		No
5021	open	zenginkyo-2		No
444	open	snpp		No
9443	open	tungsten-https		No
8010	open	xmpp		No
491	open	go-login		No
1443	open	ies-lm		No
1601	open	aas		No

SSL/TLS: Certificate is trusted

port 443/tcp

The domain has been found among Subject Alternate Names (SAN) or is the Common Name (CN) itself.
Therefore, it is considered protected by the certificate.

The Server Name Indication (SNI) has also been found. SNI is an extension to the TLS protocol that allows a client or browser to indicate which hostname it is trying to connect to at the start of the TLS handshake.
This allows the server to present multiple certificates on the same IP address and port number.

SSL/TLS: Certificate is Valid

port 443/tcp

The certificate will expire in 272 days.

SSL/TLS: CA Issuer is invalid or it cannot be identified

port 443/tcp

Go daddy secure certificate authority - g2 (godaddy.com, inc. from us)

Details

Risk description:

The certificate does not have a valid Certificate Authority Issuer, which are important for checking identity of the owner. Having this risk may result in the browsers not being able to validate the server's identity, compromising the communication between the server and users.

Recommendation:

We recommend you to configure a valid Certificate Authority Issuer for your servers's certificates.

Tested for certificate issues.

port 443/tcp

Certificate number: #1
Issuer: Go Daddy Secure Certificate Authority - G2 (GoDaddy.com, Inc. from US)
Signature: SHA256 with RSA
Serial number: 745B9C544D6F0A2A

SSL/TLS: Not vulnerable to Heartbleed
port 443/tcp

SSL/TLS: Not vulnerable to CCS Injection
port 443/tcp

SSL/TLS: Not vulnerable to Ticketbleed
port 443/tcp

SSL/TLS: Not vulnerable to ROBOT
port 443/tcp

SSL/TLS: Not vulnerable to Secure Renegotiation
port 443/tcp

SSL/TLS: Not vulnerable to CRIME
port 443/tcp

SSL/TLS: Not vulnerable to POODLE
port 443/tcp

SSL/TLS: Not vulnerable to SWEET32
port 443/tcp

SSL/TLS: Not vulnerable to FREAK
port 443/tcp

SSL/TLS: Not vulnerable to DROWN
port 443/tcp

SSL/TLS: Not vulnerable to LOGJAM
port 443/tcp

SSL/TLS: Not vulnerable to BEAST
port 443/tcp

SSL/TLS: Not vulnerable to RC4
port 443/tcp

Tested for SSL/TLS vulnerabilities
port 443/tcp

Scan coverage information

List of tests performed (19/19)

- ✔ Checking for SSL/TLS services...
- ✔ Checking if the certificate is trusted...
- ✔ Checking if the certificate is expired...
- ✔ Checking for Certificate Authority Issuer...
- ✔ Checking the certificate on port 443...
- ✔ Scanning for HEARTBLEED on port 443
- ✔ Scanning for CCS on port 443
- ✔ Scanning for TICKETBLEED on port 443
- ✔ Scanning for ROBOT on port 443
- ✔ Scanning for SECURE_RENEGO on port 443
- ✔ Scanning for CRIME_TLS on port 443
- ✔ Scanning for POODLE_SSL on port 443
- ✔ Scanning for SWEET32 on port 443
- ✔ Scanning for FREAK on port 443
- ✔ Scanning for DROWN on port 443
- ✔ Scanning for LOGJAM on port 443
- ✔ Scanning for BEAST on port 443
- ✔ Scanning for RC4 on port 443
- ✔ Tested for SSL/TLS vulnerabilities

Scan parameters

Target:	www.mybankone.com
Preset:	Deep
Scanning engines:	Certificate, Vulnerability
Ports to scan:	Top 1000 ports

Sniper: Auto-Exploiter Report

www.mybankone.com

Target is not vulnerable

Exploitation summary

No vulnerability was found on the target system.

Sniper attempted 14 exploits against 2 matching open ports and none were successful.

Computer:	www.mybankone.com
IP address:	20.88.164.125

The following TCP ports have been fingerprinted on the target machine:

OPEN PORT	SERVICE NAME	SERVICE VERSION	WEB FINGERPRINT	EXPLOIT STATUS
80	http	HTTP		NOT VULNERABLE
81	hosts2-ns	HOSTS2-NS		NO COMPATIBLE EXPLOITS
85	mit-ml-dev	MIT-ML-DEV		NO COMPATIBLE EXPLOITS
86	mfcobol	MFCOBOL		NO COMPATIBLE EXPLOITS
443	https	HTTPS		NOT VULNERABLE
444	snpp	SNPP		NO COMPATIBLE EXPLOITS
445	microsoft-ds	MICROSOFT-DS		NO COMPATIBLE EXPLOITS
452	sfs-config	SFS-CONFIG		NO COMPATIBLE EXPLOITS
491	go-login	GO-LOGIN		NO COMPATIBLE EXPLOITS
1443	ies-lm	IES-LM		NO COMPATIBLE EXPLOITS
1601	aas	AAS		NO COMPATIBLE EXPLOITS
1701	l2f	L2F		NO COMPATIBLE EXPLOITS
1760	www-ldap-gw	WWW-LDAP-GW		NO COMPATIBLE EXPLOITS
1988	tr-rsrb-p2	TR-RSRB-P2		NO COMPATIBLE EXPLOITS

1989	tr-rsrb-p3	TR-RSRB-P3	NO COMPATIBLE EXPLOITS
2001	dc	DC	NO COMPATIBLE EXPLOITS
2087	eli	ELI	NO COMPATIBLE EXPLOITS
2096	nbx-dir	NBX-DIR	NO COMPATIBLE EXPLOITS
3000	ppp	PPP	NO COMPATIBLE EXPLOITS
3001	nessus	NESSUS	NO COMPATIBLE EXPLOITS
3002	exlm-agent	EXLM-AGENT	NO COMPATIBLE EXPLOITS
4000	remoteanything	REMOTEANYTHING	NO COMPATIBLE EXPLOITS
4333	msql	MSQL	NO COMPATIBLE EXPLOITS
4430	rsqlserver	RSQLSERVER	NO COMPATIBLE EXPLOITS
4443	pharos	PHAROS	NO COMPATIBLE EXPLOITS
5000	upnp	UPNP	NO COMPATIBLE EXPLOITS
5001	commplex-link	COMMPLEX-LINK	NO COMPATIBLE EXPLOITS
5020	zenginkyo-1	ZENGINKYO-1	NO COMPATIBLE EXPLOITS
5021	zenginkyo-2	ZENGINKYO-2	NO COMPATIBLE EXPLOITS
5055	unot	UNOT	NO COMPATIBLE EXPLOITS
5501	fcp-addr-srvr2	FCP-ADDR-SRVR2	NO COMPATIBLE EXPLOITS
7003	afs3-vlserver	AFS3-VLSERVER	NO COMPATIBLE EXPLOITS
7443	oracleas-https	ORACLEAS-HTTPS	NO COMPATIBLE EXPLOITS
7741	scriptview	SCRIPTVIEW	NO COMPATIBLE EXPLOITS
8000	http	HTTP	NO COMPATIBLE EXPLOITS
8001	vcom-tunnel	VCOM-TUNNEL	NO COMPATIBLE EXPLOITS
8002	teradataordbms	TERADATAORDBMS	NO COMPATIBLE EXPLOITS
8010	xmpp	XMPP	NO COMPATIBLE EXPLOITS
8011	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8014	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8015	cfg-cloud	CFG-CLOUD	NO COMPATIBLE EXPLOITS
8016	ads-s	ADS-S	NO COMPATIBLE EXPLOITS
8021	ftp-proxy	FTP-PROXY	NO COMPATIBLE EXPLOITS
8022	oa-system	OA-SYSTEM	NO COMPATIBLE EXPLOITS
8023	arca-api	ARCA-API	NO COMPATIBLE EXPLOITS
8025	ca-audit-da	CA-AUDIT-DA	NO COMPATIBLE EXPLOITS
8052	senomix01	SENOMIX01	NO COMPATIBLE EXPLOITS

8060	aero	AERO	NO COMPATIBLE EXPLOITS
8076	slnp	SLNP	NO COMPATIBLE EXPLOITS
8080	http	HTTP	NO COMPATIBLE EXPLOITS
8081	blackice-icecap	BLACKICE-ICECAP	NO COMPATIBLE EXPLOITS
8082	blackice-alerts	BLACKICE-ALERTS	NO COMPATIBLE EXPLOITS
8084	websnp	WEBSNP	NO COMPATIBLE EXPLOITS
8085	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8086	d-s-n	D-S-N	NO COMPATIBLE EXPLOITS
8087	simplifymedia	SIMPLIFYMEDIA	NO COMPATIBLE EXPLOITS
8088	radan-http	RADAN-HTTP	NO COMPATIBLE EXPLOITS
8090	opsmessaging	OPSMESSAGING	NO COMPATIBLE EXPLOITS
8092	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8093	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8095	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8097	sac	SAC	NO COMPATIBLE EXPLOITS
8098	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8099	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8181	intermapper	INTERMAPPER	NO COMPATIBLE EXPLOITS
8282	libelle	LIBELLE	NO COMPATIBLE EXPLOITS
8383	m2mservices	M2MSERVICES	NO COMPATIBLE EXPLOITS
8443	https-alt	HTTPS-ALT	NO COMPATIBLE EXPLOITS
8801	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
8888	sun-answerbook	SUN-ANSWERBOOK	NO COMPATIBLE EXPLOITS
9003	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
9013	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS
9080	glrpc	GLRPC	NO COMPATIBLE EXPLOITS
9090	zeus-admin	ZEUS-ADMIN	NO COMPATIBLE EXPLOITS
9091	xmltec-xmlmail	XMLTEC-XMLMAIL	NO COMPATIBLE EXPLOITS
9111	DragonIDSConsole	DRAGONIDSCONSOLE	NO COMPATIBLE EXPLOITS
9443	tungsten-https	TUNGSTEN-HTTPS	NO COMPATIBLE EXPLOITS
9991	issa	ISSA	NO COMPATIBLE EXPLOITS
9999	abyss	ABYSS	NO COMPATIBLE EXPLOITS
10083	amandaidx	AMANDAIDX	NO COMPATIBLE EXPLOITS

10082	amandaidx	AMANDAIDX	NO COMPATIBLE EXPLOITS
10083	amidxtape	AMIDXTAPE	NO COMPATIBLE EXPLOITS
44443	coldfusion-auth	COLDFUSION-AUTH	NO COMPATIBLE EXPLOITS
60000	unknown	UNKNOWN	NO COMPATIBLE EXPLOITS

Scan parameters

Target:	www.mybankone.com
Authenticated scan:	False
Protocol:	TCP
Ports to scan:	Top 5000 ports
CVEs:	
Extractors:	basic-system-information-extractor,interesting-files-extractor,secrets-extractor
Only Safe Exploits:	True
Check Alive:	False
Include Extensive Modules:	True

Scan information

Start time:	Mar 02, 2025 / 21:12:34 UTC+02
Finish time:	Mar 02, 2025 / 21:50:48 UTC+02
Scan duration:	38 min, 14 sec
Scan status:	Finished

SQLi Exploiter with SQLMap Report

https://www.mybankone.com/ManagedServices/LoginPage.aspx?ReturnUrl=%2FManagedServices%2F

BANKONE

SQL Injection NOT Found

Scan parameters

URL:	https://www.mybankone.com/ManagedServices/LoginPage.aspx?ReturnUrl=%2FManagedServices%2F
Method:	GET
POST Data:	
Extract current user:	True
Extract current database:	True
Extract server hostname:	True
Extract banner:	True
Extract users:	True
Extract passwords:	True
Extract tables:	True
Extract databases:	True
Cookie header:	
Test parameters:	
Tamper:	
Level:	1
Risk:	1
HTTP Code:	None
Prefix:	
Suffix:	
Database type:	
Techniques:	BEUSTQ
Light crawling:	False
Test Web Forms:	False

Scan information

Start time:	Mar 02, 2025 / 21:15:23 UTC+02
Finish time:	Mar 02, 2025 / 21:16:06 UTC+02
Scan duration:	43 sec
Scan status:	Finished