```
In [ ]:
!mkdir -p ~/.kaggle
!cp kaggle.json ~/.kaggle/
In [ ]:
! kaggle datasets download -d salader/dogs-vs-cats
Downloading dogs-vs-cats.zip to /content
 99% 1.06G/1.06G [00:26<00:00, 44.3MB/s]
100% 1.06G/1.06G [00:26<00:00, 42.6MB/s]
In [ ]:
import zipfile
zip ref = zipfile.ZipFile('/content/dogs-vs-cats.zip', 'r')
zip ref.extractall('/content')
zip_ref.close()
In [ ]:
import tensorflow as tf
from tensorflow import keras
from keras import Sequential
from keras.layers import Dense, Conv2D, MaxPooling2D, Flatten, BatchNormalization, Dropout
In [ ]:
train ds = keras.utils.image dataset from directory(
    directory = '/content/train',
    labels='inferred',
    label mode = 'int',
    batch size=32,
    image size=(256, 256)
validation ds = keras.utils.image dataset from directory(
    directory = '/content/test',
    labels='inferred',
    label mode = 'int',
    batch_size=32,
    image size=(256, 256)
Found 20000 files belonging to 2 classes.
Found 5000 files belonging to 2 classes.
In [ ]:
# Normalizing data
def process(image, label):
    image = tf.cast(image/255. ,tf.float32)
    return image, label
train ds = train ds.map(process)
validation ds = validation ds.map(process)
In [ ]:
# creating CNN model
model = Sequential()
model.add(Conv2D(32, kernel size=(3,3), padding='valid', activation='relu', input shape=(256
,256,3)))
model.add(BatchNormalization())
```

model.add(MaxPooling2D(pool size=(2,2),strides=2,padding='valid'))

```
model.add(Conv2D(64,kernel_size=(3,3),padding='valid',activation='relu'))
model.add(BatchNormalization())
model.add(MaxPooling2D(pool_size=(2,2),strides=2,padding='valid'))

model.add(Conv2D(128,kernel_size=(3,3),padding='valid',activation='relu'))
model.add(BatchNormalization())
model.add(MaxPooling2D(pool_size=(2,2),strides=2,padding='valid'))

model.add(Flatten())

model.add(Dense(128,activation='relu'))
model.add(Dense(64,activation='relu'))
model.add(Dense(64,activation='relu'))
model.add(Dropout(0.1))
model.add(Dense(1,activation='sigmoid'))
```

In []:

model.summary()

Model: "sequential_2"

Layer (type)	Output Shape	Param #
conv2d_4 (Conv2D)	(None, 254, 254, 32)	896
<pre>batch_normalization (BatchN ormalization)</pre>	(None, 254, 254, 32)	128
<pre>max_pooling2d_3 (MaxPooling 2D)</pre>	(None, 127, 127, 32)	0
conv2d_5 (Conv2D)	(None, 125, 125, 64)	18496
<pre>batch_normalization_1 (Batc hNormalization)</pre>	(None, 125, 125, 64)	256
<pre>max_pooling2d_4 (MaxPooling 2D)</pre>	(None, 62, 62, 64)	0
conv2d_6 (Conv2D)	(None, 60, 60, 128)	73856
<pre>batch_normalization_2 (Batc hNormalization)</pre>	(None, 60, 60, 128)	512
<pre>max_pooling2d_5 (MaxPooling 2D)</pre>	(None, 30, 30, 128)	0
flatten_1 (Flatten)	(None, 115200)	0
dense_3 (Dense)	(None, 128)	14745728
dropout (Dropout)	(None, 128)	0
dense_4 (Dense)	(None, 64)	8256
dropout_1 (Dropout)	(None, 64)	0
dense_5 (Dense)	(None, 1)	65

Total params: 14,848,193 Trainable params: 14,847,745 Non-trainable params: 448

In []:

model.compile(optimizer='adam',loss='binary_crossentropy',metrics=['accuracy'])

_ _ _ _

```
history = model.fit(train ds,epochs=10,validation data=validation ds)
Epoch 1/10
77 - val loss: 0.6443 - val accuracy: 0.6386
Epoch 2/10
00 - val loss: 0.5353 - val accuracy: 0.7442
Epoch 3/10
17 - val loss: 0.4704 - val accuracy: 0.7834
Epoch 4/10
24 - val loss: 0.7385 - val accuracy: 0.6624
Epoch 5/10
43 - val loss: 0.5054 - val accuracy: 0.7704
Epoch 6/10
46 - val loss: 0.8225 - val accuracy: 0.7428
Epoch 7/10
94 - val loss: 0.5472 - val accuracy: 0.7982
Epoch 8/10
51 - val loss: 0.6331 - val accuracy: 0.8042
Epoch 9/10
71 - val loss: 0.6862 - val accuracy: 0.8010
Epoch 10/10
44 - val loss: 0.7166 - val accuracy: 0.8080
In [ ]:
import matplotlib.pyplot as plt
plt.plot(history.history['accuracy'], color='red', label='train')
plt.plot(history.history['val accuracy'],color='blue',label='validation')
plt.legend()
plt.show()
    train
0.95
    validation
0.90
0.85
0.80
0.75
0.70
0.65
0.60
                   Я
In [ ]:
```

```
12 - train validation
```

plt.legend()
plt.show()

plt.plot(history.history['loss'],color='red',label='train')

plt.plot(history.history['val loss'],color='blue',label='validation')

ın []:

