


Bromine

Br (Br I). Strongest classified transitions below 2 μm (NIST): 33 levels, 45 lines.

Br⁺ ionisation limit 95284.80 cm⁻¹ = 11.81381 eV (104.949 nm)



Strongest transitions

Transition	λ vac (nm)	λ air (nm)	ν (THz)	$ \langle J \ er \ J' \rangle $ (ea_0)	A (s ⁻¹)	$\Gamma/2\pi$ up. (MHz)	branch (%)	Use
$^2P_{3/2}^o - 2[2]_{3/2}$	131.7375	-	2275.6805	0.355	2.800e+07	-	-	-
$^2P_{3/2}^o - 2[2]_{5/2}$	131.7691	-	2275.1349	2.603	1.000e+09	-	-	-
$^2P_{1/2}^o - 2[2]_{3/2}$	138.4595	-	2165.1998	1.619	5.000e+08	-	-	-
$^2P_{3/2}^o - 2[0]_{1/2}$	144.9901	-	2067.6749	1.646	9.000e+08	-	-	-
$^2P_{3/2}^o - 2[1]_{3/2}$	148.8459	-	2014.1131	1.141	2.000e+08	-	-	-
$^2P_{1/2}^o - 2[0]_{1/2}$	153.1746	-	1957.1942	1.459	6.000e+08	-	-	-
$^2P_{3/2}^o - 2[2]_{3/2}$	154.0661	-	1945.8686	1.260	2.200e+08	-	-	-
$^2P_{3/2}^o - 2[1]_{1/2}$	158.2313	-	1894.6473	0.442	5.000e+07	-	-	-
$2[2]_{5/2} - 2[3]_{3/2}^o$	827.4686	827.2413	362.3007	8.849	3.500e+07	-	-	-
$2[1]_{1/2} - 2[1]_{1/2}^o$	834.5957	834.3663	359.2068	4.285	3.200e+07	-	-	-
$2[2]_{3/2} - 2[1]_{3/2}^o$	844.8879	844.6558	354.8311	5.774	2.800e+07	-	-	-
$2[2]_{5/2} - 2[3]_{3/2}^o$	882.2364	881.9942	339.8096	9.019	3.000e+07	-	-	-
$2[1]_{3/2} - 2[2]_{3/2}^o$	882.7668	882.5245	339.6055	7.818	3.000e+07	-	-	-
$2[2]_{5/2} - 2[2]_{3/2}^o$	890.0067	889.7624	336.8429	7.914	3.000e+07	-	-	-
$2[2]_{3/2} - 2[1]_{3/2}^o$	916.8584	916.6068	326.9779	4.856	3.100e+07	-	-	-
$2[1]_{3/2} - 2[0]_{1/2}^o$	918.0696	917.8177	326.5465	4.625	2.800e+07	-	-	-

λ , ν from NIST level energies unless a measured frequency for this isotope is available. A: measured value or NIST.
 $\Gamma/2\pi$: natural linewidth of the upper level, $1/(2\pi\tau)$.