


Indium

In (In I). Strongest classified transitions below 2 μm (NIST): 19 levels, 27 lines.

In⁺ ionisation limit 46670.11 cm⁻¹ = 5.78636 eV (214.270 nm)



Strongest transitions

Transition	λ vac (nm)	λ air (nm)	ν (THz)	$\langle U er U \rangle$ (eao)	A (s^{-1})	$\Gamma/2\pi$ up. (MHz)	branch (%)	Use
$5s^2 5p \ ^2P_{1/2}^o - 5s^2 9s \ ^2S_{1/2}$	234.0878	234.0160	1280.6840	0.196	3.040e+06	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 10s \ ^2S_{1/2}$	239.9885	239.9155	1249.1950	0.210	3.220e+06	-	-	
$5s^2 5p \ ^2P_{1/2}^o - 5s^2 8s \ ^2S_{1/2}$	246.0813	246.0068	1218.2660	0.285	5.510e+06	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 9s \ ^2S_{1/2}$	246.8744	246.7998	1214.3519	0.278	5.210e+06	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 7d \ ^2D_{5/2}$	252.2109	252.1350	1188.6579	0.503	5.330e+06	-	-	
$5s^2 5p \ ^2P_{1/2}^o - 5s^2 6d \ ^2D_{3/2}$	256.0916	256.0148	1170.6455	0.808	1.970e+07	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 8s \ ^2S_{1/2}$	260.2514	260.1737	1151.9340	0.414	9.850e+06	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 6d \ ^2D_{5/2}$	271.1072	271.0268	1105.8079	1.267	2.720e+07	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 6d \ ^2D_{3/2}$	271.4741	271.3936	1104.3134	0.428	4.630e+06	-	-	
$5s^2 5p \ ^2P_{1/2}^o - 5s^2 7s \ ^2S_{1/2}$	275.4679	275.3865	1088.3025	0.518	1.300e+07	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 7s \ ^2S_{1/2}$	293.3475	293.2617	1021.9705	0.755	2.290e+07	-	-	
$5s^2 5p \ ^2P_{1/2}^o - 5s^2 5d \ ^2D_{3/2}$	304.0232	303.9347	986.0842	2.482	1.110e+08	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 5d \ ^2D_{5/2}$	325.7017	325.6078	920.4510	3.647	1.300e+08	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 5d \ ^2D_{3/2}$	325.9492	325.8552	919.7522	1.432	3.000e+07	-	-	
$5s^2 5p \ ^2P_{1/2}^o - 5s^2 6s \ ^2S_{1/2}$	410.2908	410.1750	730.6829	1.839	4.960e+07	-	-	
$5s^2 5p \ ^2P_{3/2}^o - 5s^2 6s \ ^2S_{1/2}$	451.2562	451.1297	664.3508	2.846	8.930e+07	-	-	

λ , ν from NIST level energies unless a measured frequency for this isotope is available. A: measured value or NIST. $\Gamma/2\pi$: natural linewidth of the upper level, $1/(2\pi\tau)$.