




Strongest transitions

Transition	λ vac (nm)	λ air (nm)	ν (THz)	$ \langle J e r J' \rangle $ (ea ₀)	A (s ⁻¹)	Γ/2π up. (MHz)	branch (%)	Use
a ² D _{3/2} - x ² D _{3/2} ^o	294.9264	294.8402	1016.4991	1.343	3.560e+07	-	-	
a ² D _{3/2} - x ² F _{5/2} ^o	297.5454	297.4586	1007.5518	1.657	3.520e+07	-	-	
a ² D _{5/2} - x ² F _{7/2} ^o	298.5124	298.4253	1004.2883	2.241	4.780e+07	-	-	
a ² D _{5/2} - x ² P _{3/2} ^o	362.1969	362.0936	827.7058	4.685	2.340e+08	-	-	
a ² D _{3/2} - y ² F _{3/2} ^o	407.8511	407.7360	735.0537	4.722	1.110e+08	-	-	
a ² D _{5/2} - y ² F _{7/2} ^o	410.3527	410.2369	730.5727	5.886	1.270e+08	-	-	
a ² D _{5/2} - y ² D _{5/2} ^o	412.9463	412.8299	725.9841	5.704	1.560e+08	-	-	
a ² D _{3/2} - y ² D _{3/2} ^o	414.4004	414.2836	723.4367	4.726	1.590e+08	-	-	
a ⁴ F _{3/2} - y ⁴ D _{1/2} ^o	448.8722	448.7463	667.8793	3.647	1.490e+08	-	-	
a ⁴ F _{5/2} - y ⁴ D _{3/2} ^o	450.7208	450.5944	665.1400	4.273	1.010e+08	-	-	
a ⁴ F _{7/2} - y ⁴ D _{5/2} ^o	452.9051	452.7781	661.9321	4.779	8.300e+07	-	-	
a ⁴ F _{7/2} - y ⁴ F _{7/2} ^o	484.7019	484.5665	618.5089	5.529	6.800e+07	-	-	
a ⁴ F _{5/2} - y ⁴ F _{5/2} ^o	485.4032	485.2676	617.6153	4.619	6.300e+07	-	-	
a ⁴ F _{3/2} - y ⁴ F _{3/2} ^o	486.1200	485.9843	616.7046	4.069	7.300e+07	-	-	
a ⁴ F _{7/2} - z ⁴ G _{7/2} ^o	552.9083	552.7547	542.2101	6.712	5.400e+07	-	-	
a ⁴ F _{3/2} - z ⁴ G _{5/2} ^o	563.1693	563.0130	532.3310	4.879	4.500e+07	-	-	

λ, ν from NIST level energies unless a measured frequency for this isotope is available. A: measured value or NIST.
Γ/2π: natural linewidth of the upper level, 1/(2πτ).