

# Cucumber Report

20-Dec-2022, 10:03:06 pm

**Start : Dec 20, 10:00:41.023 pm**

**End : Dec 20, 10:03:05.717 pm**

**Duration : 2 m 24.694 s**

Features






PASSED - 1  
FAILED - 0  
SKIPPED - 0

Scenarios


PASSED - 1  
FAILED - 0  
SKIPPED - 0

Steps


PASSED - 18  
FAILED - 0  
SKIPPED - 0



<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Hotel booking page feature</u>		2 m 24.694 s		1	1	0	0	18	18	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Hotel booking page feature</u>	1	1	0	0	2 m 24.694 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<a href="#"><u>Hotel booking page feature</u></a>	<a href="#"><u>Open Almatar URL, book the hotel without payment flow</u></a>	18	18	0	0	2 m 24.690 s

## Hotel booking page feature





PASSED	DURATION - 2 m 24.694 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 10:00:41.023 pm // 10:03:05.717 pm /					





## Open Almatar URL, book the hotel without payment flow





PASSED	DURATION - 2 m 24.690 s		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 10:00:41.027 pm // 10:03:05.717 pm /				
Hotel booking page feature				

#	Step / Hook Details	Status	Duration
1	Given user is on Almatar home page  AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  Open_Almatar_URL,_book_the_hotel_without_payment_flow  	PASSED	0.005 s
		PASSED	0.358 s
2	Then user clicks on App lanuage as English link  AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  Open_Almatar_URL,_book_the_hotel_without_payment_flow  	PASSED	22.893 s
		PASSED	0.280 s

#	Step / Hook Details	Status	Duration
3	Then user clicks on Hotels tab  AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL,_book_the_hotel_without_payment_flow	PASSED	0.079 s
4	AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL,_book_the_hotel_without_payment_flow	PASSED	0.252 s
4	When user enter goingTo "Cairo, Egypt" and select the country from dropdown	PASSED	1.374 s
5	AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL,_book_the_hotel_without_payment_flow	PASSED	0.266 s
5	Then user select the checkIn_CheckOut dates	PASSED	0.379 s
6	AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL,_book_the_hotel_without_payment_flow	PASSED	0.302 s
6	And user select the travallers	PASSED	0.000 s
7	AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL,_book_the_hotel_without_payment_flow	PASSED	0.236 s
7	Then user click on search icon	PASSED	0.081 s
	AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL,_book_the_hotel_without_payment_flow	PASSED	0.234 s

#	Step / Hook Details	Status	Duration
			
8	Then user click on available room button AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL_book_the_hotel_without_payment_flow	PASSED	16.927 s
		PASSED	1 m 13.472 s
9	When user click on book now button AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL_book_the_hotel_without_payment_flow	PASSED	0.140 s
		PASSED	0.153 s
10	Then user select title of the name AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL_book_the_hotel_without_payment_flow	PASSED	2.542 s
		PASSED	0.336 s
11	Then user enter firstName "Muztaba" AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Open_Almatar_URL_book_the_hotel_without_payment_flow	PASSED	0.094 s
		PASSED	0.140 s

#	Step / Hook Details	Status	Duration
			
12	And user enter lastName "ALam" AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <a href="#">Open_Almatar_URL_book_the_hotel_without_payment_flow</a>	PASSED	0.092 s
		PASSED	0.146 s
13	And User enter emailId "muztaba@test.com" AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <a href="#">Open_Almatar_URL_book_the_hotel_without_payment_flow</a>	PASSED	0.113 s
		PASSED	0.138 s
14	And user enter phone number "111234567" AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <a href="#">Open_Almatar_URL_book_the_hotel_without_payment_flow</a>	PASSED	0.113 s
		PASSED	0.107 s
15	Then user select dates of DOB AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <a href="#">Open_Almatar_URL_book_the_hotel_without_payment_flow</a>	PASSED	0.214 s
		PASSED	0.377 s

#	Step / Hook Details	Status	Duration
			
16	Then user select month of DOB AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <a href="#">Open_Almatar_URL_book_the_hotel_without_payment_flow</a>	PASSED	0.135 s
		PASSED	0.137 s
17	And user select year of DOB AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <a href="#">Open_Almatar_URL_book_the_hotel_without_payment_flow</a>	PASSED	0.164 s
		PASSED	0.176 s
18	Then user click on continue button AFTER_STEP - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <a href="#">Open_Almatar_URL_book_the_hotel_without_payment_flow</a>	PASSED	0.096 s
		PASSED	0.198 s