37	80	92	100
Performance	Accessibility	Best Practices	SEO

There were issues affecting this run of Lighthouse:

- **There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.**
- **The page loaded too slowly to finish within the time limit. Results may be incomplete.**

37

Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49   50–89   90–100

METRICS

First Contentful Paint

1.2 s

▲ Largest Contentful Paint

5.0 s

▲ Total Blocking Time

2,140 ms

Cumulative Layout Shift

0

▲ Speed Index

3.1 s

Show audits relevant to: All   FCP   LCP   TBT   CLS

INSIGHTS

▲ Use efficient cache lifetimes   —   Est savings of 1,518 KiB   ⌃

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. [FCP] [LCP] [Unscored]

Request	Cache TTL	Transfer Size
localhost [1st Party]		**1,518 KiB**
...js/bundle.js (localhost)	None	1,307 KiB
...js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	None	145 KiB
...js/vendors-node_modules_d3-scale_src_band_js-node_modules_d....js (localhost)	None	38 KiB

Request	Cache TTL	Transfer Size
...js/vendors-n....chunk.js (localhost)	None	22 KiB
...js/src_components_Charts_jsx.chunk.js (localhost)	None	6 KiB

▲ Render blocking requests   —   Est savings of 920 ms   ⌄

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
Google Fonts Cdn	2.4 KiB	830 ms
/css2?family=... (fonts.googleapis.com)	2.4 KiB	830 ms

▲ Forced reflow   ⌄

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

Top function call	Total reflow time
bundle.js:167639	180 ms

Source	Total reflow time
[unattributed]	839 ms
installHook.js:1	127 ms

Source	Total reflow time
bundle.js:150431	52 ms

⚠ LCP breakdown ^

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	10 ms
Element render delay	34,780 ms

Dashboard
`<h5 class="MuiTypography-root MuiTypography-h5 css-g9j2px-MuiTypography-root">`

⚠ Network dependency tree ^

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **1,538 ms**

Initial Navigation

/dashboard (localhost) - **197 ms,** 0.86 KiB

/manifest.json (localhost) - **1,538 ms,** 0.93 KiB

/css2?family=... (fonts.googleapis.com) - **804 ms,** 2.41 KiB

...v50/KFO7CnqEu....woff2 (fonts.gstatic.com) **- 1,463 ms,** 0.00 KiB

...v31/JTUSjIg1_....woff2 (fonts.gstatic.com) **- 1,461 ms,** 0.00 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.googleapis.com/	link
https://fonts.gstatic.com/	link

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 12 KiB   ⌃

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
localhost 1st Party	13.5 KiB	11.9 KiB

URL	Resource Size	Est Savings
/android/android-launchericon-192-192.png (localhost)	13.5 KiB	11.9 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		7.5 KiB
This image file is larger than it needs to be (192x192) for its displayed dimensions (100x100). Use responsive images to reduce the image download size.		9.9 KiB

○ Layout shift culprits ⌃

Layout shifts occur when elements move absent any user interaction. Investigate the causes of layout shifts, such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000

Element	Layout shift score
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

Element	Layout shift score
Total	0.000
	0.000

○ 3rd parties ⌃

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. [Unscored]

3rd party	Transfer size	Main thread time
efaidnbmnnnibpcajpcglclefindmkaj	0 KiB	93 ms

3rd party	Transfer size	Main thread time
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/jquery-3.1.1.min.js	0 KiB	37 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/prompts/ShowOneChild.js	0 KiB	14 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/resources/SidePanel/sidePanelUtil.js	0 KiB	7 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/content-script-utils.js	0 KiB	4 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/injectAIMarker.js	0 KiB	2 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/ch-content-script-dend.js	0 KiB	2 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/ch-content-script.js	0 KiB	2 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/FABManager.js	0 KiB	2 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/content-script-idle.js	0 KiB	2 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/embeddedpdfs/embedded-pdf-touch-point.js	0 KiB	2 ms

3rd party	Transfer size	Main thread time
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/linkedin/linkedin-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/gmail/gmail-image-tools-dropdown-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/GenAIWebpageEligibilityService.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/express_chatgpt/chatgpt-express-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/outlook/outlook-express-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/embeddedpdfs/embedded-pdf-touch-point-event-listener.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gdocs/google-docs-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/ActionableCoachmark.js	0 KiB	1 ms

3rd party	Transfer size	Main thread time
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/AttributionManager.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/google-image-preview/google-image-preview-express-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/express_whatsapp/whatsapp-express-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/gmail/gmail-express-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gdrive/GDriveAcrobatFteCoachmark.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gmail/fte/gmail-convert-to-pdf-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/gdrive/gdrive-express-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gmail/gmail-compress-pdf-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/embeddedpdfs/EmbeddedPDFTouchPointCoachMark.js	0 KiB	1 ms

3rd party	Transfer size	Main thread time
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/AnimateCannedQuestions.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/outlook/outlook-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gmail/GmailAcrobatFteCoachmark.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/injectBannerIframe.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/Viewport.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/browser/js/ch-settings.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/addWebpage/KWEligibilityService.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/extract-webpage-html.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/content-util.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/GenAIWebpageBlocklist.js	0 KiB	0 ms

3rd party	Transfer size	Main thread time
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/express-fte.js	0 KiB	0 ms
fmkadmapgofadopljbjfkapdkoienihi	**0 KiB**	**90 ms**
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	37 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	0 KiB	21 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/backendManager.js	0 KiB	13 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	9 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	8 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	0 ms
niloccemoadcdkdjlinkgdfekeahmflj	**0 KiB**	**2 ms**
chrome-extension://niloccemoadcdkdjlinkgdfekeahmflj/pages/injector/import-content.js	0 KiB	2 ms
Google Fonts Cdn	**2 KiB**	**0 ms**
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 11.6 s ⌃

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Category	Time Spent
Script Evaluation	6,646 ms
Other	2,547 ms
Style & Layout	1,098 ms
Script Parsing & Compilation	456 ms
Garbage Collection	429 ms
Rendering	358 ms
Parse HTML & CSS	19 ms

▲ Reduce JavaScript execution time — 7.0 s ⌃

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
localhost [1st Party]	**9,978 ms**	**6,521 ms**	**413 ms**
...js/bundle.js (localhost)	7,184 ms	6,329 ms	316 ms
/dashboard (localhost)	2,643 ms	101 ms	58 ms
...js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	151 ms	90 ms	39 ms
Unattributable	**1,416 ms**	**39 ms**	**0 ms**
Unattributable	1,416 ms	39 ms	0 ms

▲   Minify JavaScript   —   Est savings of 644 KiB   ⌃

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP LCP Unscored

☑ Show 3rd-party resources (3)

URL	Transfer Size	Est Savings
localhost [1st Party]	**1,510.3 KiB**	**504.6 KiB**
...js/bundle.js (localhost)	1,306.6 KiB	443.1 KiB
...js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	144.9 KiB	44.7 KiB

URL	Transfer Size	Est Savings
...js/vendors-node_modules_d3-scale_src_band_js-node_modules_d....js (localhost)	37.4 KiB	9.5 KiB
...js/vendors-n....chunk.js (localhost)	21.3 KiB	7.2 KiB
Save to Pocket Chrome Extension	**215.4 KiB**	**94.4 KiB**
chrome-extension://niloccemoadcdkdjlinkgdfekeahmflj/chunks/actions-639cd34d.js	99.2 KiB	51.8 KiB
chrome-extension://niloccemoadcdkdjlinkgdfekeahmflj/pages/injector/content.js	116.2 KiB	42.7 KiB
Adobe Acrobat: PDF edit, convert, sign tools Chrome Extension	**91.8 KiB**	**45.5 KiB**
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/readability.js	91.8 KiB	45.5 KiB

▲ Reduce unused JavaScript — Est savings of 930 KiB ⌃

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP Unscored

☑ Show 3rd-party resources (5)

URL	Transfer Size	Est Savings
localhost 1st Party	**1,447.1 KiB**	**535.4 KiB**

URL	Transfer Size	Est Savings
…js/bundle.js (localhost)	1,302.1 KiB	487.4 KiB
…node_modules/react-router/dist/development/chunk-PVWAREVJ.mjs	50.7 KiB	45.0 KiB
…node_modules/react-dom/cjs/react-dom-client.development.js	119.1 KiB	37.7 KiB
…node_modules/localforage/dist/localforage.js	15.2 KiB	11.5 KiB
…node_modules/framer-motion/dist/es/projection/node/create-projection-node.mjs	10.2 KiB	8.1 KiB
…node_modules/@mui/material/esm/useAutocomplete/useAutocomplete.js	5.7 KiB	5.6 KiB
…js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	144.9 KiB	47.9 KiB
…robust-predicates/esm/incircle.js	5.4 KiB	5.0 KiB
…robust-predicates/esm/insphere.js	4.8 KiB	4.2 KiB
…@react-spring/core/dist/react-spring_core.modern.mjs	13.7 KiB	3.6 KiB
…robust-predicates/esm/orient3d.js	2.7 KiB	2.4 KiB
…d3-delaunay/src/voronoi.js	2.2 KiB	2.2 KiB
Save to Pocket [Chrome Extension]	**360.2 KiB**	**265.9 KiB**
chrome-extension://niloccemoadcdkdjlinkgdfekeahmflj/chunks/globalStyles-22fbf6ab.js	146.8 KiB	118.8 KiB
chrome-extension://niloccemoadcdkdjlinkgdfekeahmflj/pages/injector/content.js	114.6 KiB	83.5 KiB
chrome-extension://niloccemoadcdkdjlinkgdfekeahmflj/chunks/actions-639cd34d.js	98.8 KiB	63.7 KiB

URL	Transfer Size	Est Savings
Adobe Acrobat: PDF edit, convert, sign tools [Chrome Extension]	**119.7 KiB**	**92.6 KiB**
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/readability.js	91.8 KiB	72.0 KiB
…Readability.js	81.7 KiB	65.8 KiB
…Readability-readerable.js	3.6 KiB	1.2 KiB
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/jquery-3.1.1.min.js	27.9 KiB	20.6 KiB
Unattributable	**57.6 KiB**	**35.7 KiB**
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	57.6 KiB	35.7 KiB

▲ Page prevented back/forward cache restoration — 2 failure reasons ⌃

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache [Unscored]

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache.	Pending browser support
/dashboard (localhost)	
Modal dialog such as form resubmission or http password dialog was shown for the page upon navigating away.	Pending browser support

Failure reason	Failure type
/dashboard (localhost)	

○ Avoid long main-thread tasks — 9 long tasks found ⌃

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) `TBT` `Unscored`

URL	Start Time	Duration
localhost `1st Party`		**2,552 ms**
...js/bundle.js (localhost)	3,851 ms	1,425 ms
...js/bundle.js (localhost)	1,950 ms	545 ms
...js/bundle.js (localhost)	5,747 ms	293 ms
/dashboard (localhost)	215 ms	137 ms
...js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	5,651 ms	96 ms
...js/bundle.js (localhost)	2,495 ms	56 ms
Unattributable		**225 ms**
Unattributable	445 ms	86 ms
Unattributable	531 ms	73 ms

URL	Start Time	Duration
Unattributable	633 ms	66 ms

○ User Timing marks and measures — 1 user timing ︿

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

Name	Type	Start Time	Duration
__v3	Mark	0.00 ms	

○ Avoid non-composited animations — 2 animated elements found ︿

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS Unscored

Element	Name
Loans `<button class="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton-textPrimary Mui…" tabindex="0" type="button">`	
Unsupported CSS Property: box-shadow	box-shadow
Unsupported CSS Property: box-shadow	box-shadow
Unsupported CSS Property: color	color

Element	Name
Unsupported CSS Property: color	color
div.MuiBox-root > div.MuiFormControl-root > div.MuiInputBase-root > input#«r9» `<input aria-invalid="false" id="«r9»" placeholder="Search loans..." class="MuiInputBase-input MuiOutlinedInput-input MuiInputBase-inputSizeSmall css-…" type="text" value="">`	
Unsupported CSS Property: display	mui-auto-fill-cancel

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (13)   Hide

Document request latency ⌃

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. `FCP` `LCP` `Unscored`

Avoids redirects

Server responds quickly (observed 2 ms)

Applies text compression

Optimize DOM size ⌃

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#). `Unscored`

Statistic	Element	Value
Total elements		597
DOM depth	g > g > g > line `<line x1="0" x2="0" y1="0" y2="5" style="stroke: rgb(119, 119, 119); stroke-width: 1;">`	23
Most children	div > svg > g > g `<g>`	12

Duplicated JavaScript ⌃

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Source	Duplicated bytes
`node_modules/lodash`	10 KiB
…js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	--
…js/vendors-n….chunk.js (localhost)	10 KiB
`node_modules/d3-time`	0 KiB
…js/vendors-node_modules_d3-scale_src_band_js-node_modules_d….js (localhost)	--
…js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	0 KiB

Font display ⌃

Consider setting `font-display` to swap or `optional` to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](). Unscored

○ INP breakdown ⌃

Start investigating [how to improve INP]() by looking at the longest subpart. Unscored

○ LCP request discovery ⌃

[Optimize LCP]() by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

Legacy JavaScript ⌃

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline]() features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling]() FCP LCP Unscored

Modern HTTP ⌃

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](). FCP LCP Unscored

Optimize viewport for mobile ⌃

Tap interactions may be [delayed by up to 300 ms]() if the viewport is not optimized for mobile. Unscored

meta

Minify CSS ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](). `FCP` `LCP` `Unscored`

Reduce unused CSS ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](). `FCP` `LCP` `Unscored`

Avoids enormous network payloads — Total size was 1,546 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](). `Unscored`

☑ Show 3rd-party resources (1)

URL	Transfer Size
localhost `1st Party`	**1,543.4 KiB**
...js/bundle.js (localhost)	1,307.0 KiB
...js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	145.4 KiB
...js/vendors-node_modules_d3-scale_src_band_js-node_modules_d....js (localhost)	37.8 KiB
...js/vendors-n....chunk.js (localhost)	21.7 KiB
/android/android-launchericon-192-192.png (localhost)	13.9 KiB
/android/android-launchericon-144-144.png (localhost)	10.0 KiB

URL	Transfer Size
...js/src_components_Charts_jsx.chunk.js (localhost)	5.9 KiB
/manifest.json (localhost)	0.9 KiB
/dashboard (localhost)	0.9 KiB
Google Fonts `Cdn`	**2.4 KiB**
/css2?family=... (fonts.googleapis.com)	2.4 KiB

Image elements have explicit `width` and `height`   ⌃

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions `CLS` `Unscored`

80

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name ⌃

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.

Failing Elements

div.MuiBox-root > div.MuiBox-root > div.MuiBox-root > button.MuiButtonBase-root

```
<button class="MuiButtonBase-root MuiIconButton-root MuiIconButton-sizeMedium css-7lxcsc-…" tabindex="0" type="button">
```


div.MuiDrawer-root > div.MuiPaper-root > div.MuiBox-root > button.MuiButtonBase-root

```
<button class="MuiButtonBase-root MuiIconButton-root MuiIconButton-sizeSmall css-155wbr6-…" tabindex="0" type="button">
```


div.MuiDrawer-root > div.MuiPaper-root > div.MuiBox-root > button.MuiButtonBase-root

```
<button class="MuiButtonBase-root MuiIconButton-root MuiIconButton-colorInherit MuiIconBu…" tabindex="0" type="button" aria-label="" data-mui-internal-clone-element="true">
```


div.MuiDrawer-root > div.MuiPaper-root > div.MuiBox-root > button.MuiButtonBase-root

```
<button class="MuiButtonBase-root MuiIconButton-root MuiIconButton-colorInherit MuiIconBu…" tabindex="0" type="button" aria-label="" data-mui-internal-clone-element="true">
```

⚠ **Form elements do not have associated labels** ⌃

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](#).

Failing Elements

div.MuiBox-root > div.MuiFormControl-root > div.MuiInputBase-root > input#«r13»

```
<input aria-invalid="false" id="«r13»" class="MuiInputBase-input
MuiOutlinedInput-input MuiInputBase-inputSizeSmall css-…" type="month"
value="2026-01">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ARIA

⚠ **ARIA `progressbar` elements do not have accessible names.** ⌃

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label `progressbar` elements](#).

Failing Elements

div.MuiPaper-root > div.MuiBox-root > div.MuiBox-root > span.MuiLinearProgress-root

```
<span class="MuiLinearProgress-root MuiLinearProgress-colorPrimary
MuiLinearProgress-de…" role="progressbar" aria-valuenow="0" aria-
valuemin="0" aria-valuemax="100">
```

Failing Elements

div.MuiPaper-root > div.MuiBox-root > div.MuiBox-root > span.MuiLinearProgress-root

`<span class="MuiLinearProgress-root MuiLinearProgress-colorPrimary MuiLinearProgress-de…" role="progressbar" aria-valuenow="0" aria-valuemin="0" aria-valuemax="100">`

div.MuiPaper-root > div.MuiBox-root > div.MuiBox-root > span.MuiLinearProgress-root

`<span class="MuiLinearProgress-root MuiLinearProgress-colorPrimary MuiLinearProgress-de…" role="progressbar" aria-valuenow="0" aria-valuemin="0" aria-valuemax="100">`

div.MuiPaper-root > div.MuiBox-root > div.MuiBox-root > span.MuiLinearProgress-root

`<span class="MuiLinearProgress-root MuiLinearProgress-colorPrimary MuiLinearProgress-de…" role="progressbar" aria-valuenow="0" aria-valuemin="0" aria-valuemax="100">`

div.MuiPaper-root > div.MuiBox-root > div.MuiBox-root > span.MuiLinearProgress-root

`<span class="MuiLinearProgress-root MuiLinearProgress-colorPrimary MuiLinearProgress-de…" role="progressbar" aria-valuenow="0" aria-valuemin="0" aria-valuemax="100">`

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.   ⌃

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Failing Elements

MI

`<div class="MuiAvatar-root MuiAvatar-circular MuiAvatar-colorDefault css-5e4tp8-MuiAva…">`

These are opportunities to improve the legibility of your content.

TABLES AND LISTS

⚠ List items (`<li>`) are not contained within `<ul>`, `<ol>` or `<menu>` parent elements. ⌃

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure](#).

Failing Elements

MAIN

`<li class="MuiListSubheader-root MuiListSubheader-gutters MuiListSubheader-sticky css…">`

Dashboard

`<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">`

Failing Elements

Borrowers

`<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">`

Loans

`<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">`

Expenses

`<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">`

Add Loan

`<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">`

Add Borrower

`<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">`

Failing Elements

Add Payment

```
<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">
```

ANALYTICS

```
<li class="MuiListSubheader-root MuiListSubheader-gutters MuiListSubheader-sticky css…">
```

Reports

```
<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">
```

Activity

```
<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">
```

Simulator

```
<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">
```

ACCOUNT

Failing Elements

<li class="MuiListSubheader-root MuiListSubheader-gutters MuiListSubheader-sticky css…">

Notifications

<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">

Settings

<li class="MuiListItem-root MuiListItem-gutters css-19f6boz-MuiListItem-root" aria-label="" data-mui-internal-clone-element="true">

These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Hide

○ Interactive controls are keyboard focusable   ∧

Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable. [Unscored]

○ Interactive elements indicate their purpose and state   ∧

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints. [Unscored]

The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering](#). `Unscored`

Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering](#). `Unscored`

User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps](#). `Unscored`

The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content](#). `Unscored`

HTML5 landmark elements are used to improve navigation

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements](#). `Unscored`

Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content](#). `Unscored`

Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels](#). ⬚Unscored⬚

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls](#). ⬚Unscored⬚

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)   Hide

`[aria-*]` attributes match their roles

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles](#).

`[aria-hidden="true"]` is not present on the document `<body>`

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn how `aria-hidden` affects the document body](#).

`[role]`s have all required `[aria-*]` attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes](#).

Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements](#).

[role]s are contained by their required parent element ⌃

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element](#).

[role] values are valid ⌃

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

[aria-*] attributes have valid values ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes](#).

[aria-*] attributes are valid and not misspelled ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes](#).

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. ⌃

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag](#).

button, link, and menuitem elements have accessible names ⌃

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible](#).

ARIA attributes are used as specified for the element's role ∧

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes](#).

`[aria-hidden="true"]` elements do not contain focusable descendents ∧

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how `aria-hidden` affects focusable elements](#).

Elements use only permitted ARIA attributes ∧

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles](#).

Document has a `<title>` element ∧

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

`<html>` element has a `[lang]` attribute ∧

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute](#).

`<html>` element has a valid value for its `[lang]` attribute ∧

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the `lang` attribute](#).

No element has a `[tabindex]` value greater than 0 ⌃

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute](#).

Touch targets have sufficient size and spacing. ⌃

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets](#).

Heading elements appear in a sequentially-descending order ⌃

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](#).

Document has a main landmark. ⌃

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](#).

Deprecated ARIA roles were not used ⌃

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles](#).

NOT APPLICABLE (34)   Hide

[accesskey] values are unique ⌃

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. [Unscored]

Elements with role="dialog" or role="alertdialog" have accessible names. ⌃

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. [Unscored]

ARIA input fields have accessible names ⌃

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels. [Unscored]

ARIA meter elements have accessible names ⌃

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements. [Unscored]

Elements with the role=text attribute do not have focusable descendents. ⌃

Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the role=text attribute. [Unscored]

ARIA toggle fields have accessible names ⌃

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. [Unscored]

ARIA `tooltip` elements have accessible names ⌄

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name `tooltip` elements](). [Unscored]

ARIA `treeitem` elements have accessible names ⌄

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements](). [Unscored]

The page contains a heading, skip link, or landmark region ⌄

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks](). [Unscored]

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ⌄

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly](). [Unscored]

Definition list items are wrapped in `<dl>` elements ⌄

Definition list items (<dt> and <dd>) must be wrapped in a parent <dl> element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly](). [Unscored]

ARIA IDs are unique ⌄

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs](). [Unscored]

No form fields have multiple labels ⌃

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels](#). `Unscored`

`<frame>` or `<iframe>` elements have a title ⌃

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles](#). `Unscored`

`<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ⌃

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute](#). `Unscored`

Image elements have `[alt]` attributes ⌃

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the `alt` attribute](#). `Unscored`

Input buttons have discernible text. ⌃

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons](#). `Unscored`

`<input type="image">` elements have `[alt]` text ⌃

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text](#). `Unscored`

Links are distinguishable without relying on color. ⌃

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](). `Unscored`

○ **Links have a discernible name** ⌃

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](). `Unscored`

○ **Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).** ⌃

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure](). `Unscored`

○ **The document does not use `<meta http-equiv="refresh">`** ⌃

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag](). `Unscored`

○ **`<object>` elements have alternate text** ⌃

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for `object` elements](). `Unscored`

○ **Select elements have associated label elements.** ⌃

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](). `Unscored`

○ **Skip links are focusable.** ⌃

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](#). `Unscored`

○ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ⌃

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute](#). `Unscored`

○ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ⌃

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers](#). `Unscored`

○ `[lang]` attributes have a valid value ⌃

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute](#). `Unscored`

○ `<video>` elements contain a `<track>` element with `[kind="captions"]` ⌃

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions](#). `Unscored`

○ Tables have different content in the summary attribute and `<caption>`. ⌃

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption](#). `Unscored`

○ All heading elements contain content. ⌃

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings](#). Unscored

○ Uses ARIA roles only on compatible elements ⌃

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles](#). Unscored

○ Image elements do not have `[alt]` attributes that are redundant text. ⌃

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the `alt` attribute](#). Unscored

○ Identical links have the same purpose. ⌃

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links](#). Unscored

92

Best Practices

TRUST AND SAFETY

▲ Requests the notification permission on page load ⌃

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

Source
localhost [1st Party]
bundle.js:189735

Ensure CSP is effective against XSS attacks ⌄

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) [Unscored]

Description	Directive	Severity
No CSP found in enforcement mode		High

Use a strong HSTS policy ⌄

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) [Unscored]

Description	Directive	Severity
No HSTS header found		High

Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. Learn more about deploying the COOP header. [Unscored]

Description	Directive	Severity
No COOP header found		High

Mitigate clickjacking with XFO or CSP

The `X-Frame-Options` (XFO) header or the `frame-ancestors` directive in the `Content-Security-Policy` (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. Learn more about mitigating clickjacking. [Unscored]

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

The `require-trusted-types-for` directive in the `Content-Security-Policy` (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. Learn more about mitigating DOM-based XSS with Trusted Types. [Unscored]

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

GENERAL

▲ Browser errors were logged to the console ⌃

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

☑ Show 3rd-party resources (3)

Source	Description
Unattributable	
installHook.js:1	Error during service worker registration: TypeError: Failed to register a ServiceWorker for scope ('http://localhost:3000/') with script ('http://localhost:3000/service-worker.js'): ServiceWorker script evaluation failed
installHook.js:1	React does not recognize the `%s` prop on a DOM element. If you intentionally want it to appear in the DOM as a custom attribute, spell it as lowercase `%s` instead. If you accidentally passed it from a parent component, remove it from the DOM element. borderRadius borderradius
Google Fonts Cdn	

Source	Description
fonts.gstatic.com/s/…9WlhyyTh89Y.woff2:1	Failed to load resource: net::ERR_NAME_NOT_RESOLVED
fonts.gstatic.com/s/…a3yUBHMdazQ.woff2:1	Failed to load resource: net::ERR_NAME_NOT_RESOLVED
googleapis.com	
accounts:lookup?key=…EpWatOjSZx8byaFSY:1	Failed to load resource: net::ERR_TIMED_OUT

○ Detected JavaScript libraries ︿

All front-end JavaScript libraries detected on the page. Learn more about this JavaScript library detection diagnostic audit. [Unscored]

Name	Version
core-js	core-js-pure@3.45.1
Create React App	

PASSED AUDITS (11)   Hide

Uses HTTPS ︿

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS

prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.

Avoids deprecated APIs ⌃

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.

Avoids third-party cookies ⌃

Third-party cookies may be blocked in some contexts. Learn more about preparing for third-party cookie restrictions.

Allows users to paste into input fields ⌃

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.

Avoids requesting the geolocation permission on page load ⌃

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission.

Displays images with correct aspect ratio ⌃

Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.

Serves images with appropriate resolution ⌃

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images.

Page has the HTML doctype ⌃

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

Properly defines charset ⌃

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

No issues in the `Issues` panel in Chrome Devtools ⌃

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps ⌃

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#). `Unscored`

☑ Show 3rd-party resources (1)

URL	Map URL
localhost `1st Party`	
...js/bundle.js (localhost)	...js/bundle.js.map (localhost)
Warning: missing 2 items in `.sourcesContent`	

URL	Map URL
…js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk.js (localhost)	…js/vendors-node_modules_nivo_line_dist_nivo-line_mjs.chunk….map (localhost)
…js/vendors-n….chunk.js (localhost)	…js/vendors-n….chunk.js.map (localhost)
…js/vendors-node_modules_d3-scale_src_band_js-node_modules_d….js (localhost)	…js/vendors-node_modules_d3-scale_src_band_js-node_modules_….map (localhost)
…js/src_components_Charts_jsx.chunk.js (localhost)	…js/src_components_Charts_jsx.chunk.js.map (localhost)

Unattributable

chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js

> Error: Failed fetching source map (null)

chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js

> Error: Failed fetching source map (null)

chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js.map

chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js.map

Adobe Acrobat: PDF edit, convert, sign tools [Chrome Extension]

URL	Map URL
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/readability.js	chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/readability.js.map

NOT APPLICABLE (1)   Hide

○ Redirects HTTP traffic to HTTPS   ⌃

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. Learn more. Unscored

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Hide

○ Structured data is valid   ⌃

Run the Structured Data Testing Tool to validate structured data. Learn more about Structured Data. [Unscored]

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)   Hide

Page isn't blocked from indexing	^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

Document has a `<title>` element	^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

Document has a meta description	^

Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.

Page has successful HTTP status code	^

Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.

Links have descriptive text	^

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Links are crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Document has a valid `hreflang`

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about `hreflang`](#).

NOT APPLICABLE (2)   Hide

○ Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the `alt` attribute](#). Unscored

○ Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. [Learn more about canonical links](#). Unscored