Tarea 6.2

1. Descargamos la imagen Ubuntu

docker pull ubuntu:26.04

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker pull ubuntu:26.04
26.04: Pulling from library/ubuntu
96aae9022e0e: Pull complete
517b871c26ea: Pull complete
e211d985152c: Download complete
Digest: sha256:065aa8626841f16057b78b027b464cd59c4fac36c204c72dcbf48d66f5fa8a96
Status: Downloaded newer image for ubuntu:26.04
docker.io/library/ubuntu:26.04

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

2. Creamos el contenedor:

docker run -it --name actividad-a62 ubuntu:26.04

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker run -it --name actividad-a62 ubuntu:26.04
root@fd0acac6feae:/#
```

3. Actualizamos e instalamos los paquetes

apt update -y

```
root@fd0acac6feae:/# apt update -y
Get:1 http://archive.ubuntu.com/ubuntu resolute InRelease [136 kB]
Get:2 http://security.ubuntu.com/ubuntu resolute-security InRelease [137 kB]
Get:3 http://archive.ubuntu.com/ubuntu resolute-updates InRelease [137 kB]
Get:4 http://security.ubuntu.com/ubuntu resolute-security/restricted amd64 Packages [723 kB]
Get:5 http://archive.ubuntu.com/ubuntu resolute-backports InRelease [137 kB]
Get:6 http://archive.ubuntu.com/ubuntu resolute/restricted amd64 Packages [189 kB]
Get:7 http://archive.ubuntu.com/ubuntu resolute/main amd64 Packages [1874 kB]
Get:8 http://security.ubuntu.com/ubuntu resolute-security/multiverse amd64 Packages [24.6 kB]
Get:9 http://security.ubuntu.com/ubuntu resolute-security/universe amd64 Packages [276 kB]
Get:10 http://security.ubuntu.com/ubuntu resolute-security/main amd64 Packages [882 kB]
Get:11 http://archive.ubuntu.com/ubuntu resolute/multiverse amd64 Packages [352 kB]
Get:12 http://archive.ubuntu.com/ubuntu resolute/universe amd64 Packages [20.1 MB]
61% [12 Packages 10.1 MB/20.1 MB 50%]                                    962 kB/s 12s
```

apt install -y nano

```
root@fd0acac6feae:/# apt install -y nano
nano is already the newest version (8.7.1-1ubuntu0.1).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 4
root@fd0acac6feae:/#
```

apt install -y vim

```
root@fd0acac6feae:/# apt install -y vim
vim is already the newest version (2:9.1.2141-1ubuntu4.10).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 4
root@fd0acac6feae:/#
```

apt install -y inetutils-tools

```
root@fd0acac6feae:/# apt install -y inetutils-tools
inetutils-tools is already the newest version (2:2.7-2ubuntu1.1).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 4
root@fd0acac6feae:/#
```

apt install -y dnsutils

```
root@fd0acac6feae:/# apt install -y dnsutils
Note, selecting 'bind9-dnsutils' instead of 'dnsutils'
bind9-dnsutils is already the newest version (1:9.20.24-1ubuntu0.5).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 4
root@fd0acac6feae:/#
```

4. Creo mi usuario y salgo

adduser mxguell

exit

5. Hacemos el commit de la imagen

docker commit actividad-a62 mxguell/a62

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker commit actividad-a62 mxguell/a62
sha256:c2183c30daf4149517a228fc4a867f6575e703a68d2ae91dc465607b1a9e4dbf

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

6. La subimos a docker hub

docker login

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker login
Authenticating with existing credentials... [Username: mxguell]

i Info → To login with a different account, run 'docker logout' followed by 'docker login'


Login Succeeded


C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

docker push mxguell/a62

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker push mxguell/a62
Using default tag: latest
The push refers to repository [docker.io/mxguell/a62]
a6c108550d65: Pushed
517b871c26ea: Mounted from library/ubuntu
96aae9022e0e: Mounted from library/ubuntu
latest: digest: sha256:c2183c30daf4149517a228fc4a867f6575e703a68d2ae91dc465607b1a9e4dbf size: 1171


C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

7. Lo vemos desde nuestro docker hub




Tarea 6.3


1. Creamos la carpeta a-63



2. Creamos el fichero Dockerfile



3. Añadimos:



4. Construimos la imagen y comprobamos que se ha creado:

docker build -t mxguell/a63 .

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker build -t mxguell/a63 .
[+] Building 1.2s (7/7) FINISHED                                                                    docker:desktop-linux
 => [internal] load build definition from Dockerfile                                                                0.1s
 => => transferring dockerfile: 470B                                                                                0.0s
 => [internal] load metadata for docker.io/library/php:7.4-apache                                                   0.1s
 => [internal] load .dockerignore                                                                                   0.0s
 => => transferring context: 2B                                                                                     0.0s
 => [1/3] FROM docker.io/library/php:7.4-apache@sha256:c9d7e608f73832673479770d66aacc8100011ec751d1905ff63fae3fe2   0.3s
 => => resolve docker.io/library/php:7.4-apache@sha256:c9d7e608f73832673479770d66aacc8100011ec751d1905ff63fae3fe2   0.1s
 => CACHED [2/3] RUN pecl install xdebug-3.1.6     && docker-php-ext-enable xdebug                                  0.0s
 => CACHED [3/3] RUN echo "xdebug.mode=debug" > /usr/local/etc/php/conf.d/xdebug.ini     && echo "xdebug.start_wi   0.0s
 => exporting to image                                                                                              0.4s
 => => exporting layers                                                                                             0.0s
 => => exporting manifest sha256:a82b8dd81a3dae84d897a8fbe0322b29d4934f606c6b5f0a01aa9ed754125cf4                   0.2s
 => => exporting config sha256:a5c387df8749a46263a1271983a7f9872d6bcd8022a91efe4cb58a743e5c354a                     0.0s
 => => exporting attestation manifest sha256:1dff746a0c5a61f8c1f55834add32445339aae7af5fcb01a41141cfd53087252       0.0s
 => => exporting manifest list sha256:ae9ac76f7002e006f2b4e7d5e93bd78a393f98ece2711641e5330cbc60a26dbf              0.0s
 => => naming to docker.io/mxguell/a63:latest                                                                       0.0s
 => => unpacking to docker.io/mxguell/a63:latest                                                                    0.0s

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

docker images

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker images
                                                                                    i Info →  U  In Use
IMAGE                                  ID             DISK USAGE   CONTENT SIZE   EXTRA
centos:8                               a27fd8080b51       340MB         83.5MB
debian:9                               c5c5200ff1e9       161MB         45.4MB
ghcr.io/oracle/adb-free:latest-26ai    17a6f98dc065      11.6GB          4.5GB    U
hello-world:latest                     5e2309035332      25.9kB         9.49kB    U
mariadb:latest                         0e4bb0f339fe       516MB          126MB    U
mxguell/a62:latest                     c2183c30daf4       365MB          105MB
mxguell/a63:latest                     ae9ac76f7002       651MB          164MB    U
mysql:5.7                              4bc6bc963e6d       700MB          149MB
php-debug:latest                       efd58852d5d0       651MB          164MB    U
php:7.3-apache                         b9872cd287ef       647MB          165MB    U
php:7.4-apache                         c9d7e608f738       647MB          163MB    U
ubuntu:18.04                           152dc042452c      97.5MB         25.7MB    U
ubuntu:20.04                           8feb4d8ca535       111MB         29.3MB    U
ubuntu:26.04                           065aa8626841       163MB         45.9MB    U

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

5. Arrancamos el contenedor:

docker run -d --name actividad-a63 -p 8080:80 mxguell/a63

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker run -d --name actividad-a63 -p 8080:80 mxguell/a63
0a6a331593aec65a5744b2542012fb61ef351501e895abe79eac9138dcc1ee4a


C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

6. Comprobamos desde el navegador:

http://localhost:8080



HOLA SOY Mxguell



7. Subimos la imagen a Docker Hub

docker login

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker login
Authenticating with existing credentials... [Username: mxguell]

i Info → To login with a different account, run 'docker logout' followed by 'docker login'



Login Succeeded
```

docker push mxguell/a63

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker push mxguell/a63
Using default tag: latest
The push refers to repository [docker.io/mxguell/a63]
c428f1a49423: Mounted from library/php
2874e5b099bb: Pushed
44136fa355b3: Pushed
a603fa5e3b41: Mounted from library/php
156740b07ef8: Mounted from library/php
fb5a4c8af82f: Mounted from library/php
25f85b498fd5: Mounted from library/php
9b233e420ac7: Mounted from library/php
d14eb2ed1e17: Mounted from library/php
fe42347c4ecf: Mounted from library/php
66d98f73acb6: Mounted from library/php
d2c43c5efbc8: Mounted from library/php
ab590b48ea47: Mounted from library/php
80692ae2d067: Mounted from library/php
05e465aaa99a: Mounted from library/php
a54da6244c09: Pushed
5a141e27f6b0: Pushed
latest: digest: sha256:ae9ac76f7002e006f2b4e7d5e93bd78a393f98ece2711641e5330cbc60a26dbf size: 856

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

8. Lo vemos desde Docker Hub



9. Comprobamos a descargar nuestras dos imágenes

docker pull mxguell/a62:latest

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker pull mxguell/a62:latest
latest: Pulling from mxguell/a62
Digest: sha256:c2183c30daf4149517a228fc4a867f6575e703a68d2ae91dc465607b1a9e4dbf
Status: Image is up to date for mxguell/a62:latest
docker.io/mxguell/a62:latest

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

docker pull mxguell/a63:latest

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker pull mxguell/a63:latest
latest: Pulling from mxguell/a63
Digest: sha256:ae9ac76f7002e006f2b4e7d5e93bd78a393f98ece2711641e5330cbc60a26dbf
Status: Image is up to date for mxguell/a63:latest
docker.io/mxguell/a63:latest

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

docker ps

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker images
                                                                    Info →  U  In
IMAGE                                ID             DISK USAGE   CONTENT SIZE   EXTRA
centos:8                             a27fd8080b51        340MB         83.5MB
debian:9                             c5c5200ff1e9        161MB         45.4MB
ghcr.io/oracle/adb-free:latest-26ai  17a6f98dc065       11.6GB          4.5GB    U
hello-world:latest                   5e2309035332       25.9kB         9.49kB    U
mariadb:latest                       0e4bb0f339fe        516MB          126MB    U
mxguell/a62:latest                   c2183c30daf4        365MB          105MB
mxguell/a63:latest                   ae9ac76f7002        651MB          164MB    U
mysql:5.7                            4bc6bc963e6d        700MB          149MB
php-debug:latest                     efd58852d5d0        651MB          164MB    U
php:7.3-apache                       b9872cd287ef        647MB          165MB    U
php:7.4-apache                       c9d7e608f738        647MB          163MB    U
ubuntu:18.04                         152dc042452c       97.5MB         25.7MB    U
ubuntu:20.04                         8feb4d8ca535        111MB         29.3MB    U
ubuntu:26.04                         065aa8626841        163MB         45.9MB    U

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

10. Ejecutamos y comprobamos a62

docker run --rm -it --name prueba-a62 mxguell/a62:latest

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker run --rm -it --name prueba-a62 mxguell/a62:latest
root@e4a62065012e:/#
```

nano --version

```
root@e4a62065012e:/# nano --version
 GNU nano, version 8.7.1
 (C) 2026 the Free Software Foundation and various contributors
 Compiled options: --disable-libmagic --enable-utf8
```

vim --version

```
root@e4a62065012e:/# vim --version
VIM - Vi IMproved 9.1 (2024 Jan 02, compiled Oct 13 2026 12:47:02)
Included patches: 1-948, 950-2141
Modified by team+vim@tracker.debian.org
Compiled by team+vim@tracker.debian.org
Huge version without GUI.  Features included (+) or not (-):
+acl                +jumplist           +sodium
+arabic             +keymap             -sound
+autocmd            +lambda             +spell
+autochdir          +langmap            +startuptime
-autoservername     +libcall            +statusline
```

nslookup google.com

```
root@e4a62065012e:/# nslookup google.com
Server:         192.168.65.7
Address:        192.168.65.7#53

Non-authoritative answer:
Name:   google.com
Address: 216.58.205.46

root@e4a62065012e:/#
```

10. Ejecutamos y comprobamos a63

docker run -d --name prueba-a63 -p 8081:80 mxguell/a63:latest


```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>docker run -d --name prueba-a63 -p 8081:80 mxguell/a63:latest
f2f3cada7de28115ecfdec20a68e71c5c69dcc3d33b82250918d17528639d0bb

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

Página principal: http://localhost:8081 /index.html




Información PHP: http://localhost:8081/info.php



Tarea 6.3

Creamos el repositorio dentro del de nuestra tarea:



Vamos a subir nuestro Dockerfile:

git init

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>git init
Initialized empty Git repository in C:/Users/Mxguel/Documents/2ºASIR/IAW/DOCKER-Miguel/.git/

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

git add Dockerfile

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>git add Dockerfile

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

git commit -m "Primer build A64"

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>git commit -m "Primer build A64"
[master (root-commit) 07b9b15] Primer build A64
 1 file changed, 7 insertions(+)
 create mode 100644 Dockerfile

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

git branch -M main

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>git branch -M main

C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```

Conectamos a nuestro repositorio:


git remote add originhttps://github.com/Mxguell/DOCKER_MAY/tree/main/13-11-2026_TAREA%20MODULO%206/repo_actividad-a64

```
C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>git remote add origin https://github.com/Mxguell/DOCKER_MAY/tree/main
/13-11-2026_TAREA%20MODULO%206/repo_actividad-a64


C:\Users\Mxguel\Documents\2ºASIR\IAW\DOCKER-Miguel>
```


git push -u origin main

Vemos ahora desde github:




Ahora vamos a conectar nuestro Docker Hub a GitHub y creamos un repositorio:







Generamos un token:




Lo vemos generado:




Creamos un nuevo repositorio con este token:




Modificamos y creamos .github/workflows:




Hacemos los tres builds:





git add Dockerfile
git commit -m "Build 1 Corregido"
git push origin main











Enlace a documentación GitHub:
https://github.com/Mxguell/DOCKER_MAY/tree/main/13-11-2026_TAREA%20MODULO%206