

# MSDS Report MSDS 报告

Applicant's name	Shenzhen Longhua Tianwangzhi Technology Manufacture	
委托方名称	深圳市龙华新区天旺之电子制品厂	
Applicant's	5th floor,2nd Building,Culture Creativity 3rd,Mingzhi Street1980, Longhua,	
Address	Shenzhen, Guangdong,China	
委托方地址	深圳市龙华新区民治街道 1980 文化创意园 3 期 2 栋 5 楼	
Name of Sample	LLithium-Polymer rechargeable battery	
样品名称	可充电聚合物锂离子电池	
Model	302530	
型号	302330	
Nominal Voltage	3.7V	
标称电压	3.7	
Rated Capacity	180mAh, 0.666Wh	
额定容量	10011/41, 0.000011	
Weight	Approx(约): 4.5g	
重量	71pp10X(\$1). 4.09	
Size 尺寸(D*H)	H*W*T(mm)	
	30.0*25.0*3.3(mm)	
Prepared By	深圳市达测检测技术有限公司	
编制单位 Shenzhen DACE Testing Technology Co., Ltd.\		
	深圳市宝安区石岩街道塘头社区宏发科技工业园 H1 栋 102、H 栋 1 层	
W. W.	H1 Building 102, H Building 1/F, Hongfa Science & Technology Park, Tangtou,	
	Shiyan, Bao' an District, Shenzhen, Guangdong, China	
Depart No.	Onlyan, Bao an Bistrict, Orienzhen, Guanguong, Orinia	
Report No.	DACE240412016RL002	
报告编号	. Co	

\*\*FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S

Prepared by:

ExamineBy:

Approved(Mana

Jimi zhao

Calvin Chen

alvin Chen

Macheal Mo



# Material Safety Data Sheet 化学品安全技术说明书

Section 1- Chemical Product & Company Identification 第一部分 化学品及企业标识		
Name of Sample	Lithium-Polymer rechargeable battery	
样品名称	可充电聚合物锂离子电池	
Manufacturer's name	Shenzhen Bao Energy Technology Co., LTD	
制造商名称	深圳市宝能源科技有限公司	
Manufacturer's Address	Floor 3, Building B, No.8, Lane 4, Huangzao East District, Hangcheng Street,	
	Xixiang, Bao'an, Shenzhen	
制造商地址	深圳市宝安西乡航城街道黄麻布东区四巷8号B栋三楼	
Contact Person	Mr Tian	
联系人	田先生	
Tel	196 12650295011	
电话	+86-13650385914	
Fax	+0755 20112252	
传真	+0755-29113252	
E-mall	ing an Otion was such as an	
邮箱	jason@tianwangzhi.com	

Section 2- Hazards Identification 第二部分 危险性概述	
Classification of Danger	See section 14.
危险性类别	见第十四部分
Primary Route(s) of Exposure	Eye, skin contact, ingestion
浸入途径	眼睛,皮肤接触,摄入。
Health Hazard 健康危害	The batteries are not hazardous when used according to the instructions of manufacturer under normal conditions. In case of abuse, there's Hazard of rupture, fire, heat, leakage of internal components, which could cause casualty loss. Abuses including but not limited to the following cases: charged for long time, short circuited put into fire, whacked with hard object, punctured with acute
	object, crushed, and broken. 正常条件下根据制造商的说明使用电池不会产生危害。使用不当的情况下,有破裂、起火、发烫、内部成分泄漏的危险,并可能造成意外损失。使用不当的行为包括但不限于下列情况:长时间充电、短路、投入火中、硬物撞击、尖物刺破、破碎,和破裂。

第三部分成分/组成信息



Chemical Name 化学名称	Concentration or concentration ranges (%) 浓度或浓度范围(%)	CAS Number CAS 号(化学文摘索引登记号)
Lithium Cobalt Oxide 钴酸锂	35-38 %	12190-79-3
Graphite 石墨	20-22 %	7782-42-5
Phosphate(1-),hexafluoro-, lithium 六氟磷酸锂	5-6 %	21324-40-31
Copper 铜	9-10 %	7440-50-8
Aluminum foil 铝箔	5-6 %	7429-90-5
Ethvlene carbonate 碳酸乙烯酯	14-16 %	96-49-1

Labeling according to EC directives.

标签根据 EC 指令。

No symbol and Hazard phrase are required.

不需要象形符号和危险短语。

Note: CAS number is Chemical Abstract Service Registry Number.

注意: CAS 号是化学文摘服务注册号码。

N/A-Not apply.

N/A=不适用。

Section 4- First Aid	I Measures
第四部分 急救措施	
	Flush eyes with plenty of water for at least 15 minutes, occasionally litting the upper and
Eye	lower eyelids. Get medical aid.
眼睛	万一接触,立即用大量的清水冲洗至少15分钟,翻起上下眼脸,直到化学的残留物消失
	为止,迅速就医。
Skin	Remove contaminated clothes and rinse skin with plenty of water or shower for 15
皮肤	minutes. Get medical aid.
<i>                                     </i>	万一接触,用大量水冲洗至少15分钟,同时除去污染的衣物和鞋子,迅速就医。
Inhalation	Remove from exposure and move to fresh air immediately. Use oxygen if available.
吸入	立即从暴露处移至空气清新处,如果呼吸困难给予输氧,立即就医。
	Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious.
Ingestion	Call a physician.
食入	饮用至少两杯牛奶或水。如果当事人仍然清醒可以采取催吐的方法,并且立即就医。
	200
<b>Section 5- Fire Fight</b>	ing Measures
第五部分 消防措施	
Characteristics of	Dusts at sufficient concentrations can form explosive mixtures with air. Combustion
Hazard	"generates toxic fumes.



危险特性	高密度粉尘遇空气会形成爆炸性混合物。燃烧生成有毒烟雾	
Hazardous	Carbon dioxide.	
Combustion	二氧化碳。	
Products		
燃烧产生的危险物	. 6-	
Fire-extinguishing	For small fires, use water spray, dry chemical, carbon dioxide or chemical foam.	
Methods and	对于小型火险,可使用水枪,干冰(也就是液态二氧化碳)或化学泡沫。	
extinguishing Media		
灭火方法及灭火剂		
Attention in	Wear self-contained breathing apparatus in pressure-demand, MSHANIOSH (approved or	
	equivalent) and full protective gear.	
Fire-extinguishing 灭火注意事项	因为压强关系,要穿戴可呼吸式全身防护装备, MSHA/NIOSH (经认证或等效的),以及	
<b>火火</b> 住息	佩戴全套防护装置。	

Castion ( Assidental Delega Maganus		
Section 6- Accidental Release Measures 第六部分 泄露应急处理		
用力 他略应总处理  Personal Precautions, protective equipment, and emergency procedures  个人预防措施、防护装备和应急程序	In case of rupture. Attention! Corrosive material Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8. 万一破裂。注意!腐蚀性物质。避免接触皮肤,眼睛或衣服。确保空气流通。根据需要使用个人防护装备。将人员撤离到安全区域。让人们远离溢出/泄漏处和处于逆风。参考第七部分和第八部分中列出的防护措施。	
Environmental Precautions 环境保护措施	Prevent product from contaminating soil and from entering sewers or waterways. 防止产品污染土壤和进入下水道或水道。	
Methods and materials for Containment 方法和材料控制	Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately. 出于安全,阻止泄漏,可以用干砂或泥土来遏制液体出,立即清理溢出物。	
Methods and materials for cleaning up	Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water; collect all contaminated	
清理的方法和材料	wash water for proper disposal. 用惰性吸收剂(干砂或泥土)吸收溢出的材料。污染物转移到可接受的废物容器中。收集所有受污染的吸收剂,按照第十三部分的说明进行处理。用洗涤剂和水清洁污染区域,收集所有受污染的洗涤水,妥善处理。	



Section 7- Handling and Storage 第七部分 操作处置与储存	
Handling 操作	The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.  拆解、挤压、直接放入火中或高温条件下,电池可能发生爆炸和燃烧。禁止短路或将电池正负极错误的安装在设备中。
Storage 储存	Store in a cool, dry, well-ventilated area away from incompatible substances. Store locked up. Keep out of the reach of children. 储藏于阴凉,干燥,通风处,远离接触会发生反应的材料。存储锁定。放在儿童无法接触的地方。
Other Precautions 其他要注意的防范措施	In case of rupture. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection equipment. 万一破裂。按照良好的工业卫生和安全规范进行操作。 bb接触皮肤,眼睛或衣服。使用个人防护设备。

- 45		
Section 8 - Exposure Controls/Personal Protection		
第八部分 接触控制和个体防护		
	Use adequate ventilation to keep airborne concentrations	
	low. If used under conditions that generate particulates, the	
Engineering Controls	ACGIH TLV-TWA ofmg/m respirable fraction (10mg/m	
Engineering Controls	total) should be observed.	
工程控制	保证空气流通使空气密度保持在低水平。如果在会生成	
	微粒的情况下使用,应仔细观察 3mg/m	
	ACGIHTLV-TWA3 的吸入量(总量为 10mg/m3)。	
	Eye and Face Protection: None required for consumer use.	
× (e)	If there is a Hazard of contact: Tight sealing safety	
	goggles. Face protection shield.	
V-	眼睛和脸部保护:消费者无需使用。如果有接触危险:密	
	封安全护目镜。面部防护罩。	
Personal Protective Equipment	Skin and Body Protection: None required for consumer	
个人防护设备	use. If there is a Hazard of contact: Wear protective gloves	
	and protective clothing.	
0	皮肤和身体防护:消费者无需使用。如果有接触危险:穿	
	戴防护手套和防护服。	
	Respiratory Protection: No protective equipment is needed	
	under normal use conditions. If exposure limits are	



7	exceeded or irritation is experienced, ventilation and
	evacuation may be required.
	呼吸系统防护:正常使用条件下不需要防护设备。如果
	超过暴露限值或发生刺激,可能需要通风和疏散。

	Appearance: Prismatic
Physical State	外形:棱柱形
物理状态	Odor: If leaking, smells of medical ether. 气味:泄漏时,医用乙醚的气味。
Change in condition: 变化的条件	DI-
PH 酸碱度	Not applicable as supplied. 不适用。
Flash Point 闪点	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。
Flammability. 易燃度	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。
Relative density: 相对密度	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。
Solubility (water) 溶解性(水溶性)	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。
Solubility (other) 溶解性(其他)	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。
DIG	DIE

Section 10 - Stability and Reactivity 第十部分 稳定性和反应性	
Chemical Stability	Stable under recommended storage conditions.
化学稳定性	在推荐的储存条件下可以保持稳定。
Possibility of Hazardous Reactions	None under normal processing.
危险反应的可能性	正常处理下没有。
Conditions to Avoid	Exposure to air or moisture over prolonged periods.
应避免的条件	暴露在空气中或长时间受潮。
Incompatible materials	Acids, Oxidizing agents, Bases.
不相容材料	酸,氧化剂,碱。
Hazardous Decomposition Products	Carbon oxides.
有危害分解物	二氧化碳。

## **Section 11- Toxicological Information**



第十一部分 毒理学信息	
	In the event of exposure to internal contents, vapour
Irritation	fumes may be very irritating to the eyes and skin.
刺激	内部物质暴露的情况下,蒸汽烟雾可能对眼睛和皮肤
- 16	的刺激性。
Sensitization	Not Available.
致敏	不适用
Reproductive Toxicity	Not Available.
再生毒性	不适用
Toxicologically Synergistic Materials	Not Available.
协同材料毒理学	不适用

Section 12-Ecological Information 第十二部分 生态学信息	
- 60	Do not allow undiluted product or large quantities of to
General note:	reach ground water, water course or sewage system.
通用信息:	不允许未稀释或大量的产品接触地下水、水道或污水
170	理系统。
Anticipated behavior of a chemical product in	Not Available.
environment possible environmental impact	不适用。
ecotoxicity 化学产品在环境/可能的环境预期的行为的一种生 态毒性	DAG

Section 13 - Disposal Considerations 第十三部分 废弃处置	
Waste Treatment	Recycle or dispose of in accordance with government,
废弃处置方法	state & local regulations.
	建议遵照国家和地方法规处置或再利用。
	Deserted batteries shouldn't be treated as ordinary trash.
16	Shouldn't be thrown into fire or placed in high
Attention for Waste Treatment	temperature. Shouldn't be dissected, pierced, crushed or
	treated similarly. Best disposal method is recycling.
废弃注意事项	废电池不能被当作普通垃圾。不能扔进火中或置于高
-	温下。不能解体,刺穿,破碎或类似的处理。最好的处
(6)	理办法是回收利用。

Section 14 - Transport Information 第十四部分 运输信息	
UN number	3480 & 3481





联合国货物编号(UN 编号)	
	Lithium ion batteries (limited to a maximum of 30% SoC) or;
	锂离子电池(荷电状态不得超过其额定容量的 30%)或;
	Lithium ion batteries packed with equipment (including lithium ion polymer
Proper shipping name	batteries) or
运输专用名称	与设备一起包装的锂离子电池(包括锂离子聚合物电池)或;
	Lithium ion batteries contained in equipments (including lithium ion polymer
	batteries).
	包含在设备中的锂离子电池(包括锂离子聚合物电池)。
Label(s) /Placard Required	Miscellaneous Lithium battery
标签/标牌要求	杂项锂电池
Special precautions which a u	ser needs to be aware of, or needs to comply with, in .connection with
transport or conveyance either	within or outside their premises.
无论是对内还是对外的运输。	(运输方式,用户都需要注意或遵守的特殊预防措施。
6	Can be shipped by air in accordance with International Civil Aviation
	Organization (ICAO), TI or International Air Transport Association IATA). DGR
ICAO / IATA:·	Packing Instructions (PI)965 Section IB, PI 966 Section II and PI 967 Section II
国际民间航空组织/国际航空运	appropriate of IATA DGR 65 <sup>th</sup> (2024Edition) for transportation.
输协会:	货物可根据民用航空组织(ICAO), TI 或国际航空运输协会(IATA), DGR
	65 <sup>th</sup> (2024 版)包装说明(PI)965 Section IB, PI 966 Section II 和 PI 967 Section II
	相关规定进行空运。
IMDG CODE:	The batteries are not restricted to IMDG Code 2022 Edition(Amdt41-22)
国际海运危险货物规则:	according to special provision 188.
国阶每色厄险贝彻规则.	根据特殊规定 188,该电池不受 IMDG Code 2022 版(Amdt 41-22)限制。
	Other requirements for the US Department of Transportation (DOT) Subchapter
	C, Hazardous Materials Regulations if shipped in compliance with
DOT:	49 CFR 173.185
美国运输部:	美国运输部(DOT)有害物质规则 C 分章中的其他规定,运输符合要求
2-	49 CFR 173.185。
ADRI ADN:	The batteries are not subject to the provisions of United Nations Economic
欧洲国际陆运危险货物协定/关	Commission for Europe (UNECE) ADR/ADN if they meet the requirements or
于内陆水道国际运输危险货物	special provision 188 of Chapter 3.3. Applicable as from 1 January 2021.
的欧洲协定:	自 2021 年 1 月 1 日起适用于联合国欧洲经济委员会(UNECE) ADR /ADN,如
1	果电池符合第 3.3 章第 188 条的特殊要求,则电池不受限制。
In addition, to be permitted in trans	asport each lithium cell and battery types must have passed the applicable tests see
out in Subsection 38.3 of the UN N	Manual of Tests and Criteria.

此外,每个锂电芯和电池类型都必须通过联合国《关于危险货物运输的建议书试验和标准手册》第38.3节规定 的适用测试。



# **Section 15 - Regulatory Information**

#### 第十五部分 法规信息

Dangerous Goods Regulations

《危险物品规则》

Recommendations on the Transport of Dangerous Goods-Model Regulations (23rd revised edition)

联合国《关于危险货物运输的建议书规章范本》(23rd修订版)

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

联合国《关于危险货物运输的建议书 试验和标准手册》

International Air Transport Association (IATA)

《国际航空运输协会》(IATA)

International Maritime Dangerous Goods (IMDG Code 2022 Edition Amdt 41-22)

《国际海运危险货物规则》(IMDG Code 2022 版 Amdt 41-22)

Technical Instructions for the Safe Transport of Dangerous Goods

《危险货物安全运输技术指南》

Classification and code of dangerous goods (GB 6944-2012)

《危险货物分类和品名编号》-GB 6944-2012

2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2012 《职业安全与健康标准》危险通信标准(29 CFR 1910.1200)

Toxic Substance Control Act (TSCA)

《有毒物质控制法》 (TSCA)

Code of Federal Regulations

《联邦条例》

In accordance with all Federal. State and local laws

符合所有联邦、州和地方法律





### **Section 16 - Additional Information**

第十六部分 其他信息

MSDS creation date: 2024. 04. 16 Version: 1.0

Sample photo 样品照片:





To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

本份 MSDS 中的信息只是基于我们当前所拥有的相关材料的信息而编制的,只是为了描述本品的健康、安全与环境需求,以使各有关方面能更好地了解和信任本产品。这些信息只是提供给您,以供考虑、研究和确认。其中的一些危害预防措施描述并非是唯一的。所以本份 MSDS 不能作为使用本品实现任何特定目的的保证。各有关使用者有责任预先完成本品的安全性及其他方面的测试,以评判其是否满足您的使用目的。

The data information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information

本文所包含的数据/信息已经过审核和批准,但本文档不包含出口管制信息。

\*\*\*\*End of report\*\*\*\*

\*\*\*\*报告结束\*\*\*\*