

# Keypath\_Testsuite\_APAC\_SEO

## Execution Environment

Host name	madhansivaraj - 192.168.8.116
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	Chrome 128.0.0.0
Device name	

## Summary

ID	Test Suites/Keypath_Testsuite_APAC_SEO		
Description			
Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	18-09-2024 09:49:43	End	18-09-2024 09:51:49
Elapsed	2m - 6.043s		

#	ID	Description	Status
1	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		PASSED
2	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		PASSED
3	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enroll_Now		PASSED

# Degree\_Programs

## Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		
Description			
Tag			
Start	18-09-2024 09:49:43	End	18-09-2024 09:50:50
Elapsed	1m - 6.941s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL' successfully	38.659s	PASSED
2	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms")	0.020s	PASSED
3	mouseOver(buttonObject)  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms' is hovered	1.301s	PASSED
4	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne")	0.003s	PASSED
5	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listtwo")	0.002s	PASSED

## Degree\_Programs

#	Description	Elapsed	Status
6	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree")	0.002s	PASSED
7	list4 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listfour")	0.002s	PASSED
8	lists = [list1, list2, list3, list4]	0.000s	PASSED
9	rand = new java.util.Random()	0.003s	PASSED
10	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
11	selectedList = lists.get(randomListIndex)	0.002s	PASSED
12	waitForElementVisible(selectedList, 10)  Object 'Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne' is visible	0.267s	PASSED
13	listItems = findWebElements(selectedList, 30)  Found web elements by test object Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne	0.223s	PASSED
14	if (listItems.size() > 0)	5.857s	PASSED

## Degree\_Programs

#	Description	Elapsed	Status
15	FirstName = keyPathPackage.customKeywords.generateRandomFirstName()  keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.093s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname"), FirstName)  Text 'Deborah' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname'	1.626s	PASSED
17	LastName = keyPathPackage.customKeywords.generateRandomLastName()  keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.017s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname"), LastName)  Text 'Testing Cummings' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname'	1.676s	PASSED
19	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2"))  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2' is clicked on	0.281s	PASSED
20	dropdown = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience")	0.002s	PASSED
21	options = ["yes", "no"]	0.001s	PASSED
22	randomOption = options[Random().nextInt(length)]	0.003s	PASSED

# Degree\_Programs

#	Description	Elapsed	Status
23	<code>selectOptionByValue(dropdown, randomOption, true)</code>  All options with value 'no' are selected in object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience' using regular expression	3.042s	PASSED
24	<code>if (randomOption.equals("no"))</code>  All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Workexperience'	3.808s	PASSED
25	<code>startdate = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate")</code>	0.003s	PASSED
26	<code>selectOptionByIndex(startdate, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code>  All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate'	0.750s	PASSED
27	<code>Enquiryreason = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry")</code>	0.003s	PASSED
28	<code>selectOptionByIndex(Enquiryreason, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code>  All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry'	0.758s	PASSED
29	<code>delay(2)</code>  Delayed 2 second(s)	2.012s	PASSED
30	<code>scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3"), 3)</code>  Scroll to object 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' successfully	0.278s	PASSED

# Degree\_Programs

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3"))  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' is clicked on	0.278s	PASSED
32	Email = keyPathPackage.customKeywords.generateRandomEmail()  keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.028s	PASSED
33	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Email"), Email)  Text 'cole.lehner@hotmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Email'	3.097s	PASSED
34	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber()  keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.003s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer"), Phonenumber)  Text '0466385208' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer'	0.540s	PASSED
36	Postcode = keyPathPackage.customKeywords.selectRandomPostCode()  keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.002s	PASSED
37	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode)  Text '8638' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.750s	PASSED
38	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode)  Text '8638' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.743s	PASSED

## Degree\_Programs

---

#	Description	Elapsed	Status
39	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure"))  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure' is clicked on	0.487s	PASSED

# Short\_Courses

## Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		
Description			
Tag			
Start	18-09-2024 09:50:50	End	18-09-2024 09:51:14
Elapsed	24.305s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject)  Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	5.326s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.003s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.003s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.003s	PASSED
6	lists = [list1, list2, list3]	0.000s	PASSED



## Short\_Courses

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.000s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10)  Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree' is visible	0.230s	PASSED
11	listItems = findWebElements(selectedList, 30)  Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree	0.444s	PASSED
12	if (listItems.size() > 0)	2.261s	PASSED
13	FirstName = keyPathPackage.customKeywords.generateRandomFirstName()  keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.015s	PASSED
14	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname"), FirstName)  Text 'Cole' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname'	2.428s	PASSED
15	LastName = keyPathPackage.customKeywords.generateRandomLastName()  keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.008s	PASSED

## Short\_Courses

#	Description	Elapsed	Status
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname"), LastName)  Text 'Testing Swaniawski' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname'	0.536s	PASSED
17	Email = keyPathPackage.customKeywords.generateRandomEmail()  keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.014s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email"), Email)  Text 'ardath.luettgen@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email'	0.542s	PASSED
19	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber()  keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber"), Phononenumber)  Text '0474794735' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber'	0.538s	PASSED
21	Company = keyPathPackage.customKeywords.selectRandomCompany()  keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.021s	PASSED
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company"), Company)  Text 'Hansen and Sons' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company'	0.750s	PASSED
23	Role = keyPathPackage.customKeywords.selectRandomRole()  keyPathPackage.customKeywords.selectRandomRole is PASSED	0.004s	PASSED

## Short\_Courses

---

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role"), Role)  Text 'carpenter' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role'	0.520s	PASSED
25	click(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download"))  Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download' is clicked on	5.330s	PASSED
26	delay(5)  Delayed 5 second(s)	5.011s	PASSED
27	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Verify_Message"), "Thanks for your request")  Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Verify_Message' are matched.	0.264s	PASSED

# Enrol\_Now

## Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now		
Description			
Tag			
Start	18-09-2024 09:51:14	End	18-09-2024 09:51:49
Elapsed	34.734s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject)  Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	0.338s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.004s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.003s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.003s	PASSED
6	lists = [list1, list2, list3]	0.003s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.001s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.000s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10)  Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree' is visible	0.242s	PASSED
11	listItems = findWebElements(selectedList, 30)  Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree	0.240s	PASSED
12	if (listItems.size() > 0)	1.041s	PASSED
13	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 3)  Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' successfully	2.541s	PASSED
14	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 20)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clickable	0.254s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
15	<code>click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"))</code>  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clicked on	1.915s	PASSED
16	<code>setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname"), "Testkeypath")</code>  Text 'Testkeypath' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname'	1.509s	PASSED
17	<code>setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname"), "Dummy")</code>  Text 'Dummy' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname'	1.108s	PASSED
18	<code>Email = keyPathPackage.customKeywords.generateRandomEmail()</code>  keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.008s	PASSED
19	<code>setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email"), Email)</code>  Text 'tilda.thompson@hotmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email'	0.479s	PASSED
20	<code>setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail"), Email)</code>  Text 'tilda.thompson@hotmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail'	0.498s	PASSED
21	<code>Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber()</code>  keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenummer"), Phonenummer)  Text '0410600197' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenummer'	0.531s	PASSED
23	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box"))  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.510s	PASSED
24	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box"), 30)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.686s	PASSED
25	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 3)  Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' successfully	0.349s	PASSED
26	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 20)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clickable	0.248s	PASSED
27	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"))  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clicked on	2.748s	PASSED
28	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber' is present	1.791s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
29	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10)	0.674s	PASSED
30	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber"), "4111 1111 1111 1111")  Text '4111 1111 1111 1111' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber'	0.101s	PASSED
31	switchToDefaultContent()	0.008s	PASSED
32	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate' is present	0.226s	PASSED
33	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10)	0.246s	PASSED
34	Expirydate = keyPathPackage.customKeywords.generateExpiryDate()  keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.022s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate"), Expirydate)  Text '03/28' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate'	0.072s	PASSED
36	switchToDefaultContent()	0.005s	PASSED



## Enrol\_Now

#	Description	Elapsed	Status
37	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC' is present	0.220s	PASSED
38	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10)	0.241s	PASSED
39	CVC = keyPathPackage.customKeywords.generateExpiryDate()  keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.002s	PASSED
40	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC"), CVC)  Text '07/27' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC'	0.065s	PASSED
41	switchToDefaultContent()	0.004s	PASSED
42	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio"))  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.249s	PASSED
43	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio"), 30)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.226s	PASSED
44	Company = keyPathPackage.customKeywords.selectRandomCompany()  keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.010s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
45	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company"), Company)  Text 'Bayer-Tromp' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company'	0.529s	PASSED
46	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GlvenFlrstName"), "Onlyfortest")  Text 'Onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GlvenFlrstName'	0.837s	PASSED
47	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GivenLastName"), "onlyfortest")  Text 'onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GivenLastName'	0.521s	PASSED
48	StreetAddress = keyPathPackage.customKeywords.generateRandomAddressLine1()  keyPathPackage.customKeywords.generateRandomAddressLine1 is PASSED	0.014s	PASSED
49	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address"), StreetAddress)  Text '1785 Walter Ports' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address'	0.514s	PASSED
50	Suburb = keyPathPackage.customKeywords.generateRandomSuburb()  keyPathPackage.customKeywords.generateRandomSuburb is PASSED	0.014s	PASSED
51	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb"), Suburb)  Text 'Bunbury' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb'	0.519s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
52	State = findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State")	0.003s	PASSED
53	selectOptionByIndex(State, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())  All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State'	0.760s	PASSED
54	Postcode = keyPathPackage.customKeywords.selectRandomPostCode()  keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.001s	PASSED
55	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode"), Postcode)  Text '8175' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode'	0.522s	PASSED
56	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clickable	0.236s	PASSED
57	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase"))  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clicked on	0.272s	PASSED
58	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 3)  Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' successfully	2.507s	PASSED

## Enrol\_Now

---

#	Description	Elapsed	Status
59	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clickable	1.477s	PASSED
60	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"))  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clicked on	0.278s	PASSED
61	delay(3)  Delayed 3 second(s)	3.011s	PASSED
62	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order"), "Thank you for your order")  Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order' are matched.	3.033s	PASSED
63	closeBrowser()  Browser is closed	0.189s	PASSED