Keypath_Testsuite_APAC_SEO

Execution Environment

Host name madhansivaraj - fe80:0:0:0:9cb5:29ff:fe85:b540%16

Local OS Mac OS X 64bit

Katalon version 9.6.0.217

Browser Chrome 127.0.0.0

Device name

Summary

ID Test Suites/Keypath_Testsuite_APAC_SEO

Description

Total 2

Passed 1 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 26-08-2024 12:54:58 End 26-08-2024 12:56:13

Elapsed 1m - 14.767s

#	ID	Description	Status
1	Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Man_Page	i	FAILED
2	Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Enuiry_Now	P	PASSED

Information

ID Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Main_Page

Description

Tag

Start 26-08-2024 12:54:58 End 26-08-2024 12:55:04

Elapsed 6.534s Status FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Description	Elapsed	Statu
callTestCase(findTestCase("Test	6.434s	FAILE
Cases/APAC_Universities/SEO_PAGES/SIM_University/Resuable_Testcases/Navigate_URL"), [:], STOP_ON_FAILURE)	0.4043	TAILL
Unable to call Test Case 'Test		
Cases/APAC_Universities/SEO_PAGES/SIM_University/Resuable_Testcases/Navigate_		
URL' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/APAC_Universities/SEO_PAGES/SIM_University/Resuable_Testcases/Navigate_URL' failed		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 63)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:75)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.		
callTestCase(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
(BuiltinKeywords.groovy:310)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
at Main_Page.run(Main_Page:21)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1724640887190.run(TempTestSuite1724640887190. groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to		

Elapsed

Status

```
Description
navigate to 'https://dev-sim-opm.pantheonsite.io/'
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
          at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
execute(NavigateToUrlKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
navigateToUrl(WebUiBuiltInKeywords.groovy:187)
          at Navigate URL.run(Navigate URL:22)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.
java:137)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:
Caused by: org.openga.selenium.WebDriverException: unknown error: net::
ERR_INTERNET_DISCONNECTED
 (Session info: chrome=127.0.6533.120)
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Madhans-MacBook-Pro.local', ip: 'fe80:0:0:0:9cb5:29ff:fe85:
b540%16', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.3.1', java.version:
'17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
127.0.6533.120, chrome: {chromedriverVersion: 126.0.6478.55 (7616ff175414...,
userDataDir: /var/folders/81/jk91fm7j2_5...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:63149}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC,
platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c09d6c1993059a277eade263398c7a58
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstanceO(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
```

(W3CHttpResponseCodec.java:122)

Description

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute

(RemoteWebDriver.java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute

at com.kms.kataion.seienium.driver.conromeDriver.execute (CChromeDriver.java:19)

 $at\ org. open qa. selenium. remote. Remote Web Driver. get (Remote Web Driver. java: 277)$

at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.to (RemoteWebDriver.java:857)

at org.openqa.selenium.support.events.

EventFiringWebDriver\$EventFiringNavigation.to(EventFiringWebDriver.java:569)

at com.kms.katalon.core.webui.keyword.builtin.

Navigate To Url Losure 1. do Call (Navigate To Url Losure 1. do Call (Navigate To Url Keyword. groovy: 81)


at com.kms.katalon.core.webui.keyword.builtin.

 $Navigate To Url Keyword \$_navigate To Url _closure 1. call (Navigate To Url Keyword. groovy)$

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 39 more



Enquiry_Now

Information

ID Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Enquiry_Now

Description

Tag

Start 26-08-2024 12:55:04 End 26-08-2024 12:56:13

Elapsed 1m - 8.176s
Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Resuable_Testcases/Navigate_Ho mepage"), [:], STOP_ON_FAILURE)	53.262s	PASSED
	Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Resuable_Testcases/Navigate_Ho mepage' successfully		
2	waitForElementClickable(findTestObject("Object Repository/APAC_University/SIM_University/Button_Enquiry"), 10)	0.479s	PASSED
	Object 'Object Repository/APAC_University/SIM_University/Button_Enquiry' is clickable		
3	click(findTestObject("Object Repository/APAC_University/SIM_University/Button_Enquiry"))	0.277s	PASSED
	Object: 'Object Repository/APAC_University/SIM_University/Button_Enquiry' is clicked on		
4	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Resuable_Testcases/Lead_Form") , [:], STOP_ON_FAILURE)	14.028s	PASSED
	Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/SIM_University/Resuable_Testcases/Lead_Form' successfully		
5	closeBrowser()	0.105s	PASSED
	Browser is closed		