

Keypath_Testsuite_APAC_SEO

Execution Environment

Host name	madhansivaraj - 192.168.8.116
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	Chrome 128.0.0.0
Device name	

Summary

ID	Test Suites/Keypath_Testsuite_APAC_SEO		
Description			
Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	19-09-2024 09:44:25	End	19-09-2024 09:46:01
Elapsed	1m - 36.673s		

#	ID	Description	Status
1	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		PASSED
2	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		PASSED
3	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enroll_Now		PASSED

Degree_Programs

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		
Description			
Tag			
Start	19-09-2024 09:44:25	End	19-09-2024 09:44:57
Elapsed	32.452s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL' successfully	5.528s	PASSED
2	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms")	0.022s	PASSED
3	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms' is hovered	0.393s	PASSED
4	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne")	0.005s	PASSED
5	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listtwo")	0.002s	PASSED

Degree_Programs

#	Description	Elapsed	Status
6	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree")	0.002s	PASSED
7	list4 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listfour")	0.004s	PASSED
8	lists = [list1, list2, list3, list4]	0.001s	PASSED
9	rand = new java.util.Random()	0.004s	PASSED
10	randomListIndex = rand.nextInt(lists.size())	0.002s	PASSED
11	selectedList = lists.get(randomListIndex)	0.002s	PASSED
12	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree' is visible	0.262s	PASSED
13	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree	2.357s	PASSED
14	if (listItems.size() > 0)	1.220s	PASSED

Degree_Programs

#	Description	Elapsed	Status
15	FirstName = keyPathPackage.customKeywords.generateRandomFirstName() keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.078s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname"), FirstName) Text 'Adrienne' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname'	3.130s	PASSED
17	LastName = keyPathPackage.customKeywords.generateRandomLastName() keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.015s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname"), LastName) Text 'Testing Lind' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname'	1.215s	PASSED
19	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2' is clicked on	0.293s	PASSED
20	dropdown = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience")	0.003s	PASSED
21	options = ["yes", "no"]	0.000s	PASSED
22	randomOption = options[Random().nextInt(length)]	0.003s	PASSED

Degree_Programs

#	Description	Elapsed	Status
23	<code>selectOptionByValue(dropdown, randomOption, true)</code> All options with value 'no' are selected in object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience' using regular expression	2.581s	PASSED
24	<code>if (randomOption.equals("no"))</code> All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Workexperience'	3.746s	PASSED
25	<code>startdate = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate")</code>	0.003s	PASSED
26	<code>selectOptionByIndex(startdate, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code> All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate'	1.336s	PASSED
27	<code>Enquiryreason = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry")</code>	0.002s	PASSED
28	<code>selectOptionByIndex(Enquiryreason, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code> All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry'	0.727s	PASSED
29	<code>delay(2)</code> Delayed 2 second(s)	2.011s	PASSED
30	<code>scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3"), 3)</code> Scroll to object 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' successfully	0.760s	PASSED

Degree_Programs

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' is clicked on	0.276s	PASSED
32	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.023s	PASSED
33	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Email"), Email) Text 'weston.kessler@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Email'	3.075s	PASSED
34	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.002s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer"), Phonenumber) Text '0481863714' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer'	0.524s	PASSED
36	Postcode = keyPathPackage.customKeywords.selectRandomPostCode() keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.003s	PASSED
37	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode) Text '8048' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.728s	PASSED
38	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode) Text '8048' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.710s	PASSED

Degree_Programs

#	Description	Elapsed	Status
39	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure' is clicked on	1.087s	PASSED

Short_Courses

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		
Description			
Tag			
Start	19-09-2024 09:44:57	End	19-09-2024 09:45:24
Elapsed	27.108s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	9.938s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.005s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.002s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.002s	PASSED
6	lists = [list1, list2, list3]	0.000s	PASSED

Short_Courses

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.000s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone' is visible	0.233s	PASSED
11	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone	0.227s	PASSED
12	if (listItems.size() > 0)	2.153s	PASSED
13	FirstName = keyPathPackage.customKeywords.generateRandomFirstName() keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.015s	PASSED
14	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname"), FirstName) Text 'Daniella' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname'	2.368s	PASSED
15	LastName = keyPathPackage.customKeywords.generateRandomLastName() keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.010s	PASSED

Short_Courses

#	Description	Elapsed	Status
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname"), LastName) Text 'Testing McCullough' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname'	0.522s	PASSED
17	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.018s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email"), Email) Text 'ulysses.wolf@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email'	0.514s	PASSED
19	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.002s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber"), Phononenumber) Text '0407331990' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber'	0.520s	PASSED
21	Company = keyPathPackage.customKeywords.selectRandomCompany() keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.024s	PASSED
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company"), Company) Text 'Abernathy, Conroy and Funk' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company'	0.728s	PASSED
23	Role = keyPathPackage.customKeywords.selectRandomRole() keyPathPackage.customKeywords.selectRandomRole is PASSED	0.004s	PASSED

Short_Courses

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role"), Role) Text 'judge' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role'	0.500s	PASSED
25	click(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download")) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download' is clicked on	3.995s	PASSED
26	delay(5) Delayed 5 second(s)	5.010s	PASSED
27	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Verify_Message"), "Thanks for your request") Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Verify_Message' are matched.	0.262s	PASSED

Enrol_Now

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now		
Description			
Tag			
Start	19-09-2024 09:45:24	End	19-09-2024 09:46:01
Elapsed	37.050s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	0.335s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.003s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.002s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.001s	PASSED
6	lists = [list1, list2, list3]	0.001s	PASSED

Enrol_Now

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.000s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo' is visible	0.240s	PASSED
11	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo	0.231s	PASSED
12	if (listItems.size() > 0)	1.431s	PASSED
13	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' successfully	2.418s	PASSED
14	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 20) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clickable	0.243s	PASSED

Enrol_Now

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clicked on	3.937s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname"), "Testkeypath") Text 'Testkeypath' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname'	2.484s	PASSED
17	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname"), "Dummy") Text 'Dummy' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname'	0.517s	PASSED
18	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.010s	PASSED
19	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email"), Email) Text 'denver.murazik@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email'	0.523s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail"), Email) Text 'denver.murazik@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail'	0.500s	PASSED
21	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED

Enrol_Now

#	Description	Elapsed	Status
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenumner"), Phonenumner) Text '0495204247' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenumner'	0.506s	PASSED
23	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box")) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.481s	PASSED
24	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box"), 30) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.441s	PASSED
25	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' successfully	0.350s	PASSED
26	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 20) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clickable	0.238s	PASSED
27	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clicked on	3.003s	PASSED
28	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber' is present	0.967s	PASSED

Enrol_Now

#	Description	Elapsed	Status
29	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10)	0.240s	PASSED
30	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber"), "4111 1111 1111 1111") Text '4111 1111 1111 1111' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber'	0.093s	PASSED
31	switchToDefaultContent()	0.007s	PASSED
32	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate' is present	0.938s	PASSED
33	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10)	0.242s	PASSED
34	Expirydate = keyPathPackage.customKeywords.generateExpiryDate() keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.021s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate"), Expirydate) Text '02/25' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate'	0.064s	PASSED
36	switchToDefaultContent()	0.004s	PASSED

Enrol_Now

#	Description	Elapsed	Status
37	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC' is present	0.221s	PASSED
38	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10)	0.241s	PASSED
39	CVC = keyPathPackage.customKeywords.generateExpiryDate() keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.001s	PASSED
40	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC"), CVC) Text '02/28' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC'	0.065s	PASSED
41	switchToDefaultContent()	0.005s	PASSED
42	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio")) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.254s	PASSED
43	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio"), 30) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.226s	PASSED
44	Company = keyPathPackage.customKeywords.selectRandomCompany() keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.009s	PASSED

Enrol_Now

#	Description	Elapsed	Status
45	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company"), Company) Text 'Smith LLC' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company'	0.521s	PASSED
46	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENFirstName"), "Onlyfortest") Text 'Onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENFirstName'	0.511s	PASSED
47	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENLastName"), "onlyfortest") Text 'onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENLastName'	0.923s	PASSED
48	StreetAddress = keyPathPackage.customKeywords.generateRandomAddressLine1() keyPathPackage.customKeywords.generateRandomAddressLine1 is PASSED	0.018s	PASSED
49	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address"), StreetAddress) Text '9936 Blanda Isle' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address'	0.507s	PASSED
50	Suburb = keyPathPackage.customKeywords.generateRandomSuburb() keyPathPackage.customKeywords.generateRandomSuburb is PASSED	0.018s	PASSED
51	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb"), Suburb) Text 'Townsville' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb'	0.491s	PASSED

Enrol_Now

#	Description	Elapsed	Status
52	State = findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State")	0.002s	PASSED
53	selectOptionByIndex(State, keyPathPackage.customKeywords.selectRandomOptionFromDropdown()) All options with index in [2] are selected on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State'	0.724s	PASSED
54	Postcode = keyPathPackage.customKeywords.selectRandomPostCode() keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.001s	PASSED
55	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode"), Postcode) Text '5326' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode'	0.505s	PASSED
56	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clickable	0.229s	PASSED
57	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clicked on	0.272s	PASSED
58	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' successfully	2.854s	PASSED

Enrol_Now

#	Description	Elapsed	Status
59	<code>waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 10)</code> Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clickable	0.990s	PASSED
60	<code>click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"))</code> Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clicked on	0.798s	PASSED
61	<code>delay(3)</code> Delayed 3 second(s)	3.012s	PASSED
62	<code>verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order"), "Thank you for your order")</code> Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order' are matched.	2.928s	PASSED
63	<code>closeBrowser()</code> Browser is closed	0.169s	PASSED