

# Keypath\_Testsuite\_APAC\_SEO

## Execution Environment

Host name	madhansivaraj - 192.168.8.116
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	Chrome 128.0.0.0
Device name	

## Summary

ID	Test Suites/Keypath_Testsuite_APAC_SEO		
Description			
Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	11-09-2024 13:19:58	End	11-09-2024 13:22:25
Elapsed	2m - 27.169s		

#	ID	Description	Status
1	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/De gree_Programs		PASSED
2	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Sh ort_Courses		PASSED
3	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enr ol_Now		PASSED

# Degree\_Programs

## Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		
Description			
Tag			
Start	11-09-2024 13:19:58	End	11-09-2024 13:20:57
Elapsed	59.032s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL' successfully	18.619s	PASSED
2	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms")	0.020s	PASSED
3	mouseOver(buttonObject)  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms' is hovered	0.373s	PASSED
4	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne")	0.002s	PASSED
5	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listtwo")	0.002s	PASSED

## Degree\_Programs

#	Description	Elapsed	Status
6	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree")	0.002s	PASSED
7	list4 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listfour")	0.002s	PASSED
8	lists = [list1, list2, list3, list4]	0.001s	PASSED
9	rand = new java.util.Random()	0.003s	PASSED
10	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
11	selectedList = lists.get(randomListIndex)	0.003s	PASSED
12	waitForElementVisible(selectedList, 10)  Object 'Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree' is visible	0.268s	PASSED
13	listItems = findWebElements(selectedList, 30)  Found web elements by test object Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree	1.569s	PASSED
14	if (listItems.size() > 0)	20.144s	PASSED

## Degree\_Programs

#	Description	Elapsed	Status
15	FirstName = keyPathPackage.customKeywords.generateRandomFirstName()  keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.079s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname"), FirstName)  Text 'Maritza' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname'	0.700s	PASSED
17	LastName = keyPathPackage.customKeywords.generateRandomLastName()  keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.014s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname"), LastName)  Text 'Testing O'Connell' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname'	0.843s	PASSED
19	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2"))  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2' is clicked on	0.500s	PASSED
20	dropdown = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience")	0.003s	PASSED
21	options = ["yes", "no"]	0.001s	PASSED
22	randomOption = options[Random().nextInt(length)]	0.002s	PASSED

# Degree\_Programs

#	Description	Elapsed	Status
23	<code>selectOptionByValue(dropdown, randomOption, true)</code>  All options with value 'no' are selected in object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience' using regular expression	2.703s	PASSED
24	<code>if (randomOption.equals("no"))</code>  All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Workexperience'	3.758s	PASSED
25	<code>startdate = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate")</code>	0.003s	PASSED
26	<code>selectOptionByIndex(startdate, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code>  All options with index in [2] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate'	0.735s	PASSED
27	<code>Enquiryreason = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry")</code>	0.004s	PASSED
28	<code>selectOptionByIndex(Enquiryreason, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code>  All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry'	0.717s	PASSED
29	<code>delay(2)</code>  Delayed 2 second(s)	2.008s	PASSED
30	<code>scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3"), 3)</code>  Scroll to object 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' successfully	0.253s	PASSED

# Degree\_Programs

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3"))  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' is clicked on	0.269s	PASSED
32	Email = keyPathPackage.customKeywords.generateRandomEmail()  keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.017s	PASSED
33	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Email"), Email)  Text 'breanna.connelly@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Email'	2.731s	PASSED
34	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber()  keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer"), Phonenummer)  Text '0493369426' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer'	0.514s	PASSED
36	Postcode = keyPathPackage.customKeywords.selectRandomPostCode()  keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.003s	PASSED
37	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode)  Text '2933' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.716s	PASSED
38	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode)  Text '2933' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.719s	PASSED

## Degree\_Programs

---

#	Description	Elapsed	Status
39	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure"))  Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure' is clicked on	0.470s	PASSED

# Short\_Courses

## Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		
Description			
Tag			
Start	11-09-2024 13:20:57	End	11-09-2024 13:21:24
Elapsed	27.299s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject)  Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	5.321s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.002s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.002s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.001s	PASSED
6	lists = [list1, list2, list3]	0.000s	PASSED



## Short\_Courses

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.001s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.000s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10)  Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone' is visible	1.462s	PASSED
11	listItems = findWebElements(selectedList, 30)  Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone	0.227s	PASSED
12	if (listItems.size() > 0)	5.286s	PASSED
13	FirstName = keyPathPackage.customKeywords.generateRandomFirstName()  keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.011s	PASSED
14	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname"), FirstName)  Text 'Vanessa' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname'	2.268s	PASSED
15	LastName = keyPathPackage.customKeywords.generateRandomLastName()  keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.008s	PASSED

## Short\_Courses

#	Description	Elapsed	Status
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname"), LastName)  Text 'Testing Kuphal' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname'	0.502s	PASSED
17	Email = keyPathPackage.customKeywords.generateRandomEmail()  keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.014s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email"), Email)  Text 'malcom.bechtelar@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email'	0.516s	PASSED
19	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber()  keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber"), Phonenumber)  Text '0438305061' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber'	0.513s	PASSED
21	Company = keyPathPackage.customKeywords.selectRandomCompany()  keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.026s	PASSED
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company"), Company)  Text 'Kreiger, Fritsch and Marquardt' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company'	0.726s	PASSED
23	Role = keyPathPackage.customKeywords.selectRandomRole()  keyPathPackage.customKeywords.selectRandomRole is PASSED	0.004s	PASSED

## Short\_Courses

---

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role"), Role)  Text 'developer' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role'	0.503s	PASSED
25	click(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download"))  Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download' is clicked on	4.580s	PASSED
26	delay(5)  Delayed 5 second(s)	5.013s	PASSED
27	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Verify_Message"), "Thanks for your request")  Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Verify_Message' are matched.	0.259s	PASSED

# Enrol\_Now

## Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now		
Description			
Tag			
Start	11-09-2024 13:21:24	End	11-09-2024 13:22:25
Elapsed	1m - 0.775s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject)  Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	0.462s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.002s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.002s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.002s	PASSED
6	lists = [list1, list2, list3]	0.000s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.001s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.000s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10)  Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree' is visible	0.243s	PASSED
11	listItems = findWebElements(selectedList, 30)  Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree	0.231s	PASSED
12	if (listItems.size() > 0)	3.567s	PASSED
13	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 20)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clickable	2.449s	PASSED
14	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"))  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clicked on	19.676s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname"), "Testkeypath")  Text 'Testkeypath' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname'	1.559s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname"), "Dummy")  Text 'Dummy' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname'	0.714s	PASSED
17	Email = keyPathPackage.customKeywords.generateRandomEmail()  keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.010s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email"), Email)  Text 'tova.strosin@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email'	0.814s	PASSED
19	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail"), Email)  Text 'tova.strosin@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail'	0.495s	PASSED
20	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber()  keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.000s	PASSED
21	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenumber"), Phonenumber)  Text '0430625657' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenumber'	0.482s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
22	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box"))  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.472s	PASSED
23	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box"), 30)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.448s	PASSED
24	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 20)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clickable	0.240s	PASSED
25	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"))  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clicked on	6.503s	PASSED
26	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber' is present	1.572s	PASSED
27	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10)	0.558s	PASSED
28	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber"), "4111 1111 1111 1111")  Text '4111 1111 1111 1111' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber'	0.088s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
29	switchToDefaultContent()	0.008s	PASSED
30	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate' is present	0.228s	PASSED
31	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10)	0.244s	PASSED
32	Expirydate = keyPathPackage.customKeywords.generateExpiryDate()  keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.020s	PASSED
33	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate"), Expirydate)  Text '04/27' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate'	0.070s	PASSED
34	switchToDefaultContent()	0.009s	PASSED
35	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC' is present	0.225s	PASSED
36	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10)	0.239s	PASSED



## Enrol\_Now

#	Description	Elapsed	Status
37	CVC = keyPathPackage.customKeywords.generateExpiryDate()  keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.001s	PASSED
38	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC"), CVC)  Text '08/27' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC'	0.063s	PASSED
39	switchToDefaultContent()	0.004s	PASSED
40	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio"))  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.250s	PASSED
41	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio"), 30)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.223s	PASSED
42	Company = keyPathPackage.customKeywords.selectRandomCompany()  keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.009s	PASSED
43	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company"), Company)  Text 'Armstrong Group' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company'	0.513s	PASSED
44	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENFirstName"), "Onlyfortest")  Text 'Onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENFirstName'	0.515s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
45	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GivenLastName"), "onlyfortest")  Text 'onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GivenLastName'	0.930s	PASSED
46	StreetAddress = keyPathPackage.customKeywords.generateRandomAddressLine1()  keyPathPackage.customKeywords.generateRandomAddressLine1 is PASSED	0.017s	PASSED
47	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address"), StreetAddress)  Text '3240 Dorris Hills' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address'	0.500s	PASSED
48	Suburb = keyPathPackage.customKeywords.generateRandomSuburb()  keyPathPackage.customKeywords.generateRandomSuburb is PASSED	0.011s	PASSED
49	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb"), Suburb)  Text 'Sydney' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb'	0.498s	PASSED
50	State = findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State")	0.001s	PASSED
51	selectOptionByIndex(State, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())  All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State'	0.731s	PASSED
52	Postcode = keyPathPackage.customKeywords.selectRandomPostCode()  keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.001s	PASSED

## Enrol\_Now

#	Description	Elapsed	Status
53	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode"), Postcode)  Text '7165' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode'	0.505s	PASSED
54	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clickable	0.232s	PASSED
55	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase"))  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clicked on	0.287s	PASSED
56	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 10)  Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clickable	3.244s	PASSED
57	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"))  Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clicked on	3.747s	PASSED
58	delay(3)  Delayed 3 second(s)	3.011s	PASSED
59	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order"), "Thank you for your order")  Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order' are matched.	3.582s	PASSED

# Enrol\_Now

---

#	Description	Elapsed	Status
60	closeBrowser()  Browser is closed	0.194s	PASSED