

Keypath_Testsuite_APAC_SEO

Execution Environment

Host name	madhansivaraj - 192.168.8.116
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	Chrome 128.0.0.0
Device name	

Summary

ID	Test Suites/Keypath_Testsuite_APAC_SEO		
Description			
Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	18-09-2024 09:58:55	End	18-09-2024 10:00:27
Elapsed	1m - 32.583s		

#	ID	Description	Status
1	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/De gree_Programs		PASSED
2	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Sh ort_Courses		PASSED
3	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enr ol_Now		PASSED

Degree_Programs

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		
Description			
Tag			
Start	18-09-2024 09:58:55	End	18-09-2024 09:59:25
Elapsed	30.151s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_U RL' successfully	4.717s	PASSED
2	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms")	0.024s	PASSED
3	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms' is hovered	0.370s	PASSED
4	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne")	0.005s	PASSED
5	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listtwo")	0.003s	PASSED

Degree_Programs

#	Description	Elapsed	Status
6	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree")	0.002s	PASSED
7	list4 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listfour")	0.002s	PASSED
8	lists = [list1, list2, list3, list4]	0.000s	PASSED
9	rand = new java.util.Random()	0.003s	PASSED
10	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
11	selectedList = lists.get(randomListIndex)	0.002s	PASSED
12	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree' is visible	0.254s	PASSED
13	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree	1.185s	PASSED
14	if (listItems.size() > 0)	1.102s	PASSED

Degree_Programs

#	Description	Elapsed	Status
15	FirstName = keyPathPackage.customKeywords.generateRandomFirstName() keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.074s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname"), FirstName) Text 'Rossie' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname'	2.982s	PASSED
17	LastName = keyPathPackage.customKeywords.generateRandomLastName() keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.015s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname"), LastName) Text 'Testing Durgan' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname'	0.520s	PASSED
19	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2' is clicked on	0.290s	PASSED
20	dropdown = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience")	0.002s	PASSED
21	options = ["yes", "no"]	0.001s	PASSED
22	randomOption = options[Random().nextInt(length)]	0.002s	PASSED

Degree_Programs

#	Description	Elapsed	Status
23	<code>selectOptionByValue(dropdown, randomOption, true)</code> All options with value 'no' are selected in object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience' using regular expression	2.864s	PASSED
24	<code>if (randomOption.equals("no"))</code> All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Workexperience'	3.788s	PASSED
25	<code>startdate = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate")</code>	0.003s	PASSED
26	<code>selectOptionByIndex(startdate, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code> All options with index in [2] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate'	0.747s	PASSED
27	<code>Enquiryreason = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry")</code>	0.002s	PASSED
28	<code>selectOptionByIndex(Enquiryreason, keyPathPackage.customKeywords.selectRandomOptionFromDropdown())</code> All options with index in [2] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry'	1.675s	PASSED
29	<code>delay(2)</code> Delayed 2 second(s)	2.013s	PASSED
30	<code>scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3"), 3)</code> Scroll to object 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' successfully	0.281s	PASSED

Degree_Programs

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' is clicked on	0.271s	PASSED
32	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.019s	PASSED
33	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Email"), Email) Text 'jay.hettinger@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Email'	3.835s	PASSED
34	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.003s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer"), Phonenumber) Text '0414870431' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenummer'	0.537s	PASSED
36	Postcode = keyPathPackage.customKeywords.selectRandomPostCode() keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.002s	PASSED
37	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode) Text '4603' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.750s	PASSED
38	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode) Text '4603' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.852s	PASSED

Degree_Programs

#	Description	Elapsed	Status
39	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure' is clicked on	0.695s	PASSED

Short_Courses

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		
Description			
Tag			
Start	18-09-2024 09:59:25	End	18-09-2024 09:59:52
Elapsed	26.764s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.001s	PASSED
2	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	8.395s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.004s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.004s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.002s	PASSED
6	lists = [list1, list2, list3]	0.000s	PASSED

Short_Courses

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.001s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.002s	PASSED
9	selectedList = lists.get(randomListIndex)	0.000s	PASSED
10	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone' is visible	0.232s	PASSED
11	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone	0.650s	PASSED
12	if (listItems.size() > 0)	2.547s	PASSED
13	FirstName = keyPathPackage.customKeywords.generateRandomFirstName() keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.012s	PASSED
14	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname"), FirstName) Text 'Tony' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname'	2.050s	PASSED
15	LastName = keyPathPackage.customKeywords.generateRandomLastName() keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.008s	PASSED

Short_Courses

#	Description	Elapsed	Status
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname"), LastName) Text 'Testing Frami' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname'	0.541s	PASSED
17	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.012s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email"), Email) Text 'jame.ryan@yahoo.com' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email'	0.538s	PASSED
19	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.002s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber"), Phononenumber) Text '0418057778' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phononenumber'	0.544s	PASSED
21	Company = keyPathPackage.customKeywords.selectRandomCompany() keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.026s	PASSED
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company"), Company) Text 'Cruickshank, Gulgowski and Cummerata' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company'	0.762s	PASSED
23	Role = keyPathPackage.customKeywords.selectRandomRole() keyPathPackage.customKeywords.selectRandomRole is PASSED	0.003s	PASSED

Short_Courses

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role"), Role) Text 'barber' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role'	0.539s	PASSED
25	click(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download")) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download' is clicked on	4.552s	PASSED
26	delay(5) Delayed 5 second(s)	5.008s	PASSED
27	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Verify_Message"), "Thanks for your request") Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Verify_Message' are matched.	0.285s	PASSED

Enrol_Now

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now		
Description			
Tag			
Start	18-09-2024 09:59:52	End	18-09-2024 10:00:27
Elapsed	35.607s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	0.357s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.004s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.003s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.002s	PASSED
6	lists = [list1, list2, list3]	0.001s	PASSED

Enrol_Now

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.000s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo' is visible	0.257s	PASSED
11	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo	0.240s	PASSED
12	if (listItems.size() > 0)	1.341s	PASSED
13	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' successfully	1.410s	PASSED
14	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 20) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clickable	0.656s	PASSED

Enrol_Now

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clicked on	2.076s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname"), "Testkeypath") Text 'Testkeypath' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname'	1.618s	PASSED
17	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname"), "Dummy") Text 'Dummy' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname'	0.817s	PASSED
18	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.008s	PASSED
19	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email"), Email) Text 'cyril.white@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email'	0.527s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail"), Email) Text 'cyril.white@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail'	0.503s	PASSED
21	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED

Enrol_Now

#	Description	Elapsed	Status
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenummer"), Phonenummer) Text '0419932498' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenummer'	0.535s	PASSED
23	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box")) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.475s	PASSED
24	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box"), 30) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.564s	PASSED
25	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' successfully	0.240s	PASSED
26	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 20) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clickable	0.456s	PASSED
27	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clicked on	3.261s	PASSED
28	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber' is present	2.596s	PASSED

Enrol_Now

#	Description	Elapsed	Status
29	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10)	0.456s	PASSED
30	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber"), "4111 1111 1111 1111") Text '4111 1111 1111 1111' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber'	0.098s	PASSED
31	switchToDefaultContent()	0.007s	PASSED
32	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate' is present	0.226s	PASSED
33	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10)	0.232s	PASSED
34	Expirydate = keyPathPackage.customKeywords.generateExpiryDate() keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.017s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate"), Expirydate) Text '10/24' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate'	0.061s	PASSED
36	switchToDefaultContent()	0.004s	PASSED

Enrol_Now

#	Description	Elapsed	Status
37	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC' is present	0.221s	PASSED
38	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10)	0.243s	PASSED
39	CVC = keyPathPackage.customKeywords.generateExpiryDate() keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.002s	PASSED
40	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC"), CVC) Text '11/27' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC'	0.066s	PASSED
41	switchToDefaultContent()	0.004s	PASSED
42	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio")) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.252s	PASSED
43	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio"), 30) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.950s	PASSED
44	Company = keyPathPackage.customKeywords.selectRandomCompany() keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.014s	PASSED

Enrol_Now

#	Description	Elapsed	Status
45	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company"), Company) Text 'Thompson and Sons' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company'	0.657s	PASSED
46	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENFirstName"), "Onlyfortest") Text 'Onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENFirstName'	0.531s	PASSED
47	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENLastName"), "onlyfortest") Text 'onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIVENLastName'	0.472s	PASSED
48	StreetAddress = keyPathPackage.customKeywords.generateRandomAddressLine1() keyPathPackage.customKeywords.generateRandomAddressLine1 is PASSED	0.012s	PASSED
49	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address"), StreetAddress) Text '09917 Morissette Trafficway' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address'	0.505s	PASSED
50	Suburb = keyPathPackage.customKeywords.generateRandomSuburb() keyPathPackage.customKeywords.generateRandomSuburb is PASSED	0.012s	PASSED
51	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb"), Suburb) Text 'Wagga Wagga' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb'	0.537s	PASSED

Enrol_Now

#	Description	Elapsed	Status
52	State = findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State")	0.003s	PASSED
53	selectOptionByIndex(State, keyPathPackage.customKeywords.selectRandomOptionFromDropdown()) All options with index in [2] are selected on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State'	0.735s	PASSED
54	Postcode = keyPathPackage.customKeywords.selectRandomPostCode() keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.001s	PASSED
55	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode"), Postcode) Text '7341' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode'	0.495s	PASSED
56	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clickable	0.228s	PASSED
57	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clicked on	0.264s	PASSED
58	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' successfully	2.590s	PASSED

Enrol_Now

#	Description	Elapsed	Status
59	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clickable	1.180s	PASSED
60	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clicked on	0.284s	PASSED
61	delay(3) Delayed 3 second(s)	3.011s	PASSED
62	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order"), "Thank you for your order") Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order' are matched.	3.012s	PASSED
63	closeBrowser() Browser is closed	0.200s	PASSED