Keypath_Testsuite_APAC_SEO

Execution Environment

Host name	madhansivaraj - 192.168.8.116
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	Chrome 128.0.0.0
Device name	

Summary

ID	Test Suites/Keypath_Testsuite_APAC_SEO
Description	

Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	18-09-2024 20:11:15	End	18-09-2024 20:12:53
Elapsed	1m - 38.121s		

#	ID	Description	Status
1	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		PASSED
2	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		PASSED
3	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now		PASSED

Degree_Programs

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs
Description	
Tag	

Start	18-09-2024 20:11:15	End	18-09-2024 20:11:54
Elapsed	39.165s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_URL"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_URL' successfully	7.400s	PASSED
2	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms")	0.015s	PASSED
3	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms' is hovered	0.464s	PASSED
4	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne")	0.003s	PASSED
5	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listtwo")	0.002s	PASSED

Degree_Programs

#	Description	Elapsed	Status
6	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listthree")	0.002s	PASSED
7	list4 = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_Listfour")	0.002s	PASSED
8	lists = [list1, list2, list3, list4]	0.000s	PASSED
9	rand = new java.util.Random()	0.003s	PASSED
10	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
11	selectedList = lists.get(randomListIndex)	0.003s	PASSED
12	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne' is visible	0.794s	PASSED
13	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Degree Program/DegreePrograms_ListOne	1.594s	PASSED
14	if (listItems.size() > 0)	2.093s	PASSED

Degree_Programs

#	Description	Elapsed	Status
15	FirstName = keyPathPackage.customKeywords.generateRandomFirstName() keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.078s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname"), FirstName) Text 'Domenic' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Firstname'	4.953s	PASSED
17	LastName = keyPathPackage.customKeywords.generateRandomLastName() keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.016s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname"), LastName) Text 'Testing Hegmann' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Lastname'	0.832s	PASSED
19	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep2' is clicked on	0.287s	PASSED
20	dropdown = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience")	0.003s	PASSED
21	options = ["yes", "no"]	0.001s	PASSED
22	randomOption = options[Random().nextInt(length)]	0.002s	PASSED

Degree_Programs

#	Description	Elapsed	Status
23	selectOptionByValue(dropdown, randomOption, true) All options with value 'no' are selected in object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Bachelor_Experience' using regular expression	3.127s	PASSED
24	if (randomOption.equals("no")) All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Workexperience'	4.675s	PASSED
25	startdate = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate")	0.003s	PASSED
26	selectOptionByIndex(startdate, keyPathPackage.customKeywords.selectRandomOptionFromDropdown()) All options with index in [2] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Startdate'	0.733s	PASSED
27	Enquiryreason = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry")	0.002s	PASSED
28	selectOptionByIndex(Enquiryreason, keyPathPackage.customKeywords.selectRandomOptionFromDropdown()) All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Degree Program/Dropdown_Enquiry'	1.351s	PASSED
29	delay(2) Delayed 2 second(s)	2.011s	PASSED
30	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' successfully	0.254s	PASSED

Degree_Programs

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3")) Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_NextStep3' is clicked on	0.266s	PASSED
32	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.019s	PASSED
33	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Email"), Email) Text 'royce.lakin@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Email'	3.686s	PASSED
34	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.003s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenumber"), Phonenumber) Text '0433123767' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Phonenumber'	2.372s	PASSED
36	Postcode = keyPathPackage.customKeywords.selectRandomPostCode() keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.003s	PASSED
37	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode) Text '6649' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.714s	PASSED
38	setText(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode"), Postcode) Text '6649' is set on object 'Object Repository/APAC_University/MBS_University/Degree Program/Field_Postcode'	0.721s	PASSED

Degree_Programs

#	Description	Elapsed	Status
39	click(findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure"))	0.466s	PASSED

Object: 'Object Repository/APAC_University/MBS_University/Degree Program/Button_Downloadbrochure' is clicked on

Short_Courses

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		
Description			
Tag			
Start	18-09-2024 20:11:54	End	18-09-2024 20:12:17
Elapsed	22.893s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED
2	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	5.671s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.002s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.002s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.001s	PASSED
6	lists = [list1, list2, list3]	0.001s	PASSED

Short_Courses

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.000s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.000s	PASSED
9	selectedList = lists.get(randomListIndex)	0.001s	PASSED
10	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree' is visible	0.225s	PASSED
11	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree	0.535s	PASSED
12	if (listItems.size() > 0)	1.433s	PASSED
13	FirstName = keyPathPackage.customKeywords.generateRandomFirstName() keyPathPackage.customKeywords.generateRandomFirstName is PASSED	0.011s	PASSED
14	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname"), FirstName) Text 'Bobbie' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Firstname'	2.358s	PASSED
15	LastName = keyPathPackage.customKeywords.generateRandomLastName() keyPathPackage.customKeywords.generateRandomLastName is PASSED	0.007s	PASSED

Short_Courses

#	Description	Elapsed	Status
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname"), LastName) Text 'Testing Satterfield' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Lastname'	0.521s	PASSED
17	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.014s	PASSED
18	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email"), Email) Text 'amado.batz@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Email'	0.517s	PASSED
19	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phonenumber"), Phonenumber) Text '0488098759' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Phonenumber'	0.516s	PASSED
21	Company = keyPathPackage.customKeywords.selectRandomCompany() keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.024s	PASSED
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company"), Company) Text 'Becker, Pouros and Mitchell' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Company'	0.731s	PASSED
23	Role = keyPathPackage.customKeywords.selectRandomRole() keyPathPackage.customKeywords.selectRandomRole is PASSED	0.003s	PASSED

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role"), Role) Text 'painter' is set on object 'Object Repository/APAC_University/MBS_University/Short_Courses/Field_Role'	0.510s	PASSED
25	click(findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download")) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/Button_Download' is clicked on	4.504s	PASSED
26	delay(5) Delayed 5 second(s)	5.008s	PASSED
27	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Verify_Message"), "Thanks for your request") Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Verify_Message' are matched.	0.245s	PASSED

Enrol_Now

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now		
Description			
Tag			
Start	18-09-2024 20:12:17	End	18-09-2024 20:12:53
Elapsed	36.002s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.001s	PASSED
2	mouseOver(buttonObject) Object: 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' is hovered	0.342s	PASSED
3	list1 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone")	0.003s	PASSED
4	list2 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listtwo")	0.002s	PASSED
5	list3 = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listthree")	0.002s	PASSED
6	lists = [list1, list2, list3]	0.000s	PASSED

#	Description	Elapsed	Status
7	rand = new java.util.Random()	0.001s	PASSED
8	randomListIndex = rand.nextInt(lists.size())	0.001s	PASSED
9	selectedList = lists.get(randomListIndex)	0.000s	PASSED
10	waitForElementVisible(selectedList, 10) Object 'Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone' is visible	0.242s	PASSED
11	listItems = findWebElements(selectedList, 30) Found web elements by test object Object Repository/APAC_University/MBS_University/Short_Courses/Shortcourse_Listone	0.229s	PASSED
12	if (listItems.size() > 0)	1.118s	PASSED
13	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' successfully	1.626s	PASSED
14	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now"), 20) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clickable	0.235s	PASSED

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Enrol_Now' is clicked on	2.345s	PASSED
16	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname"), "Testkeypath") Text 'Testkeypath' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Firstname'	1.326s	PASSED
17	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname"), "Dummy") Text 'Dummy' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Secondname'	1.214s	PASSED
18	Email = keyPathPackage.customKeywords.generateRandomEmail() keyPathPackage.customKeywords.generateRandomEmail is PASSED	0.007s	PASSED
19	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email"), Email) Text 'melany.nader@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Email'	0.505s	PASSED
20	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail"), Email) Text 'melany.nader@gmail.com' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ConfirmEmail'	0.496s	PASSED
21	Phonenumber = keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber() keyPathPackage.customKeywords.generateRandomAustralianPhoneNumber is PASSED	0.001s	PASSED

Enrol_Now

#	Description	Elapsed	Status
22	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenumber"), Phonenumber) Text '0466393775' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Phonenumber'	0.507s	PASSED
23	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box")) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.478s	PASSED
24	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box"), 30) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Check_Box' is checked	0.450s	PASSED
25	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' successfully	0.237s	PASSED
26	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment"), 20) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clickable	0.337s	PASSED
27	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Payment' is clicked on	2.737s	PASSED
28	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber' is present	2.687s	PASSED

#	Description	Elapsed	Status
29	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Cardnumber"), 10)	0.247s	PASSED
30	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber"), "4111 1111 1111 1111") Text '4111 1111 1111 1111' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Cardnumber'	0.097s	PASSED
31	switchToDefaultContent()	0.008s	PASSED
32	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate' is present	0.225s	PASSED
33	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_Expirydate"), 10)	0.239s	PASSED
34	Expirydate = keyPathPackage.customKeywords.generateExpiryDate() keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.021s	PASSED
35	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate"), Expirydate) Text '02/27' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_ExpiryDate'	0.064s	PASSED
36	switchToDefaultContent()	0.004s	PASSED

Enrol_Now

#	Description	Elapsed	Status
37	waitForElementPresent(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC' is present	0.220s	PASSED
38	switchToFrame(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Iframe_CVC"), 10)	0.238s	PASSED
39	CVC = keyPathPackage.customKeywords.generateExpiryDate() keyPathPackage.customKeywords.generateExpiryDate is PASSED	0.001s	PASSED
40	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC"), CVC) Text '09/26' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_CVC'	0.062s	PASSED
41	switchToDefaultContent()	0.005s	PASSED
42	check(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio")) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.259s	PASSED
43	verifyElementChecked(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio"), 30) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Radio' is checked	0.237s	PASSED
44	Company = keyPathPackage.customKeywords.selectRandomCompany() keyPathPackage.customKeywords.selectRandomCompany is PASSED	0.010s	PASSED

#	Description	Elapsed	Status
45	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company"), Company) Text 'Funk Group' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Company'	0.915s	PASSED
46	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIvenFIrstName"), "Onlyfortest") Text 'Onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GIvenFIrstName'	0.603s	PASSED
47	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GivenLastName"), "onlyfortest") Text 'onlyfortest' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_GivenLastName'	0.505s	PASSED
48	StreetAddress = keyPathPackage.customKeywords.generateRandomAddressLine1() keyPathPackage.customKeywords.generateRandomAddressLine1 is PASSED	0.016s	PASSED
49	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address"), StreetAddress) Text '858 Erma Dam' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Address'	0.500s	PASSED
50	Suburb = keyPathPackage.customKeywords.generateRandomSuburb() keyPathPackage.customKeywords.generateRandomSuburb is PASSED	0.014s	PASSED
51	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb"), Suburb) Text 'Bendigo' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Suburb'	0.498s	PASSED

#	Description	Elapsed	Status
52	State = findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State")	0.002s	PASSED
53	selectOptionByIndex(State, keyPathPackage.customKeywords.selectRandomOptionFromDropdown()) All options with index in [1] are selected on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Dropdown_State'	0.718s	PASSED
54	Postcode = keyPathPackage.customKeywords.selectRandomPostCode() keyPathPackage.customKeywords.selectRandomPostCode is PASSED	0.001s	PASSED
55	setText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode"), Postcode) Text '0830' is set on object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Field_Postcode'	0.501s	PASSED
56	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clickable	0.232s	PASSED
57	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Review_Purchase' is clicked on	0.267s	PASSED
58	scrollToElement(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 3) Scroll to object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' successfully	2.513s	PASSED

#	Description	Elapsed	Status
59	waitForElementClickable(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase"), 10) Object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clickable	2.996s	PASSED
60	click(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase")) Object: 'Object Repository/APAC_University/MBS_University/Enrol_Now/Button_Complete_Purchase' is clicked on	0.265s	PASSED
61	delay(3) Delayed 3 second(s)	3.011s	PASSED
62	verifyElementText(findTestObject("Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order"), "Thank you for your order") Actual text and expected text of test object 'Object Repository/APAC_University/MBS_University/Enrol_Now/Verify_Order' are matched.	3.149s	PASSED
63	closeBrowser() Browser is closed	0.161s	PASSED