Keypath_Testsuite_APAC_SEO

Execution Environment

Host name	madhansivaraj - 192.168.8.116
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	Chrome 128.0.0.0
Device name	

Summary

ID	Test Suites/Keypath_Testsuite_APAC_SEO		
Description			
Total	3		
Passed	0	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	19-09-2024 08:56:01	End	19-09-2024 08:56:13
Elapsed	12.731s		

#	ID	Description	Status
1	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs		FAILED
2	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses		FAILED
3	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now		FAILED

Degree_Programs

Information

ID	Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Degree_Programs
Description	
Tag	

Start	19-09-2024 08:56:01	End	19-09-2024 08:56:09
Elapsed	8.545s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_URL"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Resuable_Testcases/Navigate_URL' successfully	6.231s	PASSED
2	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms")	0.015s	PASSED

Degree_Programs

#	Description	Elapsed	Status
3	mouseOver(buttonObject)	2.074s	FAILED

Unable to move mouse over object 'Object
Repository/APAC_University/MBS_University/Degree Program/List_DegreePrograms'
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to move
mouse over object 'Object Repository/APAC_University/MBS_University/Degree
Program/List_DegreePrograms'
　　　　at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
　　　　at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
　　　　at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.
mouseOver(MouseOverKeyword.groovy:66)
　　　　at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.
execute(MouseOverKeyword.groovy:40)
　　　　at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
　　　　at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver
(WebUiBuiltInKeywords.groovy:845)
　　　　at Degree_Programs.run(Degree_Programs:30)
　　　　at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
　　　　at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
　　　　at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
　　　　at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
　　　　at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
　　　　at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
　　　　at TempTestSuite1726700156257.run(TempTestSuite1726700156257.
groovy:35)
　　　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
　　　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
　　　　at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target
window already closed
from unknown error: web view not found
  (Session info: chrome=128.0.6613.138)
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Madhans-MBP', ip: 'fd62:85f6:1659:c000:1c9a:bf44:9290:aecc%
en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.3.1', java.version:
'17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68...,
userDataDir: /var/folders/81/jk91fm7j2_5...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:50432}, javascriptEnabled: true,

#	Description	Elapsed	Status

networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC,
platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: cd1a5c38984519bdb1787b14c9893418
*** Element info: {Using=xpath, value=(//a[@href='/degree-programs'])[1]}
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
        at org.openqa.selenium.support.events.EventFiringWebDriver.
lambdanew1(EventFiringWebDriver.java:105)
        at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
        at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1036)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:921)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:902)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:893)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:739)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElements(WebUiCommonHelper.java:723)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElement(WebUiCommonHelper.java:1416)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.
MouseOverKeyword$_mouseOver_closure1.doCall(MouseOverKeyword.groovy:54)
at com.kms.katalon.core.webui.keyword.builtin.
MouseOverKeyword$_mouseOver_closure1.call(MouseOverKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.
mouseOver(MouseOverKeyword.groovy:66)
at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.
execute(MouseOverKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver
(WebUiBuiltInKeywords.groovy:845)
at Script1715752348440.run(Script1715752348440.groovy:30)
... 15 more
)

Short_Courses

Information

ID   Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Short_Courses

Description

Tag

Start   19-09-2024 08:56:09   End   19-09-2024 08:56:11

Elapsed   2.057s

Status   FAILED

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED

Short_Courses

#	Description	Elapsed	Status
2	mouseOver(buttonObject)	2.013s	FAILED

Unable to move mouse over object 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver(MouseOverKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute(MouseOverKeyword.groovy:40)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver(WebUiBuiltInKeywords.groovy:845)
        at Short_Courses.run(Short_Courses:27)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
        at TempTestSuite1726700156257.run(TempTestSuite1726700156257.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed
from unknown error: web view not found
  (Session info: chrome=128.0.6613.138)
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Madhans-MBP', ip: 'fd62:85f6:1659:c000:1c9a:bf44:9290:aecc%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.3.1', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: /var/folders/81/jk91fm7j2_5...}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:50432}, javascriptEnabled: true,

Short_Courses

#	Description	Elapsed	Status

	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	Session ID: cd1a5c38984519bdb1787b14c9893418
	*** Element info: {Using=xpath, value=(//a[@href='/short-courses'])[1]}
	    at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance (Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)
	    at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
	    at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
	    at org.openqa.selenium.support.events.EventFiringWebDriver. lambdanew1(EventFiringWebDriver.java:105)
	    at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
	    at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1036)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:921)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:902)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:893)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:739)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:723)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1416)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword$_mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword$_mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword. mouseOver(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword. execute(MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at Script1715752496560.run(Script1715752496560.groovy:27) ... 15 more)		

Enrol_Now

Information

ID | Test Cases/APAC_Universities/SEO_PAGES/MBS_University/Enrol_Now

Description

Tag

Start | 19-09-2024 08:56:11 | End | 19-09-2024 08:56:13

Elapsed | 2.069s

Status | FAILED

Details

#	Description	Elapsed	Status
1	buttonObject = findTestObject("Object Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses")	0.002s	PASSED

#	Description	Elapsed	Status
2	mouseOver(buttonObject)	2.014s	FAILED

Unable to move mouse over object 'Object
Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses'
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to move
mouse over object 'Object
Repository/APAC_University/MBS_University/Short_Courses/List_ShortCourses'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.
mouseOver(MouseOverKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.
execute(MouseOverKeyword.groovy:40)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver
(WebUiBuiltInKeywords.groovy:845)
        at Enrol_Now.run(Enrol_Now:28)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
        at TempTestSuite1726700156257.run(TempTestSuite1726700156257.
groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target
window already closed
from unknown error: web view not found
  (Session info: chrome=128.0.6613.138)
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Madhans-MBP', ip: 'fd62:85f6:1659:c000:1c9a:bf44:9290:aecc%
en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.3.1', java.version:
'17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68...,
userDataDir: /var/folders/81/jk91fm7j2_5...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:50432}, javascriptEnabled: true,

Enrol_Now

#	Description	Elapsed	Status

networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: cd1a5c38984519bdb1787b14c9893418
*** Element info: {Using=xpath, value=(//a[@href='/short-courses'])[1]}
        at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance (Unknown Source)
        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
        at org.openqa.selenium.support.events.EventFiringWebDriver. lambdanew1(EventFiringWebDriver.java:105)
        at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
        at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1036)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:921)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:902)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:893)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:739)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:723)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1416)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword$_mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword$_mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute(MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver(WebUiBuiltInKeywords.groovy:845) at Script1716172943290.run(Script1716172943290.groovy:28) ... 15 more)		