

# Hyperparameter Optimization: Takeaways



by Dataquest Labs, Inc. - All rights reserved © 2020

## Syntax

- Using Grid Search to find the optimal k value:

```
from sklearn.neighbors import KNeighborsRegressor
from sklearn.metrics import mean_squared_error

cols = ['accommodates', 'bedrooms', 'bathrooms', 'number_of_reviews']

hyper_params = [x for x in range(5)]

mse_values = list()

for value in hyper_params:

    knn = KNeighborsRegressor(n_neighbors=value, algorithm='brute')

    knn.fit(train_df[cols], train_df['price'])

    predictions = knn.predict(test_df[cols])

    mse = mean_squared_error(test_df['price'], predictions)

    mse_values.append(mse)
```

- Plotting to visualize the optimal k value:

```
features = ['accommodates', 'bedrooms', 'bathrooms', 'number_of_reviews']

hyper_params = [x for x in range(1, 21)]

mse_values = list()

for hp in hyper_params:

    knn = KNeighborsRegressor(n_neighbors=hp, algorithm='brute')

    knn.fit(train_df[features], train_df['price'])

    predictions = knn.predict(test_df[features])

    mse = mean_squared_error(test_df['price'], predictions)

    mse_values.append(mse)

plt.scatter(hyper_params, mse_values)

plt.show()
```

## Concepts

- Hyperparameters are values that affect the behavior and performance of a model that are unrelated to the data. Hyperparameter optimization is the process of finding the optimal hyperparameter value.
- Grid search is a simple but common hyperparameter optimization technique, which involves evaluating the model performance at different k values and selecting the k value that resulted in the lowest error. Grid search involves:
  - Selecting a subset of the possible hyperparameter values.
  - Training a model using each of these hyperparameter values.
  - Evaluating each model's performance.
  - Selecting the hyperparameter value that resulted in the lowest error value.
- The general workflow for finding the best model is:
  - Selecting relevant features to use for predicting the target column.
  - Using grid search to find the optimal hyperparameter value for the selected features.
  - Evaluate the model's accuracy and repeat the process.

## Resources

- [Difference Between Parameter and Hyperparameter](#)
- [Hyperparameter Optimization](#)



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2020