Cucumber Report

| Start : Dec 17, 5:38:09.297 pm	End : Dec 17, 5:38:57.676 pm	Duration : 48.379 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 3 FAILED - 2 SKIPPED - 6

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Functionality	*23.719 s*	*1*	*0*	*1*	*0*	*4*	*3*	*1*	*0*
User	*24.634 s*	*1*	*0*	*1*	*0*	*7*	*0*	*1*	*6*

#	Feature Name	Scenario Name
1	*Login Functionality*	*Verify user should login successfully*
2	*User*	*Admin should add user successfully*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@smoke	2	0	2	0	2	0	2	0
@regression	2	0	2	0	2	0	2	0

#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	0	1	0	23.719 s
2	User	1	0	1	0	24.634 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Verify user should login successfully	4	3	1	0	23.719 s
2	User	Admin should add user successfully	7	0	1	6	24.634 s

Login Functionality

FAILED	DURATION - 23.719 s	Scenarios		Steps	
/ 5:38:09.297 pm // 5:38:33.016 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 4 Pass - 3 Fail - 1 Skip - 0	4

Verify user should login successfully

FAILED	DURATION - 23.719 s		Steps	
/ 5:38:09.297 pm // 5:38:33.016 pm /			Total - 4 Pass - 3 Fail - 1 Skip - 0	4
Login Functionality				
@smoke @regression				

#	Step / Hook Details	Status	Duration
1	Given I enter username "Admin"	PASSED	0.349 s
2	And I enter password "admin123"	PASSED	0.096 s
3	When I click on the "Login" button	PASSED	0.005 s
4	Then I should see the "Welcome" message	FAILED	20.014 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#welcome"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a7c6d37ef3d3f54dcbdab1ab4a9f7b2, findElement {using=id, value=welcome}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\prash\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55810}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55810/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5a7c6d37ef3d3f54dcbdab1ab4a9f7b2
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:59) at com.orangehrmlive.demo.pages.HomePage.getWelcomeMessage(HomePage.java:42) at com.orangehrmlive.demo.steps.LoginSteps.iShouldSeeTheMessage(LoginSteps.java:34) at ?.I should see the "Welcome" message(file:///C:/Users/prash/intellij1/1712/orange-hrm/src/test/resources/features/login.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.353 s
	Verify user should login successfully 		

User

FAILED	DURATION - 24.634 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 5:38:33.042 pm // 5:38:57.676 pm /					

Admin should add user successfully

FAILED	DURATION - 24.634 s
/ 5:38:33.042 pm // 5:38:57.676 pm /	
User	
@smoke @regression	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given I log in to the OrangeHRM application	FAILED	21.499 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='submit']"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [385a41cd99cd3cd3de29f541a822849f, findElement {using=xpath, value=//button[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\prash\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55850}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55850/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 385a41cd99cd3cd3de29f541a822849f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.orangehrmlive.demo.utility.Utility.clickOnElement(Utility.java:48) at com.orangehrmlive.demo.pages.LoginPage.clickOnLoginButton(LoginPage.java:50) at com.orangehrmlive.demo.steps.UsersSteps.iLogInToTheOrangeHRMApplication(UsersSteps.java:23) at ?.I log in to the OrangeHRM application(file:///C:/Users/prash/intellij1/1712/orange-hrm/src/test/resources/features/user.feature:6) * Not displayable characters are replaced by '?'.		
2	When I click on the "Admin" tab	SKIPPED	0.000 s
3	Then I should see the text "System Users"	SKIPPED	0.000 s
4	When I click on the "Add" button	SKIPPED	0.000 s
5	Then I should see the text "Add User"	SKIPPED	0.000 s
6	When I add a user with details: 	User Role	Admin
Employee	Ananya Dash
Username	new.user
Status	Disable
Password	password123
Confirm	password123		SKIPPED	0.004 s
7	Then I should see a success message "Successfully Saved"	SKIPPED	0.000 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Admin should add user successfully 	PASSED	0.365 s