




How to use Auto Detection of Error in SSRD.exe?

1. Open auto detection of error in SSRD.exe from error detection tool folder
2. To check the errors in heal database select the checkbox “Check with Heal Database” and browse the text file from the button click “Browse Heal Database”




3. Next browse the required document from the button click “Browse Req Docs”, select a P-Tag from the list box






4. If we did not select a P-Tag from the list box and click the button "click for Errors" a prompt is generated as shown below




5. After selecting the check box “Check with Heal Database” if we didn’t browse the text file for checking mismatch and click the button “Browse Req Docs” then a prompt is generated as shown below.





6. Apart from errors in heal database we can also check the mismatches of **Bold and Italics** and also the **conditional errors**. After selecting these check boxes we have to browse the document and click the button “Click to know Errors” to find the mistakes in the document. We can simultaneously check all the mismatches by selecting the checkboxes for heal, conditional and bold and Italics.


7. If we don't select the check boxes and click the button "Click For Errors" a message box is displayed as shown.



- After giving all the necessary inputs to the tool. This is how it looks like in the status Bar.



8. You can save the Generation Log by clicking on File->Save Log.
To quit the application you can click on File->Quit or just click on  the right top corner.



9. You can get the details about the tool by clicking the About button in help menu strip. After clicking a window is opened and it contains the details of the tool.

