Noraxon Standard EMG Analysis




Subject: Nachname Vorname Geburtstag

Franziska Brugger Record: Name Messdatum Anzahl der Perioden

Any Mitte 1 10.12.2024 16:21



25



Subject Comments

10

Noraxon Standard EMG Analysis




Subject
Vorname Brugger
Nachname Franziska
Geburtstag


Record

Name Any Mitte 1 Messdatum 10.12.2024 16:21 Anzahl der Perioden 12











Maximum von jeder Periode





Averaged Mean Amplitude of All Periods

Kanal	Mittelwert, uV
RECTUS FEM. LT, uV	63.4±8.95
RECTUS FEM. RT	67.6±16.5

Averaged Max of All Periods

Kanal	Mittelwert, uV
RECTUS FEM. LT, uV	159±15.2
RECTUS FEM. RT	180±31.1

Record Comments

Marker, 2.3 sec



RECTUS FEM. RT 1.65

RECTUS FEM. RT 45.73

Marker, 5.3 sec



Mittelwert EMG, uV

RECTUS FEM. LT

127.58

Marker, 7.1 sec



Mittelwert EMG, uV

RECTUS FEM. LT



RECTUS FEM. LT

104.65


Marker, 11.6 sec



Mittelwert EMG, uV

RECTUS FEM. LT

RECTUS FEM. RT



Marker, 14.1 sec



Mittelwert EMG, uV

RECTUS FEM. LT



RECTUS FEM. LT

6.57

Marker, 18.1 sec



Mittelwert EMG, uV

RECTUS FEM. LT

136.96

Marker, 20.0 sec



Mittelwert EMG, uV

RECTUS FEM. LT



RECTUS FEM. LT

170.78

Marker, 23.9 sec



Mittelwert EMG, uV

RECTUS FEM. LT

RECTUS FEM. RT


6.30

Marker, 26.0 sec



Mittelwert EMG, uV

RECTUS FEM. LT



Logitech Webcam C930e

Mittelwert EMG, uV

RECTUS FEM. LT