Noraxon Standard EMG Analysis



3.0

4.0

5.0

6.0

7.0

8.0


9.0

Subject:
Nachname Felix
Vorname
Geburtstag

Record: Name Messdatum Anzahl der Perioden

Felix Mitt 1 10.12.2024 15:58 10





Subject Comments

10.0

11.0

12.0

13.0

14.0

15.0

16.0

17.0

18.0

19.0

Noraxon Standard EMG Analysis



Subject	ıbject	
Vorname		
Nachname	Felix	
Gehurtstag		


Record


Felix Mitt 1 Name Messdatum 10.12.2024 15:58

Anzahl der Perioden 10











Averaged Mean Amplitude of All Periods

Ka	nal	Mittelwert, uV
RECTUS FEM. LT, u\	/	42.2±9.63
RECTUS FEM. RT		62.7±10.8
	/	

Maximum von jeder Periode





Averaged Max of All Periods

Kanal	Mittelwert, uV
RECTUS FEM. LT, uV	90.2±14
RECTUS FEM. RT	181±21

Record Comments



Mittelwert EMG, uV

RECTUS FEM. LT

6.78


Marker, 4.5 sec



Mittelwert EMG, uV

RECTUS FEM. LT

RECTUS FEM. RT



Marker, 5.7 sec



Mittelwert EMG, uV

RECTUS FEM. LT


RECTUS FEM. RT





Mittelwert EMG, uV

RECTUS FEM. LT



Marker, 9.2 sec



Mittelwert EMG, uV

RECTUS FEM. LT

RECTUS FEM. RT




Marker, 11.0 sec



Mittelwert EMG, uV

RECTUS FEM. LT





Mittelwert EMG, uV

RECTUS FEM. LT

20.98


Marker, 14.0 sec



Mittelwert EMG, uV

RECTUS FEM. LT

RECTUS FEM. RT



Marker, 15.2 sec



Mittelwert EMG, uV

RECTUS FEM. LT

RECTUS FEM. RT



Logitech Webcam C930e

Mittelwert EMG, uV

RECTUS FEM. LT

