Noraxon Standard EMG Analysis




Subject: Nachname Vorname Geburtstag

Franziska Brugger Record: Name Messdatum Anzahl der Perioden

Any Innen 1 10.12.2024 16:30





s'0 5 1'0 15 2'0 25

Subject Comments

Noraxon Standard EMG Analysis



Subject		
Vorname	Brugger	
Nachname	Franziska	
Geburtstag		


Record Name Any Innen 1

 Name
 Any Innen 1

 Messdatum
 10.12.2024 16:30

 Anzahl der Perioden
 1





Averaged Mean Amplitude of All Periods

Kanal	Mittelwert, uV	
VMO LT, uV	57.1±0	
VMO RT	69.4±0	

Averaged Max of All Periods

Kanal	Mittelwert, uV	
VMO LT, uV	214±0	
VMO RT	260±0	

Record Comments



VMO LT VMO RT 2.87

Marker, 3.9 sec



Mittelwert EMG, uV

VMO LT

VMO RT



Marker, 5.8 sec



Mittelwert EMG, uV

VMO LT

VMO RT

14.89



VMO LT 143.43 VMO RT 153.09

Marker, 10.0 sec



Mittelwert EMG, uV

VMO LT

VMO RT




Marker, 12.1 sec



Mittelwert EMG, uV

VMO RT





VMO LT VMO RT 4.90

Marker, 16.2 sec



Mittelwert EMG, uV

VMO LT

VMO RT



Marker, 17.8 sec



Mittelwert EMG, uV

VMO LT

VMO RT

7.55



VMO LT

132.68 95.99

Marker, 21.9 sec



Mittelwert EMG, uV

5.60 VMO LT VMO RT 10.23

Marker, 24.4 sec



Mittelwert EMG, uV

VMO LT 158.48 VMO RT 192.9

Logitech Webcam C930e

Mittelwert EMG, uV

VMO LT VMO RT 2.33