



UNIVERSIDAD
NACIONAL
DE COLOMBIA

Universidad Nacional de Colombia - sede Bogotá
Facultad de Ingeniería
Departamento de Sistemas e Industrial
Curso: Ingeniería de Software 1 (2016701)

ARENA SYNC TESTING DEL PROYECTO - ENTREGA 5

Nombres de los integrantes:

MyDoom Team

- Carlos Arturo Parra Camelo
- Santiago Gamboa Martinez
- Alejandro Baca Torregroza
- Samuel Eduardo Fajardo Quintero
- Juan Diego Cardozo Pedraza

1) Herramienta Utilizada

Linter principal de backend: Ruff 0.15.17.

Validación estática complementaria de frontend: TypeScript + Vite mediante npm run build.

2) Configuración Aplicada

Se creó un archivo de configuración explícita en el backend: ruff.toml

target-version: py311

line-length: 100

Reglas activas: E, W, F, I, B

Ignoradas globales: E501 y B008

Ignorado por archivo: E402 en tests/confest.py (orden de imports intencional para setup de pruebas)

3) Resultados Obtenidos (Errores/Advertencias Relevantes)

FRONTEND: Pruebas pasadas:

```
(.venv) PS D:\SantiiPC\Documents\Universidad\Quinto_Semestre\IngenieríaSoftwar
eI\Proyecto\project-frontend> npm run build

> arenasync-frontend@1.0.0 build
> tsc && vite build

vite v8.0.16 building client environment for production...
✓ 788 modules transformed.
computing gzip size...
dist/index.html                0.72 kB | gzip: 0.35 kB
dist/assets/index-DhPUlyK.css 50.91 kB | gzip: 10.97 kB
dist/assets/rolldown-runtime-Cyuzqnbw.js 0.82 kB | gzip: 0.47 kB
dist/assets/http-CkrKx84s.js  42.09 kB | gzip: 16.24 kB
dist/assets/forms-IeR2fP2S.js 100.84 kB | gzip: 30.10 kB
dist/assets/index-h33hXXho.js 221.05 kB | gzip: 62.22 kB
dist/assets/react-52yk16zg.js 292.67 kB | gzip: 92.53 kB

✓ built in 3.48s
```

BACKEND: Errores de importación:

Fase A - antes de configuración personalizada:

Fase A-1 - Se corre por primera vez:

Comando: `.venv\Scripts\python.exe -m ruff check src tests`

Resultado: Found 37 errors.

```
PS D:\SantiIPC\Documents\Universidad\Quinto_Semestre\IngenieríaSoftwareI\Proyecto\project-backend> Set-Location "d:/SantiIPC/Documents/Universidad/Quinto_Semestre/I
ngenieríaSoftwareI/Proyecto/project-backend"; .venv\Scripts\python.exe -m ruff check src tests
I001 [*] Import block is un-sorted or un-formatted
--> src\app\api\tournaments.py:1:1
|
| 1 | / from fastapi import APIRouter, Depends, status
| 2 | / from sqlalchemy.orm import Session
| 3 | /
| 4 | / from app.core.auth import get_current_user
| 5 | / from app.core.database import get_db
| 6 | / from app.schemas.match import MatchResponse, ResultRequest, ResultResponse
| 7 | / from app.schemas.registration import RegistrationResponse
| 8 | / from app.schemas.registration import RegistrationListItem, RegistrationStatusUpdate
| 9 | / from app.schemas.tournament import (
|10 | /     BracketResponse,
|11 | /     RankingResponse,
|12 | /     TournamentCreate,
|13 | /     TournamentDetailResponse,
|14 | /     TournamentListResponse,
|15 | /     TournamentResponse,
|16 | / )
|17 | / from app.services.match_service import MatchService
|18 | / from app.services.registration_service import RegistrationService
|19 | / from app.services.tournament_service import TournamentService
|
|20 |
|21 | router = APIRouter(tags=["tournaments"])
|
help: Organize imports
W191 Indentation contains tabs
--> src\app\models\__init__.py:7:1
```

Errores de indentación/escritura:

```
W191 Indentation contains tabs
--> src\app\models\__init__.py:8:1
|
| 6 | __all__ = [
| 7 |     "AuditLogModel",
| 8 |     "MatchModel",
| 9 |     "RegistrationModel",
|10 |     "TournamentModel",
|
|
W191 Indentation contains tabs
--> src\app\models\__init__.py:9:1
|
| 7 |     "AuditLogModel",
| 8 |     "MatchModel",
| 9 |     "RegistrationModel",
|10 |     "TournamentModel",
|11 | ]
|
W293 [*] Blank line contains whitespace
--> tests\unit\test_alert_service_unit.py:122:1
|
|120 |         result_1 = self.service.acknowledge_alert(admin_id, alert_id_1)
|121 |         result_2 = self.service.acknowledge_alert(admin_id, alert_id_2)
|122 |
|123 |         self.assertEqual(result_1["message"], "acknowledged")
|124 |         self.assertEqual(result_2["message"], "acknowledged")
|
help: Remove whitespace from blank line

Found 37 errors.
[*] 32 fixable with the `--fix` option.
```

Fase A-2 - Se corre de nuevo (se hacen algunas correcciones, pero hay nuevos errores):

Comando: `.venv\Scripts\python.exe -m ruff check src tests --fix`

Resultado: Found 37 errors.

```
PS D:\SantiIPC\Documents\Universidad\Quinto_Semestre\IngenieriaSoftwareI\Proyecto\project-backend> Set-Location "d:/SantiIPC/Documents/Universidad/Quinto_Semestre/I
ngenieriaSoftwareI/Proyecto/project-backend"; .venv\Scripts\python.exe -m ruff check src tests --fix
W191 Indentation contains tabs
--> src\app\models\__init__.py:7:1
6 | __all__ = [
7 |     "AuditLogModel",
8 |     "MatchModel",
9 |     "RegistrationModel",
  |
W191 Indentation contains tabs
--> src\app\models\__init__.py:8:1
6 | __all__ = [
7 |     "AuditLogModel",
8 |     "MatchModel",
9 |     "RegistrationModel",
10 |    "TournamentModel",
  |
W191 Indentation contains tabs
--> src\app\models\__init__.py:9:1
```

```
W191 Indentation contains tabs
--> src\app\models\__init__.py:10:1
8 |     "MatchModel",
9 |     "RegistrationModel",
10 |    "TournamentModel",
11 | ]
  |
B904 Within an `except` clause, raise exceptions with `raise ... from err` or `raise ... from None` to distinguish them from errors in exception handling
--> src\app\services\player_service.py:110:13
108 |         change_description="Player",
109 |     )
110 |     raise HTTPException(
111 |         status_code=500,
112 |         detail="Error al persistir en la base de datos",
113 |     )
114 |
115 |     return {"message": "password_updated"}
```

Fase A-3 - Se corre una vez más:

Resultado: Found 23 errors.

Comando: `.venv\Scripts\python.exe -m ruff check src tests`

Hallazgos relevantes: imports sin uso (F401), imports fuera del tope del módulo en pruebas (E402), y ajustes de estructura de imports.

Correcciones aplicadas

Se corrigieron archivos de modelos, esquemas y pruebas para eliminar imports no usados y normalizar estructura.

```
F401 `app.models.registration.RegistrationModel` imported but unused; consider
removing, adding to `__all__`, or using a redundant alias
--> src\app\models\__init__.py:3:37
1 | from app.models.audit_log import AuditLogModel
2 | from app.models.match import MatchModel
3 | from app.models.registration import RegistrationModel
4 | from app.models.tournament import TournamentModel
  |
help: Use an explicit re-export: `RegistrationModel as RegistrationModel`
F401 `app.models.tournament.TournamentModel` imported but unused; consider rem
oving, adding to `__all__`, or using a redundant alias
--> src\app\models\__init__.py:4:35
2 | from app.models.match import MatchModel
3 | from app.models.registration import RegistrationModel
4 | from app.models.tournament import TournamentModel
  |
help: Use an explicit re-export: `TournamentModel as TournamentModel`
F401 `app.schemas.tournament.TournamentCreate` imported but unused; consider r
emoving, adding to `__all__`, or using a redundant alias
--> src\app\schemas\__init__.py:1:36
1 | from app.schemas.tournament import TournamentCreate, TournamentResponse
```

```

F401 `app.schemas.tournament.TournamentResponse` imported but unused; consider
removing, adding to `__all__`, or using a redundant alias
--> src/app/schemas/__init__.py:1:54

1 | from app.schemas.tournament import TournamentCreate, TournamentResponse
  |
help: Use an explicit re-export: `TournamentResponse as TournamentResponse`

E402 Module level import not at top of file
--> tests/conftest.py:6:1

4 | os.environ["DATABASE_URL"] = _TEST_DATABASE_URL
5 |
6 | import pytest
  |
7 | from fastapi.testclient import TestClient
8 | from sqlalchemy import create_engine, event
  |

E402 Module level import not at top of file
--> tests/conftest.py:7:1

6 | import pytest
7 | from fastapi.testclient import TestClient
  |
8 | from sqlalchemy import create_engine, event
9 | from sqlalchemy.orm import sessionmaker
  |

```

```

E402 Module level import not at top of file
--> tests/conftest.py:44:1

42 | from app.domain.constants import SYSTEM_ADMIN_ID
43 | from app.repositories.player_repository import PlayerRepository
44 | from app.main import app
  |
45 |
46 | TestingSessionLocal = database.SessionLocal
  |

F401 [*] `app.models.tournament.TournamentModel` imported but unused
--> tests/integration/test_uc03_tournament.py:5:35

4 | from app.domain.models.player import Player
5 | from app.models.tournament import TournamentModel
  |
6 | from app.repositories.tournament_repository import TournamentRepository
  |

help: Remove unused import: `app.models.tournament.TournamentModel`

Found 23 errors.
[*] 1 fixable with the `--fix` option.

```


Fase B - despues de crear ruff.toml:

Comando: `.venv\Scripts\ruff.exe check src tests --fix`

Resultado: se detectaron 5 hallazgos adicionales por reglas mas estrictas (I/W/B).

Correcciones aplicadas: Con configuración activa en ruff.toml, se aplicó corrección automática y manual:

```
PS D:\SantiiPC\Documents\Universidad\Quinto_Semestre\IngenieriaSoftware\Proyecto\back-end> .\venv\Scripts\ruff.exe check src tests --fix

W191 Indentation contains tabs
--> src\app\models\__init__.py:7:1
6 | __all__ = [
7 |     "AuditLogModel",
  |     ^^^^
8 |     "MatchModel",
9 |     "RegistrationModel",
  |

W191 Indentation contains tabs
--> src\app\models\__init__.py:8:1
6 | __all__ = [
7 |     "AuditLogModel",
8 |     "MatchModel",
  |     ^^^^
9 |     "RegistrationModel",
10 |    "TournamentModel",
  |

W191 Indentation contains tabs
--> src\app\models\__init__.py:9:1
7 |     "AuditLogModel",
  |
```

Error sin distinción de otras excepciones:

```

8904 Within an `except` clause, raise exceptions with `raise ... from err` or `raise ... from None` to distinguish them from errors in exception handling
--> src\app\services\player_service.py:110:13
108 |         change_description="Player",
109 |     )
110 |     /         raise HTTPException(
111 |         /         status_code=500,
112 |         /         detail="Error al persistir en la base de datos",
113 |         /     )
114 |
115 |     return {"message": "password_updated"}

```

Found 5 errors.

Fase C - estado final actual (re-ejecucion verificada hoy):

Comando: `.venv\Scripts\ruff.exe check src tests`

Salida: All checks passed!

```
PS D:\SantiiPC\Documents\Universidad\Quinto_Semestre\IngenieriaSoftwareI\Proyecto\project-backend> .\.venv\Scripts\ruff.exe check src tests
All checks passed!
```

6) Evidencia de Correccion

Correcciones de ronda 1: [src/app/models/__init__.py](#), [src/app/schemas/__init__.py](#), [tests/conftest.py](#), [tests/integration/test_uc03_tournament.py](#).

Correcciones de ronda 2: limpieza automatica de imports/whitespace con --fix y correccion manual de W191 y B904.