



WALL PANEL - E17

SCALE: 1/8" = 1'-0"
SOR: R3, R8 & S200
(8 1/4" THK WALL)




WALL PANEL - E18

SCALE: 1/8" = 1'-0"
SOR: R3, R8 & S200
(8 1/4" THK WALL)




WALL PANEL - E19

SCALE: 1/8" = 1'-0"
SOR: R4, R8 & S200
(8 1/4" THK WALL)




WALL PANEL - E20

SCALE: 1/8" = 1'-0"
SOR: R4, R8 & S200
(8 1/4" THK WALL)



WALL PANEL - E21

SCALE: 1/8" = 1'-0"
SOR: R3, R8 & S200
(8 1/4" THK WALL)



WALL PANEL - E22

SCALE: 1/8" = 1'-0"
SOR: R3, R8 & S200
(8 1/4" THK WALL)

WALL PANEL - E23


SCALE: 1/8" = 1'-0"
SOR: R4, R8 & S200
(8 1/4" THK WALL)

STRUCTURAL NOTES			
CLEAR COVER TO REINFORCEMENT			
WALL PANEL	2"	AT ENDS	
	1 1/2"	#5 & BELOW AT EXTERIOR FACE	
	2"	#6 & ABOVE AT EXTERIOR FACE	
	3/4"	AT INTERIOR FACE	

LEGENDS	LABEL LEGENDS
T - TOP B - BOTTOM V, VERT - VERTICAL H, HORIZ - HORIZONTAL CLR - CLEAR COVER SIM. - SIMILAR TYP. - TYPICAL T.O. MAT - TOP OF MAT E5 - EACH SIDE EF - EACH FACE CONT - CONTINUOUS COR. - CORNER THK. - THICKNESS ADDL - ADDITIONAL DIAG. - DIAGONAL NTS - NOT TO SCALE CL - CENTER LINE SOR - STRUCTURAL DRAWING REFERENCE	6x2x6 #4 4C09 @12" B2 NOTES SPACING BAR MARK BAR SIZE NUMBER OF BARS EACH FACE/EACH SIDE NUMBER OF LOCATION DENOTES OPENINGS DENOTES KNOCK OUTS


EAST WALL PANELS PLACING DRAWING REFERENCE	
DWG. NO.	DRAWING DESCRIPTION
R-1	EAST WALL PANELS E1 TO E8
R-2	EAST WALL PANELS E9 TO E16
R-3	EAST WALL PANELS E17 TO E23

REINFORCING STEEL PLACING DRAWING ONLY. USE IN CONJUNCTION WITH CONTRACT DRAWINGS & SPECIFICATIONS. ELEVATIONS & DIMENSIONS SHOWN ON THIS DRAWING ARE FOR DETAILING PURPOSES ONLY AND SHOULD NOT BE USED FOR CONSTRUCTION UNLESS VERIFIED BY ENGINEER OR CONTRACTOR.




SECTION 2

SCALE: 1/2" = 1'-0"
SOR: R6/R3 & R8



SECTION 3



SCALE: 1/2" = 1'-0"
SOR: R4 & R8



SECTION 1

SCALE: 1/2" = 1'-0"
SOR: R4 & R8

BENDING DETAILS													
Bar Mark	Qty	Size	Total Length	Type	A'	B'	C'	D'	E'	F'	G'	H'	I'
3A03	4	#3	9'-0.8"	T1	0'-4"	3'-6"	0'-8.8"	3'-8"	0'-8.8"		0'-4"		
3A09	77	#3	9'-4.8"	T1	0'-4"	3'-10"	0'-6.8"	3'-10"	0'-6.8"		0'-4"		
3A11	79	#3	9'-0.8"	T1	0'-4"	3'-8"	0'-6.8"	3'-8"	0'-6.8"		0'-4"		
3A12	80	#3	9'-2.8"	T1	0'-4"	3'-9"	0'-6.8"	3'-9"	0'-6.8"		0'-4"		
3A20	180	#3	5'-4.8"	T1	0'-4"	1'-7.8"	0'-8.8"	1'-7.8"	0'-8.8"		0'-4"		
4A02	50	#4	4'-0"	T1		2'-0"	2'-0"	2'-0"					
5A05	16	#5	12'-10"	2	0'-10"	12'-0"							
5A06	8	#5	5'-11.8"	14	0'-10"	3'-3.8"	1'-10"			2'-3.8"	2'-3.8"	4'-1.8"	
5A17	12	#5	6'-2.8"	3	0'-10"	5'-4.8"				3'-9.8"	4'-7.8"		
5A21	2	#5	5'-10.8"	17		2'-0"	1'-10.8"	2'-0"					



REV. NO.	DATE	DESCRIPTION
1	07.17.2019	REVISED AS PER AE COMMENTS
2	06.05.2019	REVISED AS PER LATEST CD'S RECEIVED ON 05.31.19

7		
6		
5		
4		
3	07.17.2019	FOR FILE AND FIELD USE
2	06.05.2019	RESUBMITTED FOR APPROVAL
1	05.23.2019	APPROVAL
	DATE	SENT FOR
RE-STEEL SUPPLY CO., INC. REINFORCING STEEL - WIRE MESH		
2000 Eddystone Industrial Park • Eddystone, PA 19022-1588 Phone: 800-876-8216 • Fax: 610-876-8428		
Structure	VALLEY VIEW BUSINESS PARK TILT PANELS	
Location	JESSUP, PA	
Architect	-	
Engineer	RICHARD ADAMS ENGINEERS & CONSULTANTS, INC.	
Customer	T&T CONSTRUCTION	
Made by:	PRO	DATE: 05.23.2019
CONTRACT NO.	U2524	
DRAWING COVERS	EAST WALL PANELS E17 TO E23	
DRAWING NO.	R-3	