




WALL PANEL - S52  
SCALE: 1/8" = 1'-0"  
SDR: R6, R24 5200  
(1/4" THK WALL)




WALL PANEL - S53  
SCALE: 1/8" = 1'-0"  
SDR: R6, R24 5200  
(1/4" THK WALL)




WALL PANEL - S54  
SCALE: 1/8" = 1'-0"  
SDR: R6, R24 5200  
(1/4" THK WALL)




WALL PANEL - S55  
SCALE: 1/8" = 1'-0"  
SDR: R6, R24 5200  
(1/4" THK WALL)




WALL PANEL - S56  
SCALE: 1/8" = 1'-0"  
SDR: R6, R24 5200  
(1/4" THK WALL)




WALL PANEL - S57  
SCALE: 1/8" = 1'-0"  
SDR: R6, R24 5200  
(1/4" THK WALL)




WALL PANEL - S58  
SCALE: 1/8" = 1'-0"  
SDR: R6, R24 5200  
(1/4" THK WALL)



REBAR PLACEMENT FOR SINGLE LAYERS  
SCALE: 1/2" = 1'-0"  
SDR: R6



REBAR PLACEMENT FOR DOUBLE LAYERS  
SCALE: 1/2" = 1'-0"  
SDR: R6



KEY PLAN  
NTS

REV. NO.	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

Bar Mark	Qty	Size	Total Length	Type	X	Y	Z	U	V	W	X	Y	Z	U	V	W
3N06	322	#3	5'-7 3/4"	11	0'-4 1/2"	1'-10 3/4"	0'-7"	0'-7"	0'-7"	0'-4 1/2"						
4N01	46	#4	4'-0 1/2"	17	2'-0"	2'-0"	2'-0"	2'-0"	2'-0"	2'-0"						

STRUCTURAL NOTES

LEGENDS	LABEL LEGENDS
T - TOP B - BOTTOM V, VERT - VERTICAL H, HORIZ - HORIZONTAL CLR. - CLEAR COVER SIM. - SIMILAR TYP. - TYPICAL T.O. MAT - TOP OF MAT ES - EACH SIDE EF - EACH FACE CONT. - CONTINUOUS COR. - CORNER THK. - THICKNESS ADDL. - ADDITIONAL DIAG. - DIAGONAL NTS - NOT TO SCALE E - CENTER LINE SDR - STRUCTURAL DRAWING REFERENCE	6x2x6 #4 4COR @12" B2 NOTES SPACING BAR MARK BAR SIZE NUMBER OF BARS EACH FACE/EACH SIDE NUMBER OF LOCATION DENOTES OPENINGS DENOTES KNOCK OUTS
CLEAR COVER TO REINFORCEMENT	
WALL PANEL	2" AT ENDS 1 1/2" #5 4 BELOW AT EXTERIOR FACE 2" #6 4 ABOVE AT EXTERIOR FACE 3/4" AT INTERIOR FACE

REINFORCING STEEL PLACING DRAWING ONLY. USE IN CONJUNCTION WITH CONTRACT DRAWINGS & SPECIFICATIONS. ELEVATIONS & DIMENSIONS SHOWN ON THIS DRAWING ARE FOR DETAILING PURPOSES ONLY AND SHOULD NOT BE USED FOR CONSTRUCTION UNLESS VERIFIED BY ENGINEER OR CONTRACTOR.

7		
6		
5		
4		
3		
2		
1	05.29.2019	APPROVAL
DATE		SENT FOR
RE-STEEL SUPPLY CO., INC.		
REINFORCING STEEL - WIRE MESH		
2000 Eddystone Industrial Park • Eddystone, PA 19022-1588 Phone: 800-876-8216 • Fax: 610-876-8428		
Structure	VALLEY VIEW BUSINESS PARK TILT PANELS	
Location	JESSUP, PA	
Architect	KSS ARCHITECTS	
Engineer	RICHARD ADAMS	
Customer	T&T CONSTRUCTION	
Made by:	PRO	DATE: 05.29.2019
CONTRACT NO.	U2524	
DRAWING COVERS	SOUTH WALL PANELS S-52 TO S-58	
DRAWING NO.	R-25	