











SUSCEPTIBLE

Gentamycin Trimethoprim Erythromycin Methicillin **FusidicAcid** Ciprofloxacin Rifampicin Tetracycline Vancomycin Mupirocin Clindamycin



RESISTANT

Penicillin



Gentamicin •



Penicillin A Methicillin•



Clindamycin Erythromycin •

GLYCOPEPTIDES

Vancomycin •

TETRACYCLINES

Tetracycline •

MISCELLANEOUS

Rifampicin • Fusidic acid. Trimethoprim • Mupirocin•





BLOODSTREAM

Penicillin A Methicillin • Vancomycin•



J/B JOINT / BONE

INTRAVENOUS

Penicillin A Methicillin • Vancomycin • Clindamycin •

POST-OPERATIVE

Tetracycline • Erythromycin • Clindamycin • Ciprofloxacin • x Rifampicin • x Fusidic acid • x Trimethoprim •



ENDOCARDITIS

Penicillin A Methicillin • Vancomycin• Gentamicin • Rifampicin •



CNS

INTRAVENOUS

Penicillin A Methicillin • Vancomycin•



MRSA DECOLONISATION

Topical fusidic acid Mupirocin •



SKIN / SOFT TISSUE

INTRAVENOUS

Penicillin A Methicillin • Vancomycin • Clindamycin •

POST-OPERATIVE

Tetracycline • Erythromycin • Clindamycin •



LUNG

INTRAVENOUS

Penicillin A Methicillin • Vancomycin•

POST-OPERATIVE

Tetracycline • Clindamycin •