









Advanced features and easy operation

FortiFone telephones combine excellent audio quality with optimum usability, providing you with maximum value. The line-up covers the needs of the whole office, from basic user to advanced attendant.

FortiFone IP phones are loaded with advanced features and configure themselves automatically, so you don't need to be an expert to install them. And, because they plug into your existing computer network, you don't need to run phone wiring to each desk.

Programmable appearance/feature keys

Whether you want instant access to FortiFone features or need to see which of your lines or extensions are in use and which are free, the FON-360i, FON-460i and FON-560i fit the bill. Each has big, bright multi-colored LED light keys with customizable functions. So you can have a phone tailored to the exact way you like to work. Plus, once you have configured the phone's keys, you can print the dialpad with one click in the FortiVoice management software.

External IP extensions

Plug your FortiFone IP phone in anywhere and it can function just like your extension in the office. It's the perfect solution for teleworkers or employees who split their time between the office and their home office.

FortiFone Telephones: Seemless Integration with FortiVoice Phone Systems

- High-quality speakerphones
- Bright, multicolor, programmable, illuminated feature/appearance keys*
- Adjustable display angle*
- Power over Ethernet (POE)*
- Easy to set up; auto-discovery on LAN
- Group paging
- * FON-360i, FON-460i and FON-560i

FON-260i	FON-360i	FON-460i	FON-560i
4 programmable keys	Up to 6 line appearances	Up to 34* line appearances	Up to 46* line appearances
	Headset support	Headset support	Headset support

* with two FF-50F expansion modules













SPECIFICATIONS

	FON-260i	FON-360i	FON-460i	F0N-560i
Telephone features				
Auto-discovery of FortiVoice system on LAN	•	•	•	•
Dedicated feature keys	8	8	10	10
Programmable keys	4			
Speakerphone	Half duplex	Full duplex	Full duplex	Full duplex
Dedicated RJ22 headset jack		•	•	•
Dedicated headset button		•	•	•
Display	2 x 21 characters	5 x 24 characters	3 x 32 characters	4 x 32 characters
Adjustable phone angle		30° and 55°	30° and 55°	30° and 55°
Adjustable display contrast	•	•	•	•
Message waiting indicator and counter	•	•	•	•
Line/extension/queue appearance keys		6	10, expands to 34*	22, expands to 46*
Call waiting	•	•	•	•
Missed call indicator	•	•	•	•
Missed/received/outgoing call log	30 / 30 / 30	30 / 30 / 30	30 / 30 / 30	30 / 30 / 30
Two-digit phone book entries	80	80	80	80
Distinctive ring support	•	•	•	•
Intercom over speaker	•	•	•	•
Do not disturb	•	•	•	•
One-touch voicemail access	•	•	•	•
Group paging	•	•	•	•
Call pickup — specific/any	•	•	•	•
Power over Ethernet (802.3af PD Class 2)		•	•	•
Ethernet ports	2x 10/100	2x 10/100	2x 10/100/1000	2x 10/100/1000
QoS 802.1p/q, ToS, Diffserv	•	•	•	•
DHCP/SNTP client	•	•	•	•
SIP (RFC 3261)	•	•	•	•
G.711 µ-law/a-law, G.729a codec	•	•	•	•
Multilingual (English, Spanish, French)	•	•	•	•
Bluetooth headset support **			•	•
Height x width x length (inches/mm)	4.4 x 7.67 x 7.67 (112 x 195 x 195)	5.08 x 9.25 x 6.93 (129 x 235 x 176)	5.08 x 9.25 x 8.11 (129 x 235 x 206)	5.08 x 9.25 x 8.11 (129 x 235 x 206)
Weight	1.4 lbs (640 g)	2.1 lbs (950 g)	2.2 lbs (975 g)	2.2 lbs (982 g)
* Expandable with optional FF-50E expansion modules. Each FF-	50E adds 12 programmable keys. Up to two may be adde	ed on each phone. ** With optional FF-65B Blueto	oth module. Not available in all regions.	These products are hearing aid compatible.
One-touch feature keys				
Call voicemail	•	•	•	•
Park/unpark	•	•	•	•
Hold/unhold	•	•	•	•
Transfer	•	•	•	•
Last number redial	•	•	•	•
Cancel transfer		•	•	•
Conference/join callers	•	•	•	•
Pick up any extension	•	•	•	•
Pick up specific extension		•	•	•

FortiFone products are subject to regional telecommunications regulations. Visit http://www.fortivoice.com/availability.html for the list of countries in which FortiFone telephones are available.

ORDER INFORMATION

Do not disturb on/off

Trade calls Send caller to voicemail One-touch blind transfer

Intercom paging

SKU	Description
F0N-260i	FortiFone FON-260i entry-level IP phone with 4 programmable keys, power adapter and 10/100 LAN and PC connections.
F0N-360i	FortiFone FON-360i IP phone with 6 programmable keys, PoE and 10/100 LAN and PC connections.
FON-460i	FortiFone FON-460i IP phone with 10 programmable keys, PoE and 10/100/1000 LAN and PC connections.
FON-560i	FortiFone FON-560i IP phone with 22 programmable keys, PoE and 10/100/1000 LAN and PC connections.



GLOBAL HEADQUARTERS EMEA SALES OFFICE

Fortinet Inc. 1090 Kifer Road Sunnyvale, CA 94086 **United States** Tel: +1.408.235.7700

Fax: +1.408.235.7737

120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510 Fax: +33.4.8987.0501

APAC SALES OFFICE 300 Beach Road #20-01

The Concourse Singapore 199555 Tel: +65.6513.3730 Fax: +65.6223.6784

LATIN AMERICA SALES OFFICE

Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright@ 2013 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, and FortiGuard®, are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance metrics contained herein were attained in internal lab tests under ideal conditions, and performance may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any guarantees. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Certain Fortinet products are licensed under U.S. Patent No. 5,623,600.

FST-PROD-DS-IPTP FON-IP-DAT-R9-201307