```
Khoi Duong
Prof. VB
CS457L
9/24/2022
HW<sub>1B</sub>
    1.
MariaDB [19610dm]> create table teachers(
        -> first name varchar(25),
        -> last name varchar(50),
        -> school varchar(50),
        -> hire date varchar(10),
        -> salary numeric);
Query OK, 0 rows affected (0.014 sec)
    2.
MariaDB [19610dm]> insert into teachers(first_name, last_name, school, hire_date, salary)
     -> values ('Janet', 'Smith', 'F.D.Roosevelt HS', '2011-10-30', 36200),
-> ('Lee', 'Reynolds', 'F.D. Roosevelt HS', '1993-05-22', 65000),
-> ('Samuel', 'Cole', 'Myers Middle School', '2005-08-01', 43500),
-> ('Bethy', 'Diaz', 'Myers Middle School', '2005-08-30', 43500),
             ('Kathleen', 'Diaz', 'F.D. Roosevelt HS', '2010-10-22', 38500), ('David', 'Reynolds', 'Myers Middle School', '2003-11-25', 56300), ('Joseph', 'Daniel', 'Foxcroft Academy', '1997-03-28', 47800),
     ->
             ('Charles', 'Dan', 'Foxcroft Academy', '2000-12-30', 57200),
     ->
             ('Roberto', 'Regan', 'Foxcroft Academy', '2004-01-29', 39100), ('Lionel', 'Guth', 'F.D. Roosevelt HS', '1999-07-21', 40200);
Query OK, 10 rows affected (0.003 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

MariaDB [19610dm]> select * from teachers;							
_	last_name	•	hire_date	salary			
Janet	Smith	F.D. Roosevelt HS	2011-10-30	36200			
Lee	Reynolds	F.D. Roosevelt HS	1993-05-22	65000			
Samuel	Cole	Myers Middle School	2005-08-01	43500			
Bethy	Diaz	Myers Middle School	2005-08-30	43500			
Kathleen	Diaz	F.D. Roosevelt HS	2010-10-22	38500			
David	Reynolds	Myers Middle School	2003-11-25	56300			
Joseph	Daniel	Foxcroft Academy	1997-03-28	47800			
Charles	Dan	Foxcroft Academy	2000-12-30	57200			
Roberto	Regan	Foxcroft Academy	2004-01-29	39100			
Lionel	Guth	F.D. Roosevelt HS	1999-07-21	40200			

10 rows in set (0.000 sec)

MariaDB [1961	10dm]> select	last_name,	first_name,	salary	from	teachers;
I. —	first_name					
Smith	Janet	36200				
Reynolds	Lee	65000				
Cole	Samuel	43500				
Diaz	Bethy	43500				
Diaz	Kathleen	38500				
Reynolds	David	56300				
Daniel	Joseph	47800				
Dan	Charles	57200				
Regan	Roberto	39100				
Guth	Lionel	40200				
+	t (0 000 sec	++)				

```
MariaDB [19610dm]> select last name, hire date, salary from teachers;
+----+
| last name | hire date | salary |
+----+
| Smith | 2011-10-30 | 36200 |
| Reynolds | 1993-05-22 | 65000 |
| Cole | 2005-08-01 | 43500 |
| Diaz
        | 2005-08-30 | 43500 | |
| Diaz | 2010-10-22 | 38500 |
| Reynolds | 2003-11-25 | 56300 |
| Daniel | 1997-03-28 | 47800 |
| Dan
        | 2000-12-30 | 57200 |
        | 2004-01-29 | 39100 |
Regan
| Guth | 1999-07-21 | 40200 |
+----+
10 rows in set (0.000 sec)
MariaDB [19610dm]> select hire date, salary from teachers;
+----+
| hire date | salary |
+----+
| 2011-10-30 | 36200 |
| 1993-05-22 | 65000 |
| 2005-08-01 | 43500 |
| 2005-08-30 | 43500 |
| 2010-10-22 | 38500 |
```

10 rows in set (0.000 sec)

| 2003-11-25 | 56300 | | 1997-03-28 | 47800 | | 2000-12-30 | 57200 | | 2004-01-29 | 39100 | | 1999-07-21 | 40200 |

MariaDB [19610dm] > select distinct school, salary from teachers;

9 rows in set (0.000 sec)

MariaDB [19610dm]> select last_name, school, hire_date from teachers order by school asc, hire_date desc;

last_name	school	hire_date
Smith Diaz Guth Reynolds Regan Dan Daniel Diaz Cole Reynolds	F.D. Roosevelt HS Foxcroft Academy Foxcroft Academy Foxcroft Academy Myers Middle School Myers Middle School	2011-10-30 2010-10-22 1999-07-21 1993-05-22 2004-01-29 2000-12-30 1997-03-28 2005-08-30 2005-08-01 2003-11-25
+	r	++

10 rows in set (0.000 sec)

9.

1 row in set (0.000 sec)

12.

```
MariaDB [19610dm]> select first_name from teachers where first_name like 'sam%';
+-----+
| first_name |
+-----+
| Samuel |
+-----+
1 row in set (0.000 sec)
MariaDB [19610dm]> select first_name from teachers where first_name like binary 'sam%';
Empty set (0.000 sec)
```

The normal 'like' wildcard in MySQL will match the case-insensitive value. Thus, the value "Samuel" is still selected. Adding 'binary' into the wildcard will choose the case-sensitive value. In this case, since there is no first name as 'sam%' (case-sensitive), no rows will be selected.

14.

```
MariaDB [19610dm]> select first_name from teachers where first_name like 'Sam%';
+------+
| first_name |
+------+
| Samuel |
+------+
1 row in set (0.000 sec)

MariaDB [19610dm]> select first_name from teachers where first_name like binary 'Sam%';
+-------+
| first_name |
+------+
| Samuel |
+----------+
| Trow in set (0.000 sec)
```

The same thing happens when we search for 'Sam%'

```
MariaDB [19610dm]> select first_name from teachers where first_name like '%ia%'; 
Empty set (0.000 sec)
```

18.

MariaDB [19610dm]> select last_name, school, hire_date from teachers order by school asc, hire_date desc;

+		++
last_name	school	hire_date
+	F.D. Roosevelt HS Foxcroft Academy Foxcroft Academy Foxcroft Academy Myers Middle School Myers Middle School Myers Middle School	++ 2011-10-30 2010-10-22 1999-07-21 1993-05-22 2004-01-29 2000-12-30 1997-03-28 2005-08-30 2005-08-01 2003-11-25
l veluoras	myers middle school	2003-11-23

10 rows in set (0.000 sec)

21.

MariaDB [19610dm]> select last_name, school, hire_date from teachers where school = 'Myers Middle School';

last_name	 -	school	L			hire_date
Cole Diaz Reynolds	1 1 1	Myers	Middle	School	i	2005-08-01 2005-08-30 2003-11-25

3 rows in set (0.000 sec)

22.

MariaDB [19610dm]> select first_name, last_name, school from teachers where first_name = 'janet';

```
+-----+
| first_name | last_name | school |
+-----+
| Janet | Smith | F.D. Roosevelt HS |
+-----+
```

1 row in set (0.000 sec)

```
MariaDB [19610dm]> select school from teachers where school != 'F.D.Roosevelt HS';
+----+
school
+----+
| F.D. Roosevelt HS |
| F.D. Roosevelt HS |
| Myers Middle School |
| Myers Middle School |
| F.D. Roosevelt HS
| Myers Middle School |
| Foxcroft Academy |
| Foxcroft Academy
| Foxcroft Academy
| F.D. Roosevelt HS |
+----+
10 rows in set (0.000 sec)
```

Since there is no space in the search query 'F.D.Roosevelt HS', the name of the school is still selected since it is 'F.D. Roosevelt HS' (with space)

24.

MariaDB [19610dm]> select * from teachers where school = 'Myers Middle School' and Empty set (0.000 sec)

25.

first_name	last_name	school 	hire_date	salary
Janet Lee Lionel	Smith Reynolds Guth	F.D. Roosevelt HS F.D. Roosevelt HS F.D. Roosevelt HS	2011-10-30 1993-05-22 1999-07-21	36200 65000 40200
3 rows in set	•	·	+	т

27.

MariaDB [19610dm]> select first_name, last_name, school, hire_date, salary from teachers where school like '%Roos%' order by hire date desc;

+	+	- +	+	++
first_name	_		hire_date +	-
•	Smith Diaz Guth	F.D. Roosevelt HS F.D. Roosevelt HS F.D. Roosevelt HS F.D. Roosevelt HS	2011-10-30 2010-10-22 1999-07-21	36200 38500

4 rows in set (0.000 sec)