```
Khoi Duong
Prof. VB
CS457L
```

10/1/2022

HW 2A

Create table schema

```
MariaDB [19610dm]> create table EMPLOYEE
    -> (Fname VARCHAR(15) NOT NULL,
    -> Minit CHAR,
    -> Lname VARCHAR(15) NOT NULL,
    -> Ssn CHAR(9) NOT NULL,
    -> Bdate DATE,
    -> Address VARCHAR(30),
    -> Sex CHAR,
    -> Salary DECIMAL(10,2),
    -> Super ssn CHAR(9),
    -> Dno INT NOT NULL,
    -> PRIMARY KEY(Ssn));
Query OK, 0 rows affected (0.019 sec)
MariaDB [19610dm]> create table DEPARTMENT
    -> (Dname VARCHAR(15) NOT NULL,
    -> Dnumber INT NOT NULL,
    -> Mgr ssn CHAR(9) NOT NULL,
    -> Mgr start date DATE,
    -> PRIMARY KEY(Dnumber),
    -> UNIQUE (Dname),
    -> FOREIGN KEY (Mgr ssn) REFERENCES EMPLOYEE (Ssn));
Query OK, 0 rows affected (0.019 sec)
```

```
MariaDB [19610dm] > create table DEPT LOCATIONS
    -> (Dnumber INT NOT NULL,
    -> Dlocation VARCHAR(15) NOT NULL,
    -> PRIMARY KEY(Dnumber, Dlocation),
    -> FOREIGN KEY (Dnumber) REFERENCES DEPARTMENT (Dnumber));
Query OK, 0 rows affected (0.013 sec)
MariaDB [19610dm]> create table PROJECT
    -> (Pname VARCHAR(15) NOT NULL,
    -> Pnumber INT NOT NULL,
    -> Plocation VARCHAR(15),
    -> Dnum INT NOT NULL,
    -> PRIMARY KEY(Pnumber),
    -> UNIQUE (Pname),
    -> FOREIGN KEY(Dnum) REFERENCES DEPARTMENT(Dnumber));
Query OK, 0 rows affected (0.018 sec)
MariaDB [19610dm]> create table WORKS ON
    -> (Essn CHAR(9) NOT NULL,
    -> Pno INT NOT NULL,
    -> Hours DECIMAL(3,1) NOT NULL,
    -> PRIMARY KEY (Essn, Pno),
    -> FOREIGN KEY(Essn) REFERENCES EMPLOYEE(Ssn),
    -> FOREIGN KEY(Pno) REFERENCES PROJECT(Pnumber));
Query OK, 0 rows affected (0.017 sec)
MariaDB [19610dm]> create table DEPENDENT
    -> (Essn CHAR(9) NOT NULL,
    -> Dependent name VARCHAR(15) NOT NULL,
    -> Sex CHAR,
    -> Bdate DATE,
    -> Relationship VARCHAR(8),
    -> PRIMARY KEY(Essn, Dependent name),
    -> FOREIGN KEY(Essn) REFERENCES EMPLOYEE(Ssn));
Query OK, 0 rows affected (0.014 sec)
```

Specifying constraints in SQL

```
MariaDB [19610dm]> create table EMPLOYEE
          (Fname VARCHAR (15) NOT NULL,
   ->
   ->
          Minit CHAR,
   ->
          Lname VARCHAR (15) NOT NULL,
   ->
         Ssn CHAR(9) NOT NULL,
   ->
         Bdate DATE,
   ->
         Address VARCHAR(30),
   ->
         Sex CHAR,
         Salary DECIMAL(10,2),
   ->
   ->
         Super ssn CHAR(9),
         Dno INT NOT NULL DEFAULT 1,
   ->
   ->
         CONSTRAINT EMPPK
   ->
         PRIMARY KEY(Ssn),
         CONSTRAINT EMPSUPERFK
   ->
   ->
         FOREIGN KEY (Super ssn) REFERENCES EMPLOYEE (Ssn)
   ->
         ON DELETE SET NULL ON UPDATE CASCADE,
   ->
         CONSTRAINT EMPDEPTFK
         FOREIGN KEY(Dno) REFERENCES DEPARTMENT(Dnumber)
   ->
         ON DELETE SET DEFAULT ON UPDATE CASCADE);
   ->
Query OK, 0 rows affected (0.023 sec)
MariaDB [19610dm]> create table DEPARTMENT
    -> (Dname VARCHAR(15) NOT NULL,
          Dnumber INT NOT NULL,
    ->
    ->
         Mgr ssn CHAR(9) NOT NULL,
   -> Mgr start date DATE,
    ->
         CONSTRAINT DEPTPK
   ->
          PRIMARY KEY(Dnumber),
          CONSTRAINT DEPTSK
    ->
         UNIQUE(Dname),
    ->
```

FOREIGN KEY (Mgr ssn) REFERENCES EMPLOYEE (Ssn)

-> ON DELETE SET DEFAULT ON UPDATE CASCADE);

CONSTRAINT DEPTMGRFK

Query OK, 0 rows affected (0.016 sec)

-> ->

```
MariaDB [19610dm] > create table DEPT LOCATIONS
                (Dnumber INT NOT NULL,
      ->
               Dlocation VARCHAR (15) NOT NULL,
      ->
               PRIMARY KEY (Dnumber, Dlocation),
               FOREIGN KEY (Dnumber) REFERENCES DEPARTMENT (Dnumber)
      ->
               ON DELETE CASCADE ON UPDATE CASCADE);
      ->
Query OK, 0 rows affected (0.011 sec)
Insert values into data tables
EMPLOYEE
MariaDB [19610dm] > insert into EMPLOYEE(Fname, Minit, Lname, Ssn, Bdate, Address, Sex, Salary
, Super ssn, Dno)
   -> values ('John', 'B', 'Smith', '123456789', '1965-01-09', '731 Fondren, Houston, TX', '
M', '30000', '333445555', 5),
   -> ('Franklin', 'T', 'Wong', '333445555', '1955-12-08', '638 Voss, Houston, TX', 'M',
  '40000', '888665555', 5),
-> ('Alicia', 'J', 'Zelaya', '999887777', '1968-01-19', '3321 Castle, Spring, TX', 'F
   '25000', '987654321', 4),
    -> ('Jennifer', 'S', 'Wallace', '987654321', '1941-06-20', '291 Berry, Bellaire, TX',
 'F', '43000', '888665555', 4),
   -> ('Ramesh', 'K', 'Narayan', '666884444', '1962-09-15', '975 Fire Oak, Humble, TX',
'M', '38000', '333445555', 5),
   -> ('Joyce', 'A', 'English', '453453453', '1972-07-31', '5631 Rice, Houston, TX', 'F'
 '25000', '333445555', 5),
          ('Ahmad', 'V', 'Jabbar', '987987987', '1969-03-29', '980 Dallas, Houston, TX', 'M'
   ->
 '25000', '987654321', 4),
         ('James', 'E', 'Borg', '888665555', '1937-11-10', '450 Stone, Houston, TX', 'M', '
    ->
55000', NULL, 1),
   -> ('Alicia', 'T', 'Smith', '123123123', '1957-01-29', '235 Fire, Spring, TX', 'F', '
39000', '888665555', 4),
   -> ('John', 'G', 'Zelaya', '777883333', '1999-07-21', '3848 Limpert, Humble, TX', 'M'
, '40000', '987654321', 4);
Query OK, 10 rows affected (0.003 sec)
Records: 10 Duplicates: 0 Warnings: 0
DEPARTMENT
MariaDB [19610dm] > insert into DEPARTMENT (Dname, Dnumber, Mgr ssn, Mgr start date)
    -> values ('Research', 5, '333445555', '1988-05-22'),
               ('Administration', 4, '987654321', '1995-01-01'),
    ->
    -> ('Headquarters', 1, '888665555', '1981-06-19');
```

DEPT LOCATIONS

Query OK, 3 rows affected (0.003 sec) Records: 3 Duplicates: 0 Warnings: 0

```
MariaDB [19610dm] > insert into DEPT LOCATIONS (Dnumber, Dlocation)
    -> values (1, 'Houston'),
    -> (4, 'Stafford'),
    -> (5, 'Bellaire'),
    -> (5, 'Sugarland'),
    -> (5, 'Houston');
Query OK, 5 rows affected (0.003 sec)
Records: 5 Duplicates: 0 Warnings: 0
WORKS ON
MariaDB [19610dm] > insert into WORKS ON(Essn, Pno, Hours)
    -> values ('123456789', 1, 32.5),
    -> ('123456789', 2, 7.5),
    -> ('666884444', 3, 40.0),
    -> ('453453453', 1, 20.0),
    -> ('453453453', 2, 20.0),
    -> ('333445555', 2, 10.0),
    -> ('333445555', 3, 10.0),
    -> ('333445555', 10, 10.0),
    -> ('333445555', 20, 10.0),
    -> ('999887777', 30, 30.0),
    -> ('999887777', 10, 10.0),
    -> ('987987987', 10, 35.0),
    -> ('987987987', 30, 5.0),
    -> ('987654321', 30, 20.0),
    -> ('987654321', 20, 15.0),
    -> ('888665555', 20, 10.0);
Query OK, 16 rows affected (0.003 sec)
Records: 16 Duplicates: 0 Warnings: 0
PROJECT
MariaDB [19610dm] > insert into PROJECT(Pname, Pnumber, Plocation, Dnum)
    -> values ('ProductX', 1, 'Bellaire', 5),
    -> ('ProductY', 2, 'Sugarland', 5),
    -> ('ProductZ', 3, 'Houston', 5),
    -> ('Computerization', 10, 'Stafford', 4),
    -> ('Reorganization', 20, 'Houston', 1),
    -> ('Newbenefits', 30, 'Stafford', 4);
Query OK, 6 rows affected (0.003 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

```
MariaDB [19610dm] > insert into DEPENDENT (Essn, Dependent name, Sex, Bdate, Relationship)
   -> values ('333445555', 'Alice', 'F', '1986-04-05', 'Daughter'),
   -> values (333445555', 'Theodore', 'M', '1983-10-25', 'Son'),
-> ('333445555', 'Joy', 'F', '1958-05-03', 'Spouse'),
-> ('987654321', 'Abner', 'M', '1942-02-28', 'Spouse'),
-> ('123456789', 'Michael', 'M', '1988-01-04', 'Son'),
-> ('123456789', 'Alice', 'F', '1988-12-30', 'Daughter'),
-> ('123456789', 'Elizabeth', 'F', '1967-05-05', 'Spouse');
Query OK, 7 rows affected (0.003 sec)
Records: 7 Duplicates: 0 Warnings: 0
Query 0 (Q0)
MariaDB [19610dm]> select Bdate, Address
    -> from EMPLOYEE
    -> where Fname = 'John' AND Minit = 'B' AND Lname = 'Smith';
+----+
           | Address
| Bdate
+----+
| 1965-01-09 | 731 Fondren, Houston, TX |
+----+
1 row in set (0.000 sec)
Query 1 (Q1)
MariaDB [19610dm]> select Fname, Lname, Address
     -> from EMPLOYEE, DEPARTMENT
     -> where Dname = 'Research' AND Dnumber = Dno;
+----+
| Fname | Lname | Address
+----+
| John | Smith | 731 Fondren, Houston, TX |
| Franklin | Wong | 638 Voss, Houston, TX
| Joyce | English | 5631 Rice, Houston, TX
| Ramesh | Narayan | 975 Fire Oak, Humble, TX |
+----+
4 rows in set (0.000 sec)
```

Query 2 (Q2)

Q1A

MariaDB [19610dm] > select Fname, EMPLOYEE.Name, Address

- -> from EMPLOYEE, DEPARTMENT
- -> where DEPARTMENT.Name = 'Research' AND DEPARTMENT.Dnumber = EMPLOYEE.Dnumber; ERROR 1054 (42S22): Unknown column 'EMPLOYEE.Name' in 'field list'

01'

MariaDB [19610dm]> select EMPLOYEE.Fname, EMPLOYEE.Lname, EMPLOYEE.Address

- -> from EMPLOYEE, DEPARTMENT
- -> where DEPARTMENT.Dname = 'Research' AND DEPARTMENT.Dnumber = EMPLOYEE.Dno;

Fname	Lname 	Address
John Franklin Joyce Ramesh	Wong English	731 Fondren, Houston, TX 638 Voss, Houston, TX 5631 Rice, Houston, TX 975 Fire Oak, Humble, TX

4 rows in set (0.000 sec)

Query 8 (Q8)

MariaDB [19610dm]> select Fname, EMPLOYEE.FName, Address from EMPLOYEE, DEPARTMENT where DEPA RTMENT.Name = 'Research' AND DEPARTMENT.Dnumber = EMPLOYEE.Dnumber; ERROR 1054 (42S22): Unknown column 'DEPARTMENT.Name' in 'where clause' MariaDB [19610dm]> select E.Fname, E.Lname, S.Fname, S.Lname -> from EMPLOYEE AS E, EMPLOYEE AS S -> where E.Super ssn = S.Ssn;

Fname Lname Fname Lname +	+	+	+	++
John Smith Franklin Wong Franklin Wong James Borg Joyce English Franklin Wong Ramesh Narayan Franklin Wong John Zelaya Jennifer Wallace Jennifer Wallace Ahmad Jabbar Jennifer Wallace	Fname	Lname +	Fname	Lname ++
++	John Franklin Joyce Ramesh John Jennifer Ahmad	Smith Wong English Narayan Zelaya Wallace Jabbar	Franklin James Franklin Franklin Jennifer James Jennifer	Wong Borg Wong Wong Wallace Borg

9 rows in set (0.000 sec)

Q1B

Q10

```
MariaDB [19610dm] > SELECT Ssn, Dname from EMPLOYEE, DEPARTMENT;
           | Dname
| 123123123 | Administration |
| 123123123 | Headquarters
| 123123123 | Research
| 123456789 | Administration |
| 123456789 | Headquarters
| 123456789 | Research
| 333445555 | Administration |
| 333445555 | Headquarters |
| 333445555 | Research
| 453453453 | Administration |
| 453453453 | Headquarters |
| 453453453 | Research
| 666884444 | Administration |
| 666884444 | Headquarters
| 666884444 | Research
| 777883333 | Administration |
 777883333 | Headquarters |
| 777883333 | Research
| 888665555 | Administration |
| 888665555 | Headquarters |
| 888665555 | Research
| 987654321 | Administration |
| 987654321 | Headquarters |
| 987654321 | Research
| 987987987 | Administration |
| 987987987 | Headquarters |
| 987987987 | Research
| 999887777 | Administration |
| 999887777 | Headquarters |
| 999887777 | Research
30 rows in set (0.000 sec)
```

MariaDB [19610dm]> select * from EMPLOYEE where Dno = 5;

i	Fname	i	Minit	i	Lname	i	Ssn	i	Bdate	i.	Address	i	Sex	i	Salary	i	Super_ssn	I	Ono
i	John										731 Fondren, Houston, TX								
-1	Franklin	T	T	l	Wong	L	333445555		1955-12-08	L	638 Voss, Houston, TX	1	M	I	40000.00	L	888665555		5
-1	Joyce	T	A	Ĺ	English	L	453453453		1972-07-31	L	5631 Rice, Houston, TX	1	F	L	25000.00	L	333445555		5
	Ramesh	1	K		Narayan		666884444		1962-09-15		975 Fire Oak, Humble, TX	1	M		38000.00		333445555		5
		4				1													100

⁴ rows in set (0.000 sec)

Q1D

MariaDB [19610dm]> select * from EMPLOYEE, DEPARTMENT where Dname = 'Research' AND Dno = Dnumber;

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno	Dname	Dnumber	Mgr_ssn	Mgr_start_date	i
John Franklin Joyce Ramesh	B T A	Smith Wong English	123456789 333445555 453453453	1965-01-09 1955-12-08 1972-07-31	731 Fondren, Houston, TX 638 Voss, Houston, TX 5631 Rice, Houston, TX 975 Fire Oak, Humble, TX	M M F	30000.00 40000.00 25000.00	333445555 888665555 333445555 333445555	5 5 5 5		5 5 5	333445555 333445555 333445555 333445555	1988-05-22 1988-05-22 1988-05-22	1 1 1 1
	+	+			+									+

Q10A

MariaDB [19610dm]> select * from EMPLOYEE, DEPARTMENT;

+	+		+	+	+	+	+	+		+	+	+	++
Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn			Dnumber		Mgr_start_date
Alicia	T	Smith				F		888665555	4	Headquarters	1		1981-06-19
Alicia	T	Smith	123123123	1957-01-29	235 Fire, Spring, TX	F	39000.00	888665555	4	Administration	4	987654321	1995-01-01
Alicia	T	Smith	123123123	1957-01-29	235 Fire, Spring, TX	F	39000.00	888665555	4	Research	J 5	333445555	1988-05-22
John	B	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	M	30000.00	333445555	5	Headquarters	1	888665555	1981-06-19
John	l B	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	M	30000.00	333445555	5	Administration	1 4	987654321	1995-01-01
John	B	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	M	30000.00	333445555	5	Research	J 5	333445555	1988-05-22
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	M	40000.00	888665555	5	Headquarters	1	888665555	1981-06-19
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	M	40000.00	888665555	5	Administration	4	987654321	1995-01-01
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	M	40000.00	888665555	5	Research	J 5	333445555	1988-05-22
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000.00	333445555	5	Headquarters	1	888665555	1981-06-19
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000.00	333445555	5	Administration	1 4	987654321	1995-01-01
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000.00	333445555	5	Research	J 5	333445555	1988-05-22
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	M	38000.00	333445555	5	Headquarters	1	888665555	1981-06-19
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	M	38000.00	333445555	5	Administration	4	987654321	1995-01-01
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	M	38000.00	333445555	5	Research	J 5	333445555	1988-05-22
John	G	Zelaya	777883333	1999-07-21	3848 Limpert, Humble, TX	M	40000.00	987654321	4	Headquarters	1	888665555	
John	G	Zelaya	777883333	1999-07-21	3848 Limpert, Humble, TX	M	40000.00	987654321	4	Administration	4	987654321	1995-01-01
John	G	Zelaya	777883333	1999-07-21	3848 Limpert, Humble, TX	M	40000.00	987654321	4	Research	J 5	333445555	1988-05-22
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	M	55000.00	NULL	1	Headquarters	1	888665555	1981-06-19
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	M	55000.00	NULL	1	Administration	4	987654321	1995-01-01
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	M	55000.00	NULL	1	Research	J 5	333445555	1988-05-22
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000.00	888665555	4	Headquarters	1	888665555	1981-06-19
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000.00	888665555	4	Administration	4	987654321	1995-01-01
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000.00	888665555	4	Research	J 5	333445555	1988-05-22
Ahmad	V	Jabbar	987987987	1969-03-29		M	25000.00	987654321	4	Headquarters	1	888665555	1981-06-19
Ahmad	V	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	M	25000.00	987654321	4	Administration	4	987654321	1995-01-01
Ahmad	V	Jabbar	987987987	1969-03-29		M	25000.00	987654321	4	Research	J 5	333445555	1988-05-22
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000.00	987654321	4	Headquarters	1	888665555	1981-06-19
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000.00	987654321	4	Administration	4	987654321	1995-01-01
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000.00	987654321	4	Research	J 5	333445555	1988-05-22
+	+		+	+	+	+	+	+	·	+	+	+	++

³⁰ rows in set (0.000 sec)

```
MariaDB [19610dm] > SELECT ALL Salary from EMPLOYEE;
+----+
| Salary |
+----+
| 39000.00 |
| 30000.00 |
| 40000.00 |
| 25000.00 |
| 38000.00 |
| 40000.00 |
| 55000.00 |
| 43000.00 |
| 25000.00 |
| 25000.00 |
+----+
10 rows in set (0.000 sec)
Q11A
MariaDB [19610dm] > SELECT DISTINCT Salary from EMPLOYEE;
+----+
| Salary |
+----+
| 39000.00 |
| 30000.00 |
| 40000.00 |
| 25000.00 |
| 38000.00 |
| 55000.00 |
| 43000.00 |
+----+
7 rows in set (0.000 sec)
```

Q4A

```
MariaDB [19610dm]> (SELECT DISTINCT Pnumber
   -> from PROJECT, DEPARTMENT, EMPLOYEE
   -> where Dnum = Dnumber AND Mgr ssn = Ssn
   -> AND Lname = 'Smith')
   -> UNION
   -> (SELECT DISTINCT Pnumber
   -> from PROJECT, WORKS ON, EMPLOYEE
   -> where Pnumber = Pno AND Essn = Ssn
   -> AND Lname = 'Smith');
+----+
| Pnumber |
+----+
      1 |
      2 |
+----+
2 rows in set (0.001 sec)
Q12
MariaDB [19610dm] > select Fname, Lname
   -> from EMPLOYEE
   -> where Address LIKE '%Houston, TX%';
+----+
| Fname | Lname |
+----+
| John | Smith
| Franklin | Wong
| Joyce | English |
James
         | Borg |
| Ahmad | Jabbar |
+----+
5 rows in set (0.000 sec)
```

Q12A

```
MariaDB [19610dm]> select Fname, Lname
   -> from EMPLOYEE
   -> where Bdate LIKE ' 7 ';
+----+
| Fname | Lname
+----+
| Joyce | English |
+----+
1 row in set (0.000 sec)
```

Q13

```
MariaDB [19610dm]> select E.Fname, E.Lname, 1.1*E.Salary AS Increased sal
   -> from EMPLOYEE AS E, WORKS ON AS W, PROJECT AS P
   -> where E.Ssn = W.Essn AND W.Pno = P.Pnumber AND P.Pname = 'ProductX';
+----+
| Fname | Lname | Increased_sal |
+----+
| John | Smith | 33000.000 |
| Joyce | English | 27500.000 |
+----+
2 rows in set (0.001 sec)
```

Q14

MariaDB [19610dm]> select * from EMPLOYEE where (Salary BETWEEN 30000 AND 40000) AND Dno=5;

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
John Franklin Ramesh	B T K	Smith Wong Narayan	123456789 333445555 666884444	1965-01-09 1955-12-08 1962-09-15	731 Fondren, Houston, TX 638 Voss, Houston, TX 975 Fire Oak, Humble, TX	M M M	30000.00 40000.00 38000.00	333445555 888665555 333445555	5 5 5
3 rows in s	•	•	+	+	+	+	+	+	++

```
MariaDB [19610dm]> select D.Dname, E.Lname, E.Fname, P.Pname
    -> from DEPARTMENT AS D, EMPLOYEE AS E, WORKS ON AS W, PROJECT AS P
    -> where D.Dnumber = E.Dno AND E.Ssn = W.Essn AND W.Pno = P.Pnumber
    -> order by D.Dname, E.Lname, E.Fname;
+----+
                  | Lname | Fname | Pname
+----+
| Administration | Jabbar | Ahmad | Newbenefits |
| Administration | Jabbar | Ahmad | Computerization |
| Administration | Wallace | Jennifer | Reorganization |
| Administration | Wallace | Jennifer | Newbenefits
| Administration | Zelaya | Alicia | Newbenefits
| Administration | Zelaya | Alicia | Computerization |
| Headquarters | Borg | James | Reorganization |
| Research | English | Joyce | ProductY | Research | English | Joyce | ProductX | Research | Narayan | Ramesh | ProductZ | Research | Smith | John | ProductY | Research | Smith | John | ProductX
| Research | Wong | Franklin | Reorganization | Research | Wong | Franklin | ProductZ | Research | Wong | Franklin | ProductY | Research | Wong | Franklin | Computerization |
+-----+
16 rows in set (0.001 sec)
U1
MariaDB [19610dm]> insert into EMPLOYEE
 -> VALUES ('Richard', 'K', 'Marini', '653298653', '1962-12-30', '98 Oak Forest, Katy, TX'
 'M', 37000, '653298653', 4);
Query OK, 1 row affected (0.002 sec)
U1A
MariaDB [19610dm]> insert into EMPLOYEE(Fname, Lname, Dno, Ssn) VALUES ('Richard', 'Marini',
4, '653298654');
Query OK, 1 row affected (0.003 sec)
U2
MariaDB [19610dm] > insert into EMPLOYEE (Fname, Lname, Ssn, Dno)
```

-> VALUES ('Robert', 'Hatcher', '980760540', 2);

Query OK, 1 row affected (0.002 sec)

```
MariaDB [19610dm] > insert into EMPLOYEE (Fname, Lname, Dno)
    -> VALUES ('Robert', 'Hatcher', 5);
ERROR 1364 (HY000): Field 'Ssn' doesn't have a default value
U3A & U3B
MariaDB [19610dm]> create table WORKS ON INFO
   -> (Emp name VARCHAR(15),
   -> Proj name VARCHAR(15),
   -> Hours per week DECIMAL(3,1));
Query OK, 0 rows affected (0.015 sec)
MariaDB [19610dm]> insert into WORKS ON INFO(Emp name, Proj name, Hours per week)
   -> select E.Lname, P.Pname, W.Hours
   -> from PROJECT P, WORKS ON W, EMPLOYEE E
  -> where P.Pnumber = W.Pno AND W.Essn = E.Ssn;
Query OK, 16 rows affected (0.003 sec)
Records: 16 Duplicates: 0 Warnings: 0
MariaDB [19610dm]> select * from WORKS ON INFO;
+----+
| Emp_name | Proj_name | Hours_per_week | +----+
5.0 |
30.0 |
                                       32.5 I
                                      20.0
                                       7.5
                                       10.0
                                       20.0 I
                                       10.0 I
                                       40.0 I
                                   10.0 |
10.0 |
| Wong | Reorganization |
| Borg | Reorganization |
| Wallace | Reorganization |
                                       15.0 I
```

16 rows in set (0.000 sec)

+----+

U4A, U4B, U4C, U4D

```
MariaDB [19610dm] > delete from EMPLOYEE where Lname = 'Brown';
Query OK, 0 rows affected (0.000 sec)
MariaDB [19610dm]> delete from EMPLOYEE where Ssn = '123456789';
Query OK, 1 row affected (0.003 sec)
MariaDB [19610dm]> delete from EMPLOYEE where Dno = 5;
Query OK, 3 rows affected (0.003 sec)
MariaDB [19610dm]> delete from EMPLOYEE;
Query OK, 9 rows affected (0.003 sec)
U5
MariaDB [19610dm]> update PROJECT
   -> set Plocation = 'Bellaire', Dnum = 5
   -> where Pnumber = 10;
Query OK, 1 row affected (0.003 sec)
Rows matched: 1 Changed: 1 Warnings: 0
After update:
MariaDB [19610dm] > select * from PROJECT;
+----+
         | Pnumber | Plocation | Dnum |
| Pname
+----+
| Computerization | 10 | Bellaire | 5 |
| Reorganization | 20 | Houston | 1 |
| Newbenefits | 30 | Stafford | 4 |
+----+
6 rows in set (0.000 sec)
```

```
MariaDB [19610dm]> update EMPLOYEE
   -> set Salary = Salary * 1.1
   -> where Dno = 5;
Query OK, 4 rows affected (0.003 sec)
Rows matched: 4 Changed: 4 Warnings: 0
```

After update:

MariaDB [19610dm]> select * from EMPLOYEE;

+	+	+	+	+	+	+			++
Fname	Minit	Lname	Ssn	Bdate	Address +	Sex	Salary	Super_ssn	Dno
Alicia John Franklin Joyce Ramesh John James Jennifer Ahmad	T B T A K G	Smith Smith Wong English Narayan Zelaya	123123123 123456789 333445555 453453453 666884444 777883333 888665555 987654321 987987987	1957-01-29 1965-01-09	235 Fire, Spring, TX 731 Fondren, Houston, TX 638 Voss, Houston, TX 5631 Rice, Houston, TX 975 Fire Oak, Humble, TX 3848 Limpert, Humble, TX 450 Stone, Houston, TX 291 Berry, Bellaire, TX 980 Dallas, Houston, TX	F M M F M M M	39000.00 33000.00 44000.00 27500.00 41800.00 40000.00 55000.00	888665555 333445555 888665555 333445555 333445555 987654321 NULL	4 5 5 5 5 6 6 6 6 6 6
+	+	+	+	+	+	+	+	tt	++

10 rows in set (0.000 sec)