

DETAILED TECHNICAL EXPERIENCE PROFILE

Mynul Islam

Software Engineer · Laravel / PHP · Dhaka, Bangladesh

Featured project: DHL Referral Program — DHL Express Bangladesh, delivered at Luminous Labs

01 Professional Summary

Software engineer (B.Sc. in Software Engineering, SUST) with hands-on experience delivering a **role-based enterprise web application for DHL Express Bangladesh** at Luminous Labs — from business-requirement analysis and process design through backend development, documentation and testing hand-off. Comfortable turning a client Business Requirement Specification (BRS) into process flows, architecture and working Laravel code, and presenting progress directly to the client.

Core strengths: **rule-driven workflows, role-based access control, SMS notification pipelines, and clear technical documentation.** Building on this foundation to move into conversational AI development.

02 Engagement at a Glance

Organization	Luminous Labs, Dhaka — enterprise software development and consulting company
Client	DHL Express Bangladesh
Project	DHL Referral Program — web portal that digitizes customer referrals and lead tracking for DHL retail outlets
Period	April 2023 – May 2024
Position	Software Engineering Intern, then Junior Software Engineer (full-time offer after the internship)
My role	Backend Developer (Laravel) and Requirements & Documentation Analyst
Team & method	Small agile team — backend (me), frontend (a teammate and the team lead). Sprint-based delivery, module-wise task tracking in ClickUp with client visibility of progress
Delivery	Three sprints: Super User module first, then Admin, Supervisor, ROO and RTM modules; Dockerized build handed to testing; SRS authored
Technology	Laravel 10, PHP, MS SQL Server, MySQL, JavaScript, jQuery, AJAX, Bootstrap, CSS, Nginx, Docker, Git, ClickUp, draw.io

03 Project Overview & Business Context

The problem

DHL wanted to grow its base of cash customers through referrals from existing customers. The existing process was manual: a Retail Outlet Officer typed referee details into an Excel file, there was **no digital lead collection**, and no automated way to check whether a referred person was already a customer.

The solution

A web-based portal where an existing customer (the **referrer**) refers a new customer (the **referee**). The system verifies that the referee is genuinely new by checking their mobile number against daily-uploaded POS customer data, issues a shared **promo code by SMS** to both parties, validates the code when the referee visits a service

point, and sends confirmation SMS messages once the shipment is booked. Reward points are disbursed manually in DHL's POS — by design, the portal is not integrated with it.

Users and access

Role	Responsibility	Key capabilities
Super User	Owns user lifecycle and security policy	Creates users and assigns roles; unlocks locked accounts; manages password patterns
Administrator	Configures organizational structure	Countries, service points, territories, locations; roles and permissions; SMS templates; can switch into ROO/RTM views
Supervisor	Maintains customer reference data	Daily POS data upload (CSV or manual); duplicate check; performance dashboard with filters
ROO — Retail Outlet Officer	Runs the referral at the service counter	Service-point selection, search, refer a customer, promo validation, resend promo, referral history, dashboard
RTM — Retail Territory Manager	Monitors territory performance	Team (ROO) list; dashboard filtered by timeline, ROO and territory

04 My Role & Responsibilities

Area	What I did
Requirements analysis	Analyzed DHL's BRS, traced the end-to-end referral flow and submitted a findings summary to the senior engineer before development started. Collected clarifications on unclear BRS points with the client at the first review meeting.
Solution design & documentation	Authored process-flow diagrams for the Admin, ROO and Supervisor roles, the architecture diagram and the ER diagram (draw.io), and the Software Requirement Specification (SRS).
Backend development	Dedicated backend developer on Laravel 10: authentication and access control, master-data management, POS data ingestion, the ROO referral workflow, SMS notifications and dashboard reporting. The ROO and RTM features were implemented in Sprints 2–3.
Client engagement	Presented the Super User module to the client together with the team lead; took part in further review meetings with the DHL team and presented completed work.
Release preparation	Prepared the finished application for the testing phase as a Docker container.

05 System Architecture & Technology

The application follows a layered, MVC-based web architecture. The diagram below summarizes each tier as documented in the project's architecture design.

Client tier	Cross-browser web interface built with Bootstrap, CSS, JavaScript, jQuery and AJAX , giving role-specific menus and asynchronous updates without full page reloads.
Application tier	Laravel 10 (MVC) on PHP — controllers, Eloquent models, request validation, role-based access control (RBAC) and shared third-party PHP/JavaScript libraries.
Integration & security	SMS notification service for templated messages to referrers and referees; LDAP sign-in option specified by the client; SSL for encrypted transport.
Data tier	Eloquent ORM / Query Builder over MS SQL Server and MySQL , holding users, roles, permissions, locations, POS reference data, referrals and SMS templates.

Figure 1 · Layered architecture of the DHL Referral Program (redrawn from the project architecture diagram)

06 Implementation Details

6.1 Authentication, password policy and role-based access control

- **Sign-in and credentials:** email-based login with user-managed passwords that can be changed at any time; LDAP sign-in was specified by the client as an alternative.
- **Configurable password policy:** a *Password Patterns* module stores the policy as data — required counts of lowercase, uppercase, numeric and special characters plus minimum and maximum length — so it can be adjusted from the admin UI. Defaults follow the client's DPDHL policy (8+ characters, mixed case, numbers, special characters).
- **Account protection:** lock-out after 5 failed sign-in attempts, 45-day password expiry, and unlock and user creation restricted to the Super User.
- **RBAC:** five roles (Super Admin, Administrator, Supervisor, ROO, RTM) mapped to granular per-resource permissions — *view, add, edit, delete, restore* — managed from a Roles screen. Each role sees only its own menu and screens.

roo	• view_backend • view_customers • add_customers • edit_customers • delete_customers
rtm	• view_backend
supervisor	• view_backend • view_datauploads • add_datauploads • edit_datauploads • delete_datauploads

Figure 2 · Roles mapped to permissions (excerpt)




Figure 3 · Password Patterns (policy configuration)

6.2 Administration and master data

- **Organizational hierarchy:** Country → Service Point → Territory → Location, each maintained through CRUD screens; territories are linked to service points and locations are picked from a service-point dropdown.
- **User provisioning:** administrators create users under a country and assign their role.
- **Account switching:** an administrator can switch into a ROO or RTM account to verify exactly what that role sees.
- **Templates and profile:** SMS templates are managed from the admin panel; users can view and edit their profile, including an avatar.

6.3 POS data ingestion (Supervisor)

- Daily upload of POS customer data by **CSV file** (with an optional header-row flag) or manual entry. All source columns are stored; **customer mobile number, name and POS ID** serve as the reference fields for referrer lookup and referee eligibility.
- Duplicate search over uploaded records, plus a searchable, paginated grid with per-record edit and delete actions.

6.4 ROO referral workflow (implemented in Sprints 2–3)

The workflow (Figure 4) was specified by DHL in the BRS; I implemented the backend rules and screens for it.

1. **Service-point selection.** After login the ROO must choose a Service Point (one officer can work at different service points on different days). The choice scopes the session, and the portal shows "logged in from" the chosen point.
2. **Search.** Referrers and referees can be looked up by POS ID, name or mobile number.

3. **Refer a customer.** The ROO enters the referrer's mobile number (which resolves the referrer from POS data) plus the referee's name, mobile number and relationship. The referee's mobile number is **checked against the uploaded POS data: if it exists, the referral is rejected as an existing customer; if not, it is accepted** and a referral code (e.g. DHL16359) is issued.
4. **Promo validation.** When the referee visits the service point, the ROO enters the referee's mobile number and referral code. An invalid pair returns an error; a valid pair enables a *Confirm successful lead* button, which in turn unlocks the AWB (shipment) number field. Confirming triggers the reward SMS to both parties.
5. **Resend promo.** If a referee lost or deleted the SMS, the ROO can resend the promo message from the portal.
6. **My Referral.** History of collected referrals for a date range, with a status dropdown — *Booked, Follow up, Lost, Remarks* — where Remarks opens a free-text comment field.
7. **Dashboard.** Personal performance metrics: leads collected, successful referrals, lost referrals, pending follow-ups (a lead whose follow-up date passed without action) and lead conversion.




Figure 4 · Referral process flow as specified in DHL's BRS




Figure 5 · ROO dashboard




Figure 6 · ROO promo validation

6.5 SMS notification flow

- **Event-driven messages:** a referral being accepted, a promo being confirmed and a promo being resent each trigger SMS notifications through the SMS service.
- **Audience-specific templates:** referrer and referee receive different message templates at each stage, but the acceptance messages carry the **same referral code** so the two parties can be matched at the counter.
- **Template management:** templates are maintained by administrators from the admin panel rather than hard-coded.

6.6 RTM and supervisor dashboards

- **RTM:** a *My Team* view lists the ROOs in the manager's territory; the dashboard filters by timeline, ROO and territory, where the territories offered depend on permissions granted by the administrator.
- **Supervisor:** the same KPIs with a date range, territory and ROO filter across the supervisor's designated ROOs, RTMs and locations.
- **Shared KPI set:** total leads collected, successful referrals, lost referrals, pending follow-ups and lead conversion (converted leads out of leads collected).




Figure 7 · Supervisor dashboard




Figure 8 · RTM dashboard with filters

07 Delivery, Documentation & Collaboration

- **Agile delivery:** work was split module-wise and feature-wise into sprints in ClickUp, with tasks assigned to individual team members and the client able to follow progress.
- **Design artifacts:** process-flow diagrams for each user role, an architecture diagram, an ER diagram and the SRS, all produced in draw.io.
- **Client demos:** presented the Super User module at the first client meeting, clarified ambiguous BRS items on the spot, and continued with regular review meetings and presentations.
- **Engineering practice:** Git-based collaboration, code-review sessions with senior engineers, QA testing during development, and a Dockerized build for the testing phase.

08 Follow-on Work — DHL Inventory Management

After the Referral Program I was assigned to a second DHL engagement, **DHL Inventory Management**. My task was to analyze the client's BRS, present my understanding to the DHL inventory management team and capture their requirements.

09 Transferable Strengths for Conversational AI Roles

- **Workflow and state logic:** designed and built multi-step, rule-driven flows (validate → accept/reject → notify → confirm) with tracked lead states such as Booked, Follow up and Lost.
- **Message templating:** event-triggered outbound messaging with audience-specific templates managed outside the code.
- **JavaScript and asynchronous UI:** JavaScript, jQuery and AJAX for responsive, role-specific interfaces.
- **Requirements to solution:** turning a client BRS into flows, architecture and documentation, and communicating directly with the client.

Note: screens shown are from a demo environment with test data. Client-confidential details are omitted in line with Luminous Labs' confidentiality policy.