Basíc Window

E

Microsoft Word



Computer Training Manual

Basic Computer Course

1

Table of Content

	To the L	earner						
1.	Introduction to Computer							
2.	Fundamen 2. 1 2. 2 2. 3 2. 4	tal of a Computer						
3.	Basi c Wi 3.1 3.2	ndow						
	3. 3 3. 4	♦ Shortcut i con 9 Floppy A & Files Size 10 Explorer 11 ♦ Files/Folders awill@full 11						
		• Files/Folders aww.ttrnbjymifzl						
		♦ Files/Folders aw Lulae & may Julia Lulau 12						
		• Fonts install 12						
		◆ Folders topkelwikki						
	3. 5	Recycl e Bi n						
	3.6	Cal cul ator						
	3. 7	Character Map14						
4. Mi crosoft Word								
	4. 1 4. 2 4. 3 4. 4 4. 5 4. 6	♦ Microsoft Word Window17Lesson 1 Approach to MS Word20Lesson 2 Drawing Tool bars23Lesson 3 Table26Lesson 4 Save & Print28Lesson 5 Chart31About the Menus32						
		♦ File Menu 33						
		• Edit Menu 34						
		♦ View Menu 36						
		• Insert Menu 37						
		• Format Menu 44						
		• Tools Menu 48						
		• Table Menu 51						
		♦ Window Menu						
		• Help Menu 55						
5.	Fix Prob	lems56						

To the Learner

uêjylwmavmu[modjulus, jyelheyglyð tjavmuðuðxjvrfovm;zlþE&lbawætwæf 'þmtlyáv;u taxmuftulenfenfawmhay;Ellír, ívllxifwmbj.../

| ppmtlylwtlylwllepap? wpolvlwyll fullepap vGvlwyfoaut, |zella0c6|fylon/

More information:

Zulu (kyawcross@gmail.com)

1. Introduction to Computer

u@jylwmq#vmbmvJ... oifo#govm/



]a[m'lu uêfylwmylyhEgaEg} wli uêfylwma&mifylu 'lullwmifzpf/mlylvm/
'lavmuf[kvfao;awmiftawmiullwmhygrsm;vmlylpyllwmuawmhaocsmygw, faem/
uêfylwm 'lavmufaygrsm;vmaewltcsleffin uêfylwmqllwm bmræfrodo;wlodawG
trsm.Bub&lleygao;w, frolluwltaNumifuvJolwkllvlyfiefelywfoufrbylf&llwmu
waNumifjzpffinaygh ull elfywfoufvllrolol/ullfrwwfolqllwmuawmhtjypfijymzlf&llyg
bl/'gayr, fitck bfina&mufaeolawfuawmhuefylwmulbl/zklvltyfw, fqklvll'Boifwefull
a&mufymlunyb' lawmlol/taNumifullenfenfavmufavlymlunkatmif...

yxrqllu@fylwm[m1944-r@nply@y:clygw, fibm1 uxkvfvlyfwmyg/ Main Frame qllwh cefvlynhtBuppmBupyg/tlyxrqllu@fylwm&lemrniuawmhmark 1 jzplygw, fitl@y:pwlefuawmholyftrsmBuptvlyfvlyEllfwmr[kwfygb]/pm&ifZ, maw@vmuf tcsuftvu@wphnfay;wm?&@az@y;wmavmufygb]/

'gaNumihtc#UnRfusifohw@ celf@fa[mu@fxkwtNuw, f aemifqlkifu@fylwmqllvm wluftdrBußwv\pmavmufzpfvmvdfr, fwll 'gayr, huklumifw, fvkjym&r, fxifw, f 'bey bcwfn u@fylwmaw@ mykluprvmwhtjyifyk/byk/bwmifi, fvmaeygw, f qellusif buftaeeyu@fylwm&u vlybqmiElip@faw@uawmhyk/byk/bbuprm,vmwmuklaw@r@yg/

_

¹ International Business Machines Corporation

'Beyt coeffiawith to litering live fylomic for the company of the control of the

uefylwmavmurfn IBM el Mac qllyd Platform³ Epicklygw, f IBM-PC uefylwmullIBM uxkvivnjzplyd) Mac(Macintosh) ullapple uxkvivnjzplygw, f 'beluefylwmtollykol trsmpluawmhapple (Mac) ullawlztoltawm&fraeyglyd olu awmawmlullao&udwmyg/ 'grf [kvfapsbudwmygvllajym&r, fxifw, f Apple (Mac) [mwu, fawmhuefylwm avmurfn Apple acwiuefsbaygi frsmpfrxbxmi Elichoyg/ 'belollaeNuwhicon4 awfull wlukluzfi folleli fwhgui pepf 'grf [kvfwindow6 pepfel/Mouse ulltollykwmawfullApple uplybw&fclwmyg/ aemutxyf Epaygi f 10-Epausmawmfsol Microsoft WkhlukiPawel/ tjcm, uefylwmxkvfylobwel vlukluwwyxkvfylelichwmyg/ window 95 = Macintosh 84 vlurftfin Elif, DajymcNuygw, f

av&fnivmvnfoyfrsmo@nly0 wkU u@jylwmavk/ma&; c&pull' Ae&muae pNunNuygpV

[°] rkift"yÿ, wawmvrfavmuóñ&eáe&m? 'grîf[kvfoñ,&eívrfaNumifayybv/ tjb/bjuéjlwmtoktEefrñvjvrfaNumif2-ckbv, ívkgkvksívmyy/

⁴ icon **Qilvin** Program, Disk Drive, Document tp&lvindow elements awullu pmjykwkyylivckzpygw, 1

⁵ Grapical user interface - system (iri awae&whicons (\(\frac{1}{2}\) \(\frac{1}{2}\) awallwill \(\frac{1}{2}\) in the face interface in the face - system (iri awae&whicons (\(\frac{1}{2}\) \(\frac{1}{2}\) in the face in the face - system (iri awae&whicons (\(\frac{1}{2}\) \(\frac{1}{2}\) in the face in the face - system (iri awae&whicons (\(\frac{1}{2}\) \(\frac{1}{2}\) in the face in the face - system (iri awae&whicons (\(\frac{1}{2}\) \(\frac{1}{2}\) in the face in the face - system (iri awae&whicons (\(\frac{1}{2}\) \(\frac{1}{2}\) in the face in the face - system (iri awae&whicons (\(\frac{1}{2}\) \(\frac{1}{2}\) in the face i

⁶ GUI **pepít wil (tjr i ft ay: tajccN/) wilu / 3llu 26 fo HEII (w bep**í

^{7 &#}x27;AeYuefylwmavmu&htBuBqN Software utiPRuBwck

2. Fundamental of a Computer

2.1. Hardware & Software

uejylwmwvk&ll ulliwG kawŒliwhtptvftylifaw&llHardware uejylwmuliciifaptrelby;EliwhuliwG kawŒ&aom t&maw&llsoftware

- uejylwmwvjirtiygwhtajccjypinfaw@awmh
 - Monitor (Output Device⁸) **u@jylwmfwlyfaqmifaewmawfulijri &zlit wfufyg/**
 - CPU⁹ (I/O Device) **u@jylwmwck/|ullxefcsyfqufyfay;Olyg/** Output-D **ey**Input-D **awfullqufof fay;r**, **folyg/Oull fwllfuawith**O/I Devices **Efirst/litwfuf tvlyfvlyfgw**, **f**
 - Keyboard (Input Device¹⁰) **Olay: U CVkvaw&ilEly&ife!**pmaw@ilcifu@fylwmullciifapziitokjykygw, #
 - Mouse (Input Device) uejylwmulicii (aptreliny;zlyg/

'gaw@tm;v#[muilfwG bxdw@lfwhtpdvftylffawjzpfygw, f' 'gaMumihHardware vMc:yqw, f' 'bt&maw&&f&&fu@fylwmuildo, fvlfstvkj/kyfapEllfffr[kvfyg/

• 'B/BJtjcm,wbuffivJsoftware qlivm&jgw, foliawmvufellulliw; fxdwgvlf&/... uffylwmullrdvlty&mvlllybvkay;atmifclifaptrefay;zlly½f&rf(Program¹¹) awjzpygw, fordvltyfsufeJtnDoiawmwh Program awfullollu&rfnjzpygw, fordvltyfsufeJtnDoiawmwh Program awfullollu&rfnjzpygw, fordvltyfsufeJtnDoiawmwh Program awfullollu&rfnjzpygw, fordvltyfsufeJtnDoiawmwh Program awfullollu&rfnjzpygw, fordvltyfsufeJtnDoiawmwh Program awfullollu

Oyrm- pm&i fZ, maw fy/problem kif Microsoft Excel 12, Lotus 13 aw Lillow, for the pwint of the p

⁸ u@fylwmxlu tcsuftvu? ½yfyNpwmaw@llxkway;Ell&kmr&nvktyfwht&maw@llqlbWqw, #

⁹ Central Processing Unit & Whumuf Motherboard/Mainboard/System Unit pojzihtruralac:

¹⁰ u@jylwmxWitcsuft∨u@w@xn@y;Eli@kmr@∨ltylwlu@d maw@ilqlvllgw, #

WCqw&lfin Software VIVn! Olygr, 1

^{12 &#}x27;Belicwfin 1/40 litaee I pm&ifZ, maw@tw@iqlkiftaumifqlivliq liLuygw, 1/

¹³ pm&ifZ, maw@tw&ifemrnBu}y%#&rfwck

¹⁴ MS Word **uawmh//Holltw/Liquilyti buf&lyg/**

¹⁵ yEgiskwa0a&;twut"utokrsnygw, 1 vBukuitrsn;qkvkqbygw, 1

^{16 &#}x27;D3-clx/fmwmhPhotoshop u q&mbubyg/

2.2. Mouse

Mouse qlwmuawmtthpwefvefelaw@whuufuav;waumifygbj' 'Buufuav;ull txifao;vlr&yg/ ol[m 'BaeYu&fylwmtolfykaeolaw@twfufr&lfjzpfrlyg/ tj... olull b, fvlbl&ovjnun&atmif...

OFfin y It is it is it is a first office of the state of

- O Mouse **ullEly(w)t cgrfn (3)rt(b)&lygw**, **f**
 - 1. click 1/41/41UVpfvlyfwmullijymwmyg/
 (wclclulla1/26cs, fvllwltcgrfn ollygr, f...)
 - 2. Double Click UVpf2-csufqufwlluf jrefrefvlykygr, f (wclclullz6 fvllvltcgrfn Olygr, f...)
 - 3. Right Click nmbuftjcrfulluvpfvly&ygr, f

 Right Click rin Double r&lyg/ (yllylijrefwhvlyaqmi csulaw6

 &zlltwfuf Pop-menu¹⁷ ullc:csi fwlt cgrin ollygr, f...)
- o aemufxyfvlttyfwllwclu drag¹⁸ and release¹⁹ vlyfci fjzpfygw, f usemfwlltae ey'r Numc P qlbvlldrag vlyfzllvlttyfwlltcg&llygw, f
 - yxrwr#uawmhclick & drag Vyfwnyg/ icon (O) ½yylwckhy:rin Mouse ulluvpfvyxm,NyD tjcm,wae&muliqi, bin,wmuliqilvygw, i wpliw&muli ae&ma½hpcsi fwitcgrin 'bin;ulb|w, i'
 - Right Click & drag uawmhtolenfygw, // tcsly/st&rawfin olubleifytheiws/spaqmicsuaw&ffizpfygw, // 0yrm Microsoft Word, Corel Draw awffin Right Click & drag Vlyf, fqkif Copy/Paste ulw/lyti/wnfvk/whvkawhvkaqmicsuaw&fyqw, //
- O Start \ Control Panel \ Mouse utt fruit if Double Click artistismut awthygr, f lypawntt i beam fib i Double Click tjrete tutte fill ygw, f
- O Mouse uhe&ma/Munit, iqkifjrmyhv; [mvnf ae&mavinuia/Maewmull awtkygr, ft]prmyhv; ullpointer vhc:ayr, hokhe&mull/lullypawmhcursor 1 grs [lwf 22 Insertion point vllnfac:&whtcgaw&ygw, f 'gullMicrosoft Word Oicefpma&mullifawtkringy/

¹⁷ b, **fyllflarffrqil grf [kvf b**, f Window **rfirqil**Right Click **vlyfwltcg ay:vmr, fi]rEt}}**

¹⁸ Mouse **ultokm&if wae&muae tjcm,wae&mulbf loft,wm/**

¹⁹ Mouse **zdkmwmullvtvívillívm**

²⁰ Pointer **uliñejyok/lomonjyeßiftqi@jyrvm;rolo**!/

²¹ bmulblutter usemutowy

²² pmawGyllw&nfoffr, fae&m/

Paint program

Mouse **elylylik i (Elyofi;a t mi f** Window default program **wcjzpiwh**Paint **ulb liv)) t //yjuav;awG**

Start \ All Programs \ Accessories \ Paint UIUVp\(\begin{align*} \begin{align*} \be

2.3. Keyboard

uefylwmulitrellay;apcili, zli pmaw&luizlitwiui t"lutolly l&rilijzpivlita&;Bullygw, ii rodjzpi okm&r, inkeys aweliolwikutvyjvyjliwikutaocsmrsvixmzlivlygw, ii

- o ylfeft mjzi hkeyboard awfin key 101-vk&lygw, 1
- O Esc = escape key Vulla lyte ewh vyfi efwch Sx Lufv II v II f m i full lyty y
- O F1, F2, ... = Function Key Offcmaqmi Valcaufsm twlift offyleif (F1 = Help)
- O Tab = pml/alui/vlt cgrin t uint a0; nin in mnijcm, csi i/vlt cgrin oll&ygr, 1
- O Caps Lock = pmv|Bu|Doufoul/alutsifw|ttcgrfn ollultt&iEfyfyg/ NyDrSpm/alu&ygr, 1/
- Shift = pmvHouD/Autsi & if Shift Key uHzdkm,&if tu&mpmvHuHyg wNyHifwnf
 YAU&ygr, #
- O Ctrl = Control = ^ = u&bx 1/4 vjzplygw, f Alt = Alternate = atm/wmedvjzplygw, f Olw W ckel tu & mwckel w W JEBy & if v ky aqmicsulwckull y W Jirefre & apygr, f

```
0yrm- ^Esc = Start Menu
```

Alt + Tab = Switch Program (ten(q) y/ # &rf2-ck6 bkm, &ygr,)

^S = Ctrl + S = File Save = zilfulloffqnfay;ygr, f

Alt F = Alt + F = Open File menu = zlife; ullz6 by; ygr, f wcgw&lfin owEjick/lullwEijikwlt cgvn;&ygw, f

Oyrm- ^Alt Del = Ctrl + Alt + Delete = uefylwmult puaejyely) boot vycilf

- O Space bar = tu&mwv hpmae&njcm;ay;ygr, f
- O Back Space = Cursor b, build pmv law fullzsufay;ygr, f (ta& lbu)
- O Delete = Cursor nmbuíu pmvkawfullzsufay;ygr, f (taemubu)
- O Status Lights = Num Lock, Caps Lock awGz6km^rxmulloElfzlyy
- O Numeric Key = Num Lock rovisaer, squiso-1-2--- pws Pesaw Callest rovisae by a list cursor use & marks to the control of the
- O Arrow Key = Cursor ac&ma/alzyy/
- Enter = u@jylwmullqufvuftvlyfvlyRefneNum;jcif/pm/dluhep0jzpfv@faemufwyllftopfp/dlufcifulljzphpygr, f

O Home/End b, fyllt &rffrqllpml/dLfaewit cgrfn Cursor ullpmaNumi (&ll a&Bql/aemufqllullylby;rfijzpfygw, 1

2.4. Drives

- uêjylwmxfin tcsuft vuáwbilvíni fotjaní kmae knjzpíwh Hard Disk eľ tjcm, Disks awítm, vlauli Drives awívibác: Nuygw, foyrm- A-Drive, C-Drive pojzi bygav/
- **u@fylwm&ht ajccH**Drives **aw@awmh...**
 - o Floppy Disk (A) 1.44MB\1.38MB (1,457,664 bytes)
 - o Local Disk (C, ...) 10 GB to 80 GB **to krsn, ygw**, **f**
 - o CD-Drive (D, ...) 700 MB **CeRW**, **1**
- o Removable Disk (E, ..., B) **aw6&Eliw, f** (128 MB **tolrmw, f)**ylf&ftmjzifq&if...
- 1. Floppy Disk Ullthwrf (Floppy-A) Waznfyw, #
- 2. Local Disks **uawning welven!?** C, D **qllyD 2-cl** C, D, E **qllyD 3-cktrilirili**&Elliygw, I ylloawnajynwlikyg/ triniqlluawnin C, D **qllyD 2-**clcbcmwmrsmygw, I Local Disks jzplwlitwluf uefylwmuae jzkwi, local Disks jy uefylwmuae jy uefylwmuae jy uefylwmuae jy uefylwmuae jy uefylwm
- 3. CD-Drive **uawth** Local Drives **aw@laemurSqully() aznfyr, f**
 - Oyrm- Local-C **WCkVnf&&if** CD-Drive (D)
 Local-C, D **izp&if** CD-Drive (E)
- 4. Removable Disk **Uawm**CD-Drive **& Jaemurazmyr**, **f**
 - Oyrm- CD-Drive (D) jzp&if Removable Disk (E)
 CD-Drive (E, F) jzp&if Removable Disk (G)

3. Basic Window

Window qlvm Operation System (OS) wclyd pull pellvlygpl 'ae't olirsi, whos awluawihlinux, Window, Solaris awlyd tjcm, Os awlun & lygo o; w, f 'ae't olirsi, who window qlvmuawihlapple (Mac) 1984 & lou ulivly) Microsoft u 1990 rin Window 3 uli xlvvy yclygw, f aemuiq irin Window XP uli & muiv mclyglyd olub tajcchy) avlvmoli, lu ygr, f XP qlvmuawihle XP erience ulip il tvmyg

3.1. Desktop

Monitor Screen UlDesktop VIC:YGW, 1

- Desktop & at multipliffs Start menu bar & v, f
 - O Start menu bar **Q livm** Start **a&; x m, wht j y m & m if t we f w c lv li z p i y q w , i i**
 - o b, buá'gi frán Start botton & fygw, f ull tel fesi (why lift & ráw lej lull a & muát mi foth z lit w luf o lull u v p k lygr, f

 - o nmbuá gi ir frawnh Day-Date-Time uply pawnh to krsm, a vity, hicons aw cull v 6 for cull, Eli Elijy x m, w maw crygr, 1
- tv, burmicons awkly, f
 - o icon **WCLUI**Double Click ('gr\$ [kwf Right Click \ Open) **VkfwJt Cgr\$n**Outq ii (w)Application²³ **WCk/G fv/mr\$izpkyqw**, \$

_

²³ olub, f/lijym&r, f&fawmifolot/ avmavmq, fawmh'ltwlifblxmygawmh

3.2. Start Botton (^Esc)

- u@jylwmullydvfzll'gr\$ [kwf vlbsi fwhyl/lt&rfwclclulb6 fzlhw&ull'lluaephyl)vly&r&n
 jzpfygw, f

 - O UN Elitsi (whapplication icon WCN[m Desktop ay:rinkler, fqkift] Dicon UN Double Click (Right Click \ Open) Vylynzi (v lv n) &ygw, f Start botton UN Oft,zi v lwni Diaygi

Short cut icon jyk/lyjcif

- UH ftoHrsm, fiapplication icon awwildesktop ay:wifxmEllygw, f tJN/H ac:wifxm, fqkifuH ftaee/ta0;Bu/Av/mufoffaez/tvHwmloJDesktop ay:uaebJuH kl/Application awwildwl/All/26Ellfawmf6jzpfygw, f 'Awmh Application icon wcluldesktop ay:b, fwl/wifvbHwmNunNu&atmif
 - O Start \ All Programs \ ??? Ub&mubtmi foft, viuyy ub forts (whapplication ubawbybqkif olubright Click \ Send to \ Deaktop (Creat Short Cut) ub uvpfykluwebtqibiyoft, rbyg/

_

²⁴ XP & Window awf fraw minshut down vib w, 1 chomptvilayguly) Turn off jzpiofit violo!

²⁵ Oylylatmi frift&chvhwindow 3, 3.1, 3.11 aw&hemuffintpoll thultus, fatmi frichvm window 95 yg/ 'gayr, fwindow Operation System tppf [kvfo;yg/ DOS ulloll&ygao;w, f/


²⁶ wu, fiwindow tpp/zpi/mly/awmhatmi/rif/vn/y/k/myqw, /

²⁷ 98 **aemuffixyfay:wmwh**window 2000 **/ Oluawm**internet **ormawftwlift"lixmw, f/blygw, f**

²⁸ 2000 **e**Yme **eJulionvii Bvmuftcshelbuav;twii frinkiviviya&mi fcsvmvdiivm tcixulullymjym;rolao;yg/ me qlivmuawnhaxmi þelpf** millennium **uliqlivlmyg/**

3.3. Floppy A Estrile rsn \ t1/6, ftpm

Floppy (A) topiwci[m 1.44MB & ygw, f' gayr, holtvynytellspace et.], km, witwluf 1.38MB ubusemiwibilwkygr, f' gallumin floppy-A uli 1.38MB b& v, iwhjym& iwl rfinygb!/ topiwciu bwmu&v, iqkifta [mi wcua&m used space / free space b, avmu&v/ odsiw, iqkif My Computer uktiyy floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Right Click vyyy ay:vmwnpop-up menu xu Properties ulizenin lukifyg floppy A uli Righ



tjcm Drives awd used space / free space ull/nf 'enfelppaq; NunEllygw, f Documents / Folders²⁹ awd size ull/nf 'enfellunEllw, f

Computer size unit I'M; pmwv|| (O|| Space bar WCSUIV(I 1 bit


8 bit = 1 byte 1024 bytes = 1 kilo byte 1024 kilo bytes = 1 mega byte 1024 mega bytes = 1 gega byte

²⁹ Folder qllvm pmzii hwli tikyfzii hwlipwlizii hwli rsviwrfawliphygi fodfqnfxm;wliae&mwclyg/ olklrki ft"lyli, fuvnft! ltwli f-qi iwlygb! pml/kupmwrfawlodfqnfzii tdvluav;vliglygw, f


3.4. Explorer³⁰

Files/Folders awillirefrektizi

- Explorer ulltollyliciftmjzihrtehzilawellefazemfnylijreapygw, f explorer / Window Explorer pojzihac:Nuygw, f
- Start menu UllRight Click VI/VILLRITW buffiyx mwltwll pop-menu ay: Vm/qr, 1
- t/ku Explorer uliclick vlyfvlufyg/ 'gqlkif Explorer Window ay:vmyglyll



• Desktop ay: U Folder icon Off [W My Computer UllRight Click Vyly) Explorer UllClick Vylki (\(\text{V} \) Explorer Window ay: \(\text{Vmr} \) Explorer Window ay: \(\text{Vmr} \) if \(\text{V} \) if \(\te



• wcgw&hfin Explorer ukffvlufayr, hjrifuff 1-bubjri&whtcgaw&fygw, f'gqkif Folders vh&;xmwhicon uhuvpfvlyfvlukifjrifuff 2-bujri&rfijzpfygw, f'tjphrifuff 2-bujri&wmuhDirectory Tree view vhc:ygr, f'(xp, 2k, ME whfin twlwygb) tjcm, os awffiawmhview uwqihExplorer bar uh/fyg/lypawmhFolder awfullvpfvlyf, fqkif Directory Tree ukvmrfyg/)

_

³⁰ **oluliwmbmr&frodo;vii'itwiifbkm,viu0)r, hen/ rod/it&km,wmaw&Jwckuawmb}/**

^{&#}x27; Bwmlum aemulyll fus ci Asnywlb d/mwlt cq usaemlu llyebjynjyzll/nfrarlelben/

• ay: VmWhExplorer Window &hScroll Bar Ulla/Munit if tay: qhrin

Desktop

Floppy A

My Computer pojzi haw Rygr, f' 'gaw Lulluv pívlyr', fqlk i f nmbujcr (rín Obbufqli Whitles / folders aw Lullaw Rygv thr, f' 'gqlk i f Explorer Directory Tree ub Nyhawmh ull Rkli aw Lullire (refe Ell Nyh [kw/m,/

Files/Folders awultrnajymi (zl

Explorer ullo lity pawithaw & Ith Files/Folder wcklull Right Click vly lukif popmenu wcky: vmygr, ft blu Rename ullu vp luky luky gqkift b File/Folder trn ullselect vlyly pomjzpaew mullaw & ygr, full ftop fyefay; csi whtrn ullublaw ullaw ulluw ul

eFiles/Folders awillae&ma/lell31 Copy-32 Paste Vyzi Font install33 Vyzi

- Explorer uitolyylly) awlklymwhui, khfiles/Folder wckullmouse zokm&if ajymifal/llxmcsi/whae&mullwlul/llulq&nfvlulyg/ 'gqkift/klifullae&ma/ll vly)ogyqlyb
 - topájymi (whae&mell rlvae&mwl[m Drive rwlo) qlk i í rlvae&mrlin rlk i (zli luseheygr, l'topájymi (whae&mullcopy t jzplylby;wm jzplygw, l'
 - Drive WWw, Iqlkifrlvae&mrinrkifziifruseawnhyg/topajymifwhae&mulkCopy/Paste ylbhyllwmr[lwlb]Cut/Paste ylbhylly;wmjzphygw, f
- 2 aemulwenfuawmull MinFiles/Folder wckclullcut vlyfyg/ ajymifa/Allxmcsi lwh ae&mrin Paste jyelvlyfyg/

Font install Vyz

Fonts qlvm pmvkylldwyg/ jrefmpm/ducsiw, fqlkifpubchinjrefmFont &lkm,&ygr, / 'B/B/Ju&ifm/ducsiw, fqlkifpubchinu&iFont &le&ygr, /

zii aw Cullae & ma 1/4 Eli fovii t j len faw (t wii f b) Font aw Cullun f install v ly Eli fygw, f

- Font & IVIDrive(A, C, D, ...) WCKLILIZI IVD install VIXI IVIDrive(A, C, D, ...) WCKLILIZI IVD install VIXI IVID INSTALL VIXI
- C \ Window X/fin Fonts folder & yww, f tj bk/fin Paste Vyfv Likif Font install Vyfyboftyygyd

Fonts folder ullen! 2-en!eloftElligw, !

- 1 C \ Window \ Fonts
- 2 Start \ Control Panel \ Fonts Ull tqifqifof; Vlukif & yglyll

³² uł, kmwlwpllwciulijyellyflyfit}vlluwmulic:wmyg/


³¹ wpllwclulluł, lwmyg/

³³ u@fylwmxrbitolfyk/katmifxnb0f/wmulic:wmyg/

Folders **topwckewizi**

Explorer XLI UN ftopixmcsi in he&mt v in with Right Click v y ly pop-menu XLI New \
Folder UN a look of Folder topinch v mygly b train of un bull in htrai
wcgwnfay; v ll & y gw, f

aemulwen (uawmmimicrosoft / Page Maker wikin Open dialog box xfinn). Folder toplwck wnaqmuellygw, file/Open vyfulliay:vmwhbox &htay:qhweirin Create New Folder icon ullawlygr, fi



tJ Dicon ullClick vlyNullyD xylay: vmwhBox xf in File name 1/4ulx niyg/ OK vlylyg/ 'gqkif New Folder wckvmygr, 1/

3.5. Recycle Bin³⁴ (Files/Folders **rsnul** belete **Vy[cif**)

Files/Folders awwildDelete vyviluwmeywu, tsuffinm, f [kwb; vm, q llwmull uefylwmu ar; yqw, f t] Dbox xffines q kifzsuyqlyb no q kifrzsu awwy/

zsulyDoft,whFile/Folder awfullufgylwmuae wcgwnftlyDtyllfzsulypf/lufwm r[kwygbl/ Recycle Bin vhc:whtrlufykxhhacwiodfqnfxmay;ygr, / vlty&if Recycle bin ullflyDull lkhlifullRight Click \ Restore vlyby;vlu&ift/klifv&lwhe&mull jyeb&muloft,rfnjzpfygw, / 'gql&ift/klifulljyeftolyylEllNyzpfygw, /


aemulwentuawnh Recycle bin ultity) ultitali ultright Click \ Cut Vlygy ultityekm; csi whe&mullexplorer uwqi logyly)awnhpaste Vlyjci (elvnt zsuly)om; zli fawfulliyeft oliyleli (yqw, f

zsulypomziláwiliRecycle Bin xfin, m, bolfqnfay;xm,wnjzpýgw, f uli luegylwmxuae tlyptylizsulypcsiw, fqliawnhexplorer uae Recycle bin ulicityluyg/ lypawntsfile \ Empty Recycle Bin uliuvpívlyvluliciftlyptylif zsulypívluawntinjzpýgw, f

³⁴ trluýkvkbltrsmuac:Nuygw, f

3.6. Calculator *Pe(wupuft o)/y/cif

Start \ Program \ Accessories \ Calculator UllClick VlyfvlLikif Calculator WClay: Vmyglyll



Calculator View 2-Cklygw, 1 ylfleft olyylolawlt wluf tolri kwlt will standard View yg/ylflyxmwhview menu atmulu scientific ulluvphlukifyllyprmwhcvkvluav;awlull &&Lmygr, 1

t/ DCalculator ulimouse tolyylly) which will by likeyboard uaevn(which will suff) yow, for taygif(+)? telw(-)? tajrfiu(*)? tpm(/) twh wawmtwhojzphy) no csif(=) twh uliwmhkeyboard ring it is enter key uliology, for the context of th

3.7. Character Map aymunew.bmv.law&fizii

Character Map **q livm** Window Setup **rink Es hybomyyy to ken kwhonykaw&izitwiliyy usaemiwibni/iluiae&i key to iluo au i**waw& tu&maw&b, **rink Eskrob**k q iiwitcgaw&iio olubkzii/ygr, ii


Start \ Program \ Accessories \ System tolls \ Character Map UllClick Vl/VLLRif Character Map box ay: Vmygr, 1 atmuffiylully xmygw, 1

tu, f System tools Xff Character Map &faeb|qkif...

Start \ Control Penel \ Add/Remove Programs \ Add/Remove Windows Comopnents \ System tools

Library Add/Remove Windows Comopnents \ System tools

Microsoft Word **rinawinto Notify**, **f**xiyy Character Map **tpm**, Insert \ Symbols **uble Notify** (Insert menu **tce!ring!** (Insert menu **tce!ring!**



4. Microsoft Word

Microsoft Word Q WM Microsoft Office Suite XLI pmp m/LL/1/2# & r/wclyg/ MS Office Suite XLin

o Word pmpm/allf (1/4/01)

o Excel pm&ifZ, m;

o Power Point Presentation & VI (WI) VICI


o Access Data base o Outlook Email

o Front Page Create Web pwhy/##&rhwyg0ifygw, #

Start \ All Programs \ Microsoft Word Unliclick Vly/ Lukif uefylwmuaelylawmms Word unliclick Vly/ Load Vly

MS Word Window

MS Word Window ay: rin rjzpraeo Mu&r, frok m&r, fittle bar / Tool bar awull avimuniu&atmi / atmurin MS word Window ay: rin tvy / y / will azmuz myaw / //



- Title bar
 - **VU&&Cbkm,whzli &lemrniullazmjyaeygr**, */ y½t&rftm,**v\kr6n'**D⊤itle bar **r6n** zli emrnawazmjyygw, */
 - o nmbuá gi irin Minimize, Restore, Exit bottons awklygr, / y/li &rft m, v | Irin bottons awklygw, /
 - o wpłwckemniułotsiw, iqiki foltay: rin Mouse ult Pav; wi fxm, Nuniyg/ 'gqki fokkemnipmwr fav; ay: vmwmuliw (kygr, fyl)tł krintm vitrin' lenjejuli fodo; whicons aw Gelements aw Gements aw

Menu bar

o yhtarftmvhrin Menu bar & yw, f File menu Uae Help menu txiyg w, f tjbE;awikrin uli wyaqmicsi whoommand awill krijzpiyg w, f

Toolbars

- O Toolbars **Uawmh**Menu bar **riklivh**Vyaqmi csuf Command **awku**toltrsmqli Command **awkulit**VG wul, **bleii atmifphn**(ay;xm,wm
 jzplygw, i Toolbars **Ublici**(tmjzihVyaqmi csulwckvycsi wit cgrin
 Menu bar xDiiy) tqi iqi iavmub@aezirviwmiyg
- Tool bar aw@tmv#ulltN:lwrfv#tyfaerfir [kw/yg/ 'gaNumifito#rv#o; whbar wc#ullydvfxm, fqkifull kbwef#k@l/\$vhMonitor Screen ull/nf, yllyfae&mus, fus, fto#ylEll/ygr, f b, fwydvfv/ ae&m2-cluae ydvEll/ygw, f ydvfxm,whTool bars aw@ull/nf, t/ Be&m2-cluaez@Ellfygw, f
- o yxrwae&muawmhview menu ulkū hyb olatmulu toolbars ulbjulzū lyg/
 t] bin tr\$viuav;awjcpixm,wmaw@awmhvu&ku bxm,whtoolbars awg
 yg/ ull ivltsi ivltvciulluvpivlyivlu&ii tr\$vijcplybom;zpio@ylyb
 wlylli ivm{r@b]zū lybom,vnijzpio@yr@yg/ ydvcsi ivltvciullvni;
 uvpiwcsuivlyivlu&ii ydvio@yr@yg/
- o aemulwae&muawmhtoolbars tweļuae&mv@vlwckr@n Right Click vlylyg/
 'golkiftools aw@trsmBuDx@u/mwmullaw@kygr, //
- o ylteft mjzi iqiki iawmhusaenft aeel standard el Formatting toolbars Epiclubli tirki bemavilitym, fueiwmawilitwm/ttyfeigw, f
- Insertion point
 - o pmpm/du&if'be&muplybay:rbjzpfyqw, folkullcursor vlk/nfac:yqw, f
- View bottons
 - o jrifuff, 4-rs/&f/gw, / Print Layout View ultoftrsmqlyg/
 - tjcmjri luf(xL)awmhoutline View [mvn(wcgw&Hto)wnfwhjri luf(wc/zpf/gw, f/)
- Status bar
 - VukükmuhewhpmrsuEinkhelygweJpmaNumi fa&? pmv\ta&twiuhwiullaznjyaeygr, f
- Scroll bar
 - O Scroll bar rin arrow key awawir, txijygw, i tjilijawililimouse eli Uvpivir, tqilikif pmi/ali[mvvllivia/daerinyg/
 - o 'grf [kwf scroll bar & tv, fike by botton ulimouse elui hypa / iki kypa / i
 - O 'Be&mrin Mouse's Wheel toly/bylylulententhunkatmi/pm/&uull ae&ma/Munkitwiuf Scroll bar ultolibJ Mouse's Wheel ulbleiliggw, // Mouse's Wheel [mollwwkiftawmftol/0i/witwiufolulbjjcm;atmufin qullunlu&atmi/

- using Mouse's Wheel
 - o pm/sLicible&ma/slbttw6ciqtkif Mouse's Wheel ull/\$nby;//sbygylllv\$nbunbyg/pm/sLib/sbewmubw6kygr, f
 - O Control key ukokm&ifeYwheel uk/\$nNunkyy/jrifu@ftajymiftvjzpfae wmukw@ygr, // ta&Boufuk/\$n&ifzoom(+) jzpfr, // taemubufukl v\$n&ifzoom(-) jzpfaeygr, // (y½#&rftawmrsm;rsm;rsn 'bybkYjrifu@f csU'csU Ellfygw, //)

Lesson 1 Approach to Microsoft Word notap:miat:

yxroice(pmtaee) okmoi (whtcsuf9-csufullav/vmlunikatmif...

('Be&m'fiwc|znly|ajymsilwn&lgw, | bmv|qlwnhu&fylwnelqlilwh tac:ta0:aw@ull&ifEBuRfOiAeatmilv|ybxmzllvlygw, | bmv|lv|qlwnh tac:ta0:awnawnfsmrsmullusaenwlltclo|laew|bmonpumaw&lqav@atmif bmonjyebltulygw, | 'Bkulylljyn&r, | qlkifu&fylwmto|ltEefaw[m rlvt*kvlypmellwmibyfrwlwnaw&lygw, | 'Bwmlolulloltwilfbac:wm yllyaumifr, |zplwltwluf&ifEBuRfOiAeatmif*/ylybllvlygr, |)

- 1. File Document Publication topiwckiir, i zeiwir, i
- 2. Document window fit jzphtmi lyfr, 1
- 3. pml/fuftaetxm, refrref ull folksifwlyll llwfr [lwfppfaq;r, f
- 4. pm//Luftaetxm, jyifqifr, f
- 5. yllifei 'qrif [kwi tollrsm, whpml/sLuftaetxm/
- 6. ph/Bulluf pn//Buftaetxmulloefault (yllo) jzpátmi b, f/ll/lyfv/
- 7. Select Vylw, fallymbm/ bmallumi fiselect Vyllu&wm/ select Vylwltcg yllylijrefael/ fulatmifshift + arrow key awlub, (vlbl/v)
- 8. Text awullalign (b, fnm-A[liñ] jzpátmib, fvl/lyfv/
- 9. Text **awûli**style (Bold/Italic/Underline) **b, îvlijymi (rv)**
- 10. Line spacing (Leading)³⁵ **e** Paragraph spacing³⁶ **Q IV III D III V**

'gawGull'libite(pmrlinavlvmlu&r, f

Document topwckewer, f

Microsoft Word rin pmaw@uzit wuf

- File \ New UnClick yg
 - o pml/LuftvGviw/Lufe/t/btay:rin Insertion Point ay:vmygr, f 'gqkif pmp/Lufvkyglyb 'gayr, hpml/Luftaetxm, [mull fvltsifwhtaetxm, [lwfr[kwft&ifq||ppfaq;&ygOpr, f 'btwfuf
- File \ Page Setup³⁷ UllClick **yg/**
 - o 'gakif Page Setup Dialog Box³⁸ ay: Vmygr, ¶ Margin, Paper, Layout aybawmbsection 3-chw&ygr, ¶

³⁵ pmaNLmi (waNLmi (elwaNLmi (&h t NLmu t povítusuklajymwmyy)


³⁶ pmyllfwyllelwyllftNumu tphyftug tugrta0;ullajymwmyg/

³⁷ WCJJYZ & KAWEGAWINDOcument Setup VIDNYGW, 7 TWWYGDJ

³⁸ Dialogue &hVt"ytj, Luawnttjyeftv&pumajymaq&E&wmullqlVllvmyg/ Box ultrsnqlkolluwm uawntaownayghen/ 'gayr, ftjcmt"ytj, ftaee/ofjcmae&n/ ½(vur\$v/); ticket box) t/B/b|wm aw&n{&ygw, // 'BwntDialog Box ullaq&E&mae&m/b|kifoibv@f, 6xiygw, // wu, fqkifvnf

- O Paper **u pm//Luf t//6, ft pm, a //6z ly g/** Paper Size **ae & mr in** A4 **u li** Check **v/y/x m, y g/**
- O Margin **u** pni/Lullitem (xulatmulab;awl) tu0(^tus, fa/kzlyg/ Default Margin **u** 2.54 - 2.54 - 3.17 - 3.17 cm piwl) wm jzpygw, // inches taeeluawnh1 - 1 - 1.25 - 1.25 inches jzplygw, // Orientation rhawnhPortrait ullCheck **v//xmyg/**
- o polveullu a 1/2 cs, Ny D& if ok v ly ly g/

Page Setup Check Vlyfwmulltlir/ll/ll/ll/lyfzll/lltyfygw, / txlojzihull full feeusuefylwmr [kwb]tjcm; uefylwmwvllrin tvk/vkr, ftcqrs(awf6)yg/



ull folksi fwhylibit like zitt welf ull elluefylwme it jyeft ve pumajymwhe emr [kw/m/ 'gayr, holalog box ullolalog box vib r sviwmu tes (qlizpfr, fe i íygw, folalog box el cyfqi fqi jzpíwhe mufwrthuawmh wizard jzpíygw, folki fuawmhar fiqem? ult fusi fol pwit "ytj, kygw, full folksi fwhock kzlitwelf ull fwili t ptqlivyzir vib Jwizard awellitqi fqi fajzes fay; of the jylwmu ollomomolajzes fay; vyloftay; r fijzpíygw, f

pmp/aluzattwiliftoolbar xlu Font tool rin ut ftotylykvilwhFont utla%cs, ixmyg/ Nyp&if atmuffiyxmwhtwiif Malunhupl/ pm/aluwhtcgrin bmutfSFormat³⁹ rvylygel/ Mal/AlbJ Malunhupl/ pm/aluwhtcgrin bmutfSFormat³⁹ rvylygel/ Malun

Original Text

olodotyl)
6-Epitlic humi hv; wa, muju olitaruli lybvmwli jgw, f
nbav; uoliqlyi fullaqmi iqfw, fwli taru om; ullomygw, f
]|nbav; ullpdwrqlygelom&, folu qlyi iqfki f
emw, iqlwmrodolav)}wli
cPaeawmi loliwok fulwnjyelw, f tarajy; vmawnin bav;
olule[[plybi liewmaw0 &w, f
]|tclobolony} om; uolitarulopajymw, f

Formatted Text **ODDAND**

6-Epitt/G faumifav;wa, mufu olitaruli illybymwlliggw, f nbav;u oliqlyifullaqmifqfv, fwli taru om;ulicsnygw, f

]nbav;ullpdvfqllygelbm,&, f olu qlyifqlkifemw, fqllvmrolblav}wll

cPaeawnh i lbliw&Gulvnjyelw, f tarajy; v mawnh nbav; olulef[phypi lie w mawQw, f

]tclobebenly)) omuolitarulq Pajymw, 1

- 'pmyllfullo, follformat vlyfovbllvm Nunkatmif
 - o acgi (p0pmwr(ull select vlylly)) Align Center (^E) ay; vlulygw, 1 style twlulawmh

 Bold (Sh^B) e! Under line (Sh^U) Epck/kay; xmyqw, 1
 - O USENIOMT III, VIII UNI Select N. Align Justify (^J) ay; ygw, 1
 - o pmyll awllall fin Cursor csyl) Tab wcsuplacgulygw, 1
 - o pmot/fushew.pmaNumifawfull taeawnfzpfofiratmififygw, f (ushew.pmaNumifatmuffiffydw) pmaNumif&h&Bopkem,upmvkaw6kJoihwnf, he&mawffir space bar acgufay;//dyglo)
 - o aemuiphtaeey pmt my hull select Ny) Format menu \ Paragraph \ Indent and Spacing \
 Spacing XU Before ae&mrin 6pt ull \ \my \ \Livmyy \ 'gqlii pmyll \ (wcle) wclt \ \Lim \ tulita0; [m 6pt plzpfoliyy) \ \]

³⁹ uêjylwm fawmhpmawe t ½yawill t pit p0cswm2 ae&mwuspi00/wmullFormat v liblygw, 1/

Lesson 2 Drawing Toolbar quicongrante qui con qui con

' lacgifpOfat muffin priviDifpmp&maw@trsmBuflaw@krfinyg/

1. AutoShape

to in the property of the state of the state

- 2. Line, Arrow, Rectangle, Oval

 Line(r①faNLmif), Arrow(jrm,), Rectangle 40 (av;axmi), Oval 41 (bDy) Tools aw Lil

 aw Rygr, full ftaee! vity/wmaw 8&;qfitwij ou fpi km Tool uij Ny)

 tv; wula&;qfil/gr, f⁴²
- 3. Text Box

 Text Box 2-rs. & ygw, 1/ wrs. uawmhyll & ygb) aemulwrs. uawmha' gi folluf

 pmaw & luzik/livit cgrino | ziyg/
- 4. Word Art

 pmv/ll Ell (tvåw6/ltsi/w, fqlkif word Art 43 ulb/lkrfnayg)
- 5. Diagram

tzBtpn(wcb, Włzpn(wnaqmukmw, allwmdułl&s))ycsiwitcgra 'Dvclutawmułtokoiygw, / vuawboklunluniyg/ (Insert menu \ Picture \ Organization Chart) elaiwygw, / 'gayr, h'bautrdtpmyblygw, /

Diagram Xffi to if, blell interemy blo-clay; xm, ygw, i wclcluby ics, lyd ok vly lukif Diagram wcley tool box wclay: vmygr, i

- Insert shape **uEijtyjawnh**Diagram **yliwilixyiwljznioi** (Elliygw, f yloityw, iqliif Select **vyly**) Delete key **uEij**iyg/
- ◆ Move shape buttons Eptuawmyhwtulta&U-taemufpp0tlyg/
- Auto Format Wiki iv ILL Rifylly Drsm, wh' II il frsipill liw IRygr, f

_

 $^{^{40}}$ Rhombus tem, 4-buhDpwkefyll/ltsikifCtrl key ultokmjlyD qkygr, 1

⁴¹ tcwy/#krawffawnhellipes vlollygw, f Olifpuaewhpublifyll/ltsi&ifctrl key ultdkm;lyb q&ygr, f

⁴² tj Dbottons **aw@iluvpŃyŃluiwmej** Box t Bußlußwchy:vmygr, f tj Bkfba&;q&siiwnf &ygw, f 'gr\$ [|wi tj DBox ultvlbsi |b| - q|&i iawnh^z vy&ygr, f 'gr\$ tj DBox aysnufob;ygr, f ulj ivlbsi iwm ulvnf, q&vkygw, f

⁴³ Word Art botton UNIVPMYMURIf WordArtGallary dialog box ay: Vmygr, 1 tjblu ull Bullurwcull UVPMYN) OK UNIUVPMYMYr, fqlkif Box Wckyfay: Vmygr, 1 tjblfn ull Bullurmpum; Vlawb elypmylylllf, Font) awfullal/flypolellygw, 1 Text box awfullollr, fqlk/n; 'btwlifygb' Text box qlayr, fi pmawftiyif ////yllwfull/nf ×nfo6fellygw, 1

- pni/allicit williawnhclick to add text ae&mawfin uvpi/lyth)
 /alli/alygic/
- 6. Clip Art

Olulu phylolulli f Clip Art Gallery ay: vmygr, 1 tjblu ull Bullullmyll awlull, lollell fygw, 1 (Insert menu \ Picture \ Clip Art) el twlwyg/

7. Picture

own(b)clip Art elruthygb!/ utijylwmxrtittivhi//yyil "gwyllwtullxniot(vlivltcgrtiothygr, / (Insert menu \ Picture \ From file) el tww/ygb/

8. Fill Color

Drawing Objects Qf kmwh/ky/WvcRhtwffta&mifullajymifay;ygr, 1

9. Line Color

Drawing Objects **qf km; wh/kyfwckhabmi f/ii f ta&mi f r0faNumi faw&h** ta&mi fullajymi fay;yqr , 1/

10. Font Color pmvkaw&ht a&mi Luklajymi fay;yqr, 1

11. Line Style

q&mwhrOfaNumifaw&htxltyg;?ybbw&ubl'b6na%;, Ellfygw, f

12. Dash Style

rsofanlumi (wanlumi (two (ron tpulo, Epipulygv) tpulawoullb, Wyhrsk tpitpocsrvją wymuli beamron a 1/6, Elilygw, 1/

13. Arrow Style

jrmybbw6ku ub Bubliwmub, 64/byg6/

14. Shadow Style

oluawmtt&ylusylyg/ ull fq&lulwh/kylyllvclullb, fxllt&ylusapcsifx)... 'bfbpdvBullufyllyi Ellfygw, f/


15. 3D Style

ull qlkmwhyllwfullolloujrifyldzpátmifylgy;ygr, f

Connector Ulib, VIDITVI (Autoshapes \ Connector)

'bipOfpmMunixWckiygw, i connector ulbmaNumifolixWbvi olixibvikif
bmvlityi iyef chyMuniaeawmrvaemi wcgwavriawmhwu, iulwlwhtcgawkiw, i
vlwbMuniawmvltqi fajybi/ orsqular;Nuniawm... olwlwholbi/ [lww, ii
tollen fawmolyfrolbijzpfoliqwmyg/ odliki awmi fstollen fawmharloliqwmaygli tclwl
arki arloliq ribyg/ 'gaNumi hpmtlybknia&;xmay;vluf, ii arloliqwhtcgyeNuniaygli

Connector ullo | Lake |



- yxrq|| Drawing toolbar XU Text box u|| Mluyg/
 box thupupwchy: vmygr, / tjb:/firm Text box wclqf, Mluyg/
 pmaw@luxnivluyg/
- aemufxyfvlttyforQText box awGxyllyflyllyf, IvlLifyg/
- Drawing Toolbars \ Autoshpae \ Connectors XLI Oiawnf, bvc以外, MLlyg/
- Text box wckhb;emrin Mouse ultsxmluniyy
- Text box abmi ay: U Mouse elepwheamm tiymaami ft puluav; away: vmr, 1
- t/he&muae drag qh/haemubxyfText box wchy:uliqhc:vmyg/
- aemutyf box rawl tjyma&miftpuluav;away: vml/bykif Mouse Release vk/yg/
- 'galkif Text box 2-clullConnector elaulo (Mylygy)

Lesson 3 Table

- 1. Table WCb, WI Knirvi
- 2. Table column awultusi, tb, fb, follyfry
- 3. Columns & Rows awulinhimmijzpatmib, whitv/
- 4. Table WCM Row WCM Row WCM Select Vyrv
- 5. Align ñilwmullb, fvll/lyfv/
- 6. Cell awfullaygi (Nunfr, 1 cllunfr, 1)
- 7. Table XLIVILYIW he & maw fin ta & mi fb , fv lk n lr v /

word xtin pm&ifZ, m, wck/hlufelit wfuf

- Table menu **e**
- Tables and Borders tool bar awilliokkygr, 1

Document topiwciuli file / New vylylyzi ivilliyg/ File / Page Setup uae pm/zuftaetxm; ulippiaq;yg/ vityoviiformat vyjyg/


Table Menu \ Insert \ Table Unick Vy Ligy Dialog Box WChy: Vmygr, I Dialog Box Q Wm Command (Vy Amitsu) wckt wluf bulkvi ly) jyi q i Elit kulyy

Dialog Box XIII

Number of Coloums (Z, $m \setminus a'gi NLU)$ ae&mrf n 6 Coloums , yy

Numbers of Rows (Z, m\twefvL) 5 Rows , kmyg

'galkif Z, muluíwckvmyglyb atmuffin Z, muluí 2-clul , Djyxmygw, f wclurw/luixmywh Z, muluíyg aemuiwclu Format vlyfxmywh Z, muluíyg b, fyll Format ovblomullavlymlunkatmif



Expenditure for ... Training

Expenditure for ... Training

No.	Description	Units	Price	Costs	Remark
1	Paper	2 pack	500	1000	A4
20	Pencil	2 dz	100	200	
300	Plastic Bag	2 dz	200	400	
Total				1600	



Description Remark Units Price Costs Paper 2 pack 500 1000 A4 20 Pencil 2 dz 100 200 Plastic Bag 1600 Total

Table

Z, mulululijyniphitmil/alulyipolityipikif

Columns awult & in yg/

Columns awilling Line away: fin Mouse ulivite; Munitif Cursor yill writing off; which awill awill, if Mouse uli zikm, if Drag quinty of Columns' Line [muli quo ulitilulivity, if then fell columns awill tush, tush, full of tush, mulitilulivity (eremiyxmwhz, mulitilulivity, if)

Column tus tus, f

- yxrtululululvlvlulv, f
- 'Itulialius Willw, | Remark tulialiwnhajymi (Vtrvly)g/
 Column ñlii
- 3-4-5 tuliawliliselect Vlylyl) Tables\Auto Fit\Distribute Columns Evenly Uli Click Vlylvllygw, I 'gqliif tiltulii3-ulii[mnhhmmjzplolqwmuli awlkygr, I

Align ñti

- Table WCh/hull Center x Center Vlytxmzllvlygw, I 'It wild Table Wch/hull Select llyth Tables and Borders tool bar XLU Cells Alingment XLU Align Center Ull Check Vlyhlukil Cells tm/Vll Center x Center jzplottygr, I
- *Pefwefzhaznfywhtuluhwli (No., Price, Costs) at mulupmawluh Select Vlylyg/ Format menu\Paragraph\Alignment Right Uh Check Vlyl\Ulyg/ 'gqllif nmbuluhtninkm\lyfizpioliygr, i
- Total **tuliffi** Insertion Point **CSXMYg/** Price **tuliftXuli**Select **VyXMyg/**Table\Merge Cell **Uli**Click **VyXVIIIRif apmapmu** Select **VyXMyWh tulifaWG aygifOfiywmuli awRygr, I tu, Ii aygifNyDomuli jyeksuksiW, Kqliif t/ItuliulijyeNyl** Select **yg/** Table\Split Cell **Uli**Click **VyXVIIRif** Dialog Box **WChy:VmWmuli awRr, I t/Brfii uli VlisiDaVmul** Columns/Rows **ta&twliuli/Luxniy** OK **VyXVIIRifaygifxmyWhtuliawGyeNyUlibfii wmuliawRygr, I**

ta&mifxnfcif

• acgifpOl tay:qhtull atmuqhtullhwluh Select Vlyhly Tables and Borders tool bar\Shading Color XLJ ta&mi\Wckay;Xm\wmyg\'

Lesson 4 Save & Print

- 1. File Save Offqnfjcif
- 2. Password Xnfci
- 3. Header / Footer Xntil
- 4. Print & Print preview
- Document Wcktm offqnfjcif

Z, mululiphvBullifyi qi NyDwlt cgrfn File \ Save VlyVlufyg ay: Vmwh Dialog Box Xfn File Name ay; yg/b, buftay:a' gi frinkflyh save in ae&mrin ull b, fae&mrin otfxmcsi ovqlyvmulla/kyg/ (yhfeftmjziliqliif awmhy Document Xffibkmhurflyg/) NyD&if Save ullyfvlufyg/ 'gqliif apmapmu ay; xmwhae&mrin (My Document Xffi) ull full Document ull offxmay; NyD jzpfoftygyll

- Password Xnfofficif
 - o Password Xnth/hty&ifFile \ Save rv/y/yell File \ Save as ullal/scs, fyg/ay:vmwhDialog Box XffinFile Name ay;yg/b, buftay:a'gifrfikflyhSave in ae&mrfinull b, fae&mrfinolf(xmcsibvbl/ymullal/syg/

 - o Password to Open/Password to Modify tuliawikin uii kulvuosuelygwizpap^pmallumi ijzpap Wulxniyg/ Wulxniviluiwh pmawGelygwawGwlonizpap^rwlonizpap &ygw, // ta&;Bupwmuawmhuli kul Password uliuli lomom rsvitelyg/
 - o Wally Dolf, & if OK Villy ay: Vm Wh Password to Open Box X is apmapmu Password to Open ae&mrsn Wallow, will muly el Wallay; yg/ OK Vyr lukif Password to Modify Box jyeay: Vmr, f tj binvn; apmapmu Password to Modify ae&mrsn Wallow, wmulijyel Walay; yg/
 - o NyDolfr&ifok vlyNulyg/
 - o Save **VlýíviLlýg**/
- Document ta[mifwcktmjye&fijcif
 - o Save Vylyhoft; Whocument ullyhvivillyg/ MS Word ull/nf, yhvivillyg/apmapmu Document ullyekfillinkatmi/
 - o Desktop \ My Document **Ultify) apmapmu** Document **UliyeRiMUniyy** (uli bitxmwhe&muliul frivitaibwmhye&fawmjyóemawEliygw, !)
 - o Open Vylyy

• Header/Footer Xnfofficif wcgw&lfin //Lifemplyom? Print Vyfxmplyom, Document wclullusaem/wlijyelyl&fizilvltyfwltcgaw&lygw, f'gayr, ftJDFile ulb, ffin Safe Vyfxmr&frolo!? Nyfawmfrile name b, fvlty;xmr&frolo! ... qlygawm...

'gakift/pmziliulitenți, fyelyfjyifair, ? Print Vlytsir, f... allulitegrin...
tu, firm, File name Ot, ? File Path Ot, fakift/ziiiuliolae&mrinofi,&in
ziiiuli/zibayyii

aemufxyfwcgiyel/alulkrvm, ... [kwfwmaygli &&rawlawmlotqlkifjyel/alul/alu vllyt) bm&&DrvJ...

tjwijzp&atmifulj fsave vlyfwkilawffn Header/Footer aw6kn6km;ay;zli vlygw, fb, fknkrvj... Nunkatmif...


- o View \ Header and Footer UllClick Vlukif Header and Footer View ay: Vmygr, I Header and Footer twuf Tools bar wck/nfay: Vmr, I
- o Header **qlivmu pni/Luftay: bulutyli (rin** File Name **azniyavikiivityli (/**
- o Footer **u pri/Lua truloulu** File Path *(ottxmonhe&m)* Author *(pri/Luo)* tj qawlullazrifya **kikvit yil** (yy/
- o Header ae&mrin Tools bar XII File Name Uil Willigg/ Footer ae&mrin Page Uil, Willigg/ Footer ae&mrinDJFile Name and Path Uilxyf, Willigg/ lypkif Tools bar UilynVilligg/ 'gqikifpm/Luftay:bufin trn? atmubufin pmrsuEin elygweytrn? ae&mawillxnio(flypofiygr, f
- 'galkif Print Vlyfwlt cgrfn t! Dtrnaw@odfxm,wlae&maw@g pml/&ufxl ygvmrfnaygli jye&fizik/liwlt cgrfn v.G. fofthylaygli
- o tenfqlitaeey File name uliwith Print vlyfr, font/Luffn xnfoffzllvlygw, f Path-offxm, whe & multoff in whif zill emrnfoff if jye & fizzllv f, fw, f r[w/vm,/

File ta [mi (wckulijyekiicsi & i f

- O Start \ Search UllUVplyg/
- O ay: VmWhbox X fin All files and folders UlLVplyy
- O All of part of file name **uluvplygy** lynkiat mufficelyn search botton **ullynlugy**
- 'gqkifu@fylwmuae zilfuk/ku&fray;aeyglyb cPapmifyg/ &fraw@v, praw@blqdwmuklu@fylwmu tpkickygvtfr, praw@blqdwmuklu@fylwmu tpkickygvtfr, praw@blqdwmuklu@fylwmu tpkickygvtfr, praw@v

^{&#}x27;gayr, fiemrnéláe&mrolotgláwmlum... b, follolyfroj...

- Print Preview NunfcifEShPrint xkvf, Jcif
 - o Document WCLUMPrint XkVI, kittwild File \ Print Preview UMClick yg/ tj bin Print Vyki ix ixmr, hpm/Luftaet xm, ulijri kygr, // pdvBuku[zpl/bqkif
 - o File \ Print UtlClick yg/ ay: \mwhDialog Box rth \tauter ttyfwmawG jyifqia%scs, flyfawnhok \log kyflutkitkyglyb





Lesson 5 Charts

ဂရစ်ဘားများ (သရစ်ပြပုံများ)

atmuluylifazıfyxır,wh*&ylon; (Chart) wclullo, fvlizlif, &rvþlivm avlvmlunlur, f

Insert \ Picture \ Chart UllClick Vluigg 'gqkifatmuffigxm,wltwlif Chart WcleJtwl Datasheet Wclkvmyqr, f





Format Chart Area 'Kfin 1) abmifvil (taetxmulliyilyi Ellifyqw, 1

2) font ullptvBullufyifqiEllfqw, f

Chart Type 'Delfin 1) y bludy i fill fygw, f

Chart Option 'Krin 1) Title ylicgi (p) wyke/

2) Legend ylt ñel xnlel

3) Data lables ylt ñel xnlel

3-D View

'bk.fin 3-D ybjtphtmif vshay; Ell ygw, f

Data sheet aysnuhe&ifjyehc:zlyg/

Clear

uawmh

rvltyfwht&mawfullzsuhy; ygr, f

About the Menus

Menu awwilijyelydavk/mlumluodpli ylieftmjzifqkifawmhretawwilimouse click vlytyd zonuygw, f 'gayr, fimouse ulipemrybelykeyboard ubblydzoetikygao;w, f

Alt key ull ullocmyllugy 'ttcserin retomulluntulugy retwoodu pmyllwyllonder line wmxmwmawtkygr, f alt ultokm&ife! tjpmyllull quelfolloliq if &m retytivmwmullwtkygr, f Oyrm- File menu ultotsiw, fakifalt + Fuelfkygr, f Table menu ultotsiw, fakifalt + A ultokygr, f

aemuíxyquhytawmhrile menu XII Page Setup ultítsiúw, íqlygawmi apmapmutwilfbl Alt + Fullyyg/ lytawmhu ullyyg/ 'gqlif Page Setup box ay:vmwmullwtkrfyg/ bmvllu ulquelykvþluwmh Page Setup pmallumifxfin u ull Under line ay;xm,vlyg/ tjcm,refaw6xII Command / Dialog box aw(Lll/) 'enfeljrefreac:, Itolyylellygw, f

'gull'Svixmygaen/ yllyfjrefreftvlyfvlyEllifil 'gutrsmBulltaxmuftulay;rfnyg/ bmvllv] qllwmhyllt&rftulefvllrfn 'BrifultollyyEllifvllygb/ 'gullusaenfwllu short cut ollw, fvll ac:ygw, // short cut awfullyllfxm;r, ? tvfvkxm;r, fqlkif tvlyfvlyfwltcgrfn trsmBullyllyfirefqefvmrfn aocsnygw, //

refxion to the smooth of the s

Mouse Elytypoller, in Toolbars ay: rinusawith Mayiyliv; awellyygw, if titwicially relay: rin ouiqii lemt vilui Mayiyliv; awiyxm, wmuliwileriyg/ Oyrm- Print twiciqiki if yeliwmyliv; pojzi iayglav/ 'gawicilvni, okm, zilvlityiygw, if

ul File menu uaephyhlunhu&atmi/ 'gayr, firEttm;vke/olku command aw@tm;vkulhunfr@awmr[kwyg/tokenfr, ftcdukce6km;clr@yg/

1. File menu

. New (Ctrl + N)

File/Document/Publication topiwck, klyg/

- (Olt wluft ao; priviu i writh Lesson 1, page 20 rigyellu niyy/)
- ii. Open (Ctrl + O)

 t&i & I & I / Dom; z II ft a [mi f wck: Luliz I k I / y /
- - Active File Window nmbuftay:a'gifu Muufajccwfelywlwlygb/
 ull fylwr, felfu save rvyfeao;blatifsave rfivmallwhtar;pmwef
 elftwlyes, No, Cancel buttons av;awfgay:vmygr, fyes ullefvluftif
 'telforfinjyfyifajymifvkmorfullsave vyfay;ygr, fyno allifawmh
 jyfyifajymifvkmwmawfullsave rvyfay;awmygbl/ cancel uawmh
 'telfullyfvrfir [kwfao;ygblatifolullefyfyg/
- iv. Save (Ctrl + S)

 jyly i bjymi (V)znlol (wmawlullol (qn(zlly))
 - * zliftopiwck(ol) ta[mifwchinull fyljyi hjymifvjzniolffxmwmaw6 twfufnlumcPqlbvllsave vlyhezllvlygr, / zliftefullfill) save ull offuvpfthvlygb!/ standard toolbar ay:ribbJFloppy vlyhltslav;ely xlwfxmwmawfkrfiyg/oluluvpfvlyllyjyjyi forfawfullrswfom, offqnfay;aerfiyg/tlbuw6 iwmuawmhulblwfay:uae ctrl + sulfyhlullygb/
- v. Save As (F12)
 rlvzii (ulle*ltwii (xm;r, l'jyljyi fajymi (v)xm;wmawlulizii ftopfin yg0 i fapcsi (w, f
 qlki i (Save As ullo llygr, l'aemulylawnhzii ftrn fajymi (zl'od (w)he&m ajymi (
 zl'Pass word xn fallylai (vn (Save As ullo ll&ygr, l'
 - * zliwcuki ny) jyky i jznowiwawi ynykawmsave As ukywkuyy save As dialog box ay: vnygr, / Box xhin zliemrnit opiwchjymi ('grif [kwi odir, he&majymi () ay; &ygr, f⁴⁴ ajymi i ay; Nykki i save ukywkuyy 'gqki i trnopi (o) ae&moprin odiqni nybonywmukwi kribyy)
 - Pass word twild with Lesson 4, Password Xnio(fjcif? page 28 rin jyelluniyg/
- vi. Page Setup (Alt + F, U) (Double Click on Ruler)
 pml/fuftaetxmullul fullsifwhyllyligiflitwfuf Page Setup uaejyifay;&rfnyg/
 - ◆ Margins, Paper, Layout, Doucumet Grid CIMD Section 4-CRIM, ¶

⁴⁴ bmaNumi iqliwmhae&mwchin trilitpm+trniwbii fwcbxuiylkli/lf&yg/ window u tl gullvuirchyg/ trnf(o)j ae&mrajymi fblsave vlyr, iqli i frlv&llewbii iulizsuiypNy) zii ftopiulixmay;riijzpiygw, f

- Margins rin pm/&Likhab; b, inn? tay:? atmufae&mv@vitu@nta0;aw@ullpdvBuluteinfligw, i (tao;pdviullesson 1, page 20 rijyeNuniyg) Orientation uawmhpm/&Lia'gifvIufvm;?
 tv\$/Iufvm;qlwmulijymwmyg/ Portrait u pm/&Lifa'gifvIuf Landscape u pm/&Liftv\$/Iufyg/ wcd///dl&raw@nwmtall / Wide vliblygw, i
- Paper x fiawmhpm/&uft %, ft pm, ulla %, Ell ýgw, f to litrsm, q li jzprímu a w mh A a y glaenf
- Layout rin Header/Footer & tus, ft 0efullowirsvay; Elligow, f
- vii. Print Preview (Alt + F, V) Ctrl + Alt + I)

 pnt/Liaw Lull Print ruly tiffinuly fults in the act xm; [kwlr[kwfjyeppaq;zlyg/
 (Lesson 4, page 28 rijyelluniyg/)
- viii. Print (Ctrl + P)

 tm, v, hpdvBukujzpNyBqklifpm%Luiukly&ibkkvi, blyg/ y&ifrxkviciffn pm%Luftae

 txm, r&frr&fy&ikvmtrok, tpm, r&frr&fpwmaw&uklppfaq;jykjyifay;&ygr, f/

 (Lesson 4, page 28 r&jyeklunkyg/)
- ix. Exit (Alt + F, X)

 Microsoft Word Program XLIaetNyDtyll (xLiothzlyg/ Title bar U tell&mifcross el/ tww/yqb/)
- x. Recent Documents

File name **wcsllutlexit &htay:rinuyi/Quaznfyxm,wmutlaw@rinyg/'guawnh** word **xfin aemuiqttvlyi/yichwhziliaw@tlaznfywmjzpiygw, f'utli i/vitsii/wilifwclutlo&tvlhe&ma&muiwitxdtqifqifofiylyiz@iztvlb&y'be&muaez@Ellfygw, f'**

2. Edit menu

- i. Undo (Ctrl + Z) / Redo (Ctrl + Y)
 - ull folythylolythami tsufullr Bullufolliye Ny D/Jyfodfasi fwlt cartin o llygw, f
 - wpllvclultsulypfvlullybrSrzsufsiawmb;qkifundo uElyfvlullyby undo
 ElyfybrSiyefvlyfsiao;w, fqkiawmhRedo uElyfkrfmaydi
 - Ultumi (wmwclu word rin undo ultueitowir&lay;ygw, 1/45 zil iwchin pzili luwn (uae aemuiq litcseft xdvlyix mwhjylly i hjymi (vhawlull rlullub) qlivlit cgrin undo uliquiwluiwcsulyiwcsuElyioin&if [] | ... zilif ppzilitsi (txduljyeioinay;rinjzpiygw, 1/4)
 - Numxu wae&m&mrin save vychr, iqiki iawmhtj Dsave vychvhe&mtxd bljyefoinay;ygr, i/

_

⁴⁵ CorelDraw tlyphwffmJundo ultueltowf&ly;ygw, / Macromedia tlyphlyAdobe tlyphwffmwmh tueltowklygw, / Oyrm- Adobe PageMaker ringkifundo 1-csubkygw, / Adobe Photoshop rinwmh undo tcsuf 20 txd/y/wkygw, / Macromedia Freehand rin 10-csu/

- ii. Cut (Ctrl + X) / Copy (Ctrl + C) / Paste (Ctrl + V)

 pm (O) ½yykwckulluk, Ny) xykktzliae&mtopiulyklyg/ uk, kluawmt&if

 Select Vk/km&ygr, f/
 - Cut Vlyfr, fqlki fawmhrl/ pm^yklusefaeawmlygbt/ OfthN/D Paste Vlyfr, fae&mrfn pmawGyklwGjyefay: vmrfijzpfygw, f
 - Copy Vy&i awmhr\vae&mrfin\Jusechr, # Paste Vyfr, he&mopffin\J xyflyth;\vmrfijzpfygw, #
 - Paset UawmhCopy/Cut Vlythmwmaw@lijyeNylay:\maprijzpfygw, / Paste rvlytifin Cursor/Insertion point Ult&ife&mcsxm&ygr, /
 - Copy/Cut ullwButfvlyfxm, fqlifaemufxyftopfwckullxyflyD Copy/Cut rvlyfcsif Window Clipboard riffleODrifjzplygw, f tButButfxyflyD Paste vlyEllfygw, f
- iii. Clear

 pm^½/yj/lvclullzsu/yp/zl/y/ t&ifSelet V/y/xm,&ygr, // Keyboard ay:U Delet key
 eltwlw/y/
- iv. Select All (Ctrl + A)

 Document X&dewmaw(tm; V||u|||Select V||/ay; ygr, ||/
- v. Find (Ctrl + F) / Replace (Ctrl + H)

 Find U WpWckull&frazk# Replace U &fraw@wmwmaw&llwckeytpm;xkajymi (V)

 z#zplygw, //
 - Find **uElyfvillit**, fqlkif Box wcky: vmygr, f tjlktfinulj lkfinaz@yjthin wckluljxnfo@fay;ND Find Next botton ulluvpfvlyt, fqlkif&finaz@yjthin jzpfygw, f pumvlywlj 'grf [kvfpumvlywlw@ymvlylolltxltu@mpwmaw@trslull&finaz@yjEllfygw, f
 - Replace ullifulli, fqlkifulbox wchy: vmygr, f tay: bujcrfrin Find what- (bmulkiny; &rinu)? at mulbuyilfrin Sreplace- (tpm; xlay; apcsif whyplwc); tl gawiullujblwiuae Valuix nay; &ygr, f
 - vuáw@vcþrfoyMunEllátmiátmurfæremjyxmygw, f

Allufxtin


0, \$106x16wckkull ajrzliewh ar&llull a*sfejrifoft;w, f rsufvljaw61lly) i likmyll aygufiewh ar&llull płprfcsifolwej ohr:Numby, f

]|bmv|yfaewmv|ar&||

]|i gla½i g;av; aoofi;v|| ollullijrjr||yfaewn|| ar&llu arm|r||un||be||kiymw, ||

]]th. [kwi/m/ a½igav;uhajrjrkyi/m usitutbukbukygvm}} a*snekhtolu u½Pmohytho[efa&mpiuhew, f][kv(w, f igh%ig;u eihNumi&NNu(x)f6av)} ar&Du ajrBu(z)ki(e) ajzvlu(w, f

o tj pmyllów ja*snéjoj włemnówijo wywijoni ściów, f pmyllówi select vylydawnin Replace u Elyfollówy ay: v mwhoox x finat muf rijy x mywlt wil świony ny ki i Replace u Wocsućsi ściylo iny y 'goj ki i femnajymi śoin w mu w Wkygr, f



pnjyi Mitubl tjcm;tao;pdví usvmawßyi čsi & i f ' Be&mr&n uvpívlyýg/

- O Replace All **uenfenf tekm, kilvitwelfaocsmyltcgrS Olapcsi lygw, f bm/lbpllwmh**Document **wck/lffikilvit**m/llull
 ajymi fypf/luffijzpfwltwelfyg/
- vi. Go To (Ctrl + G)

Go To UIDMYRAWMUN ORVMVNPMTSUEBUNTIFEQNOREN INGW, I TIETJYIF Line (pmanumi) awe Bookmark, Footnote, Endnote transubygb/ tietmynungo To uwqihirefreioren iyaw, I

• Oyrm- pmallumi (a& 60-ulloft;csi (w, fqlki (Go To ullgyly)) Box x/fi Line ully/gyg/ ly/awmhLine number ae&mrin 60 ullglu(xniyg/ ly/) Go To ullgy/vlu(r, fqlki (pmallumi (60-ae&mullamuloft;rfiyg/ pmrsuEfielygw(xniay;ayg)) v(, fygw, faen//)

3. View menu

- i. Print Layout View

 ylf&ft mjzi ft jft oplwck6 fvllu& i f ay: \ww.fr i (u6 fyg/
 - usaenftaeelqlkifawnh'Dvclulbltolkrsmygw, f bmvllqlkwnh yllsfxkwfwltcgrfn&vmr, fitaetxm; twllfazmfyxm;wllrifu@frlkvllyd/
 - wcgwavrinawmtable awigi vit cgrinjri (u) (tjyi bu ia & mu bity) a vita ? n f & bukwit cgrio I Normal View / Outline View wckul blizpi ygw, f jyen ywwei Print Layout View uliye v my luwygb)
 - MS Word Window &hb, buatmua'giffajrifulf 4-rsk. Abbottons av; awg &yqw, y ul fritsiwirifulfulluppwywygby



ii. Toolbars

a&Byll (rin &S fiycly) byglyb Microsoft Word, page 16 ringellu nivg/

- iii. Header and Footer
 - a&Byll (rfn &\$ (jychvmulljyeNunlyg/ Lesson 4, page 28 rfjyeNunlyg/
- iv. Full Screen (Alt + V, U)

 jriui;ui;monitor screen tjynjri&r6jzpfyg/ jyefydvapcsi&iawmhclose Full Screen

 uE8/viui;g/


4. Insert menu

i. Break


Break ull&n1/4; tsuftrs(rs(tw/ulo))Elliygw, f

- t/ku usencPcPoljzpaewhwcluawnhsection brak types \ Next page yn/
 - o pmrsuEin 10 rsuEinavmuRilwhoocument wckxfin pmrsuEin 1 uae 4/ aemufxyf 1 uae 6/ t/lwllcjicm,NyD pmrsuEinwytsi iwh tcgrstawfin ollygw, 1/
 - O Docu: Wck.hin Header/Footer awil.dicjcm/ly/wycsi iwit cgrin/n/ OliEi lygw, #
- b, fvlk/bl/vmylk\${oftatmifqullunlu&atmif
 - o pmrsuE6n 10 avmuR8vhz8i (wckuk6 bkmyg/pmrsuE6ne) ygwaw6 wybxmNyBomjzplygap/pmrsuE6n 5 r8n cursor csxmyg/


 - o tchvmavmq, fawnhylffijyxm,wltwll (Next page ull/知识awnh ok vlyfvllufygr, / 'gqllifpmrsuEin5 [m Section topfwc/zpf off;ygl/j/



- tche pmrsuE6wy6xmwmaw6ulijye6pfaq;Nunfyg/ajymifvHr86o;ygbl/ajymifvb6;atmifb, fxllyfrvJ.../
 - O Header and Footer UNC: VILIYY ('grf [IWI pni/LLIXL) Header and Footer & Whe&m? pmrsuEffelygw& Whe&mull Double Click VIVILIYY) at muffiyx mwltwll (ay: vmwmull wlygr, 1)




o tu, fi pmrsuEfiwqulwn(jzpapcsilw, fqlkiawmhcontinue from previous section ulljyef, km&r, f



ii. Page Number pmrsuE6wy/zWg/

- Insert \ Page Number UILVpfvlyfvlL&ifbox Wcby: Vmygr, // tjbcfin elygwiwytsifwbe&mubl/fellfygw, //
- atmu向性mav;rffkflvhFormat uluvpfvyfvluki awmh
 apmapmuawには、whPage Number Format box jyeay:vmyqvtfr, が



iii. Date and Time

&uplett csetaw&nto(fztyg/


- Insert \ Date and Time **uluvpivlyivlukif** box **wcby: vmygr, f** the four by the first of the control of the cont
- y#feftmjzifawmhHeader and Footer ae&mxffxrfavfbygw, f
 tjcm,ull fxm,csifwhe&mrfm/Jxm,Ellfygw, f

• atmufq#emav;rffkffvhupdate Automatically ullCheck vlyfxm, fqkif awmtjDtcsehwe&upaw@mzehunbwjtcsehwilfrfnupdate jzpfae ygr, //

iv. Auto Text

- oluawnttokrsmwhpum, vk? pum, pk Ogusaw CultrSv/xmay; Ny)) o i la v Oriw, follu Cylylwmu, law ktoseffin t Bujlyksupmwrf (Pop menu) w claznjyygr, i v la fu Bultu Epioufw, falk i f Enter acgui/ Lullygb) pum, v k? pum, pkult t ptaku Lully & mrv law mblaygh
 - ◆ Oyrm January U能内域が逃ば下いわJ Pop menu ay: ∨mwlt Cg Enter acquいに指数 pmynthbota t mi いりない、wmrstyg/
 - ull tPcPoller, pmwrfawfull/JxnfoffxmEllfygw, f vlyerinawmv6 fv6 fav;yg/atmuffijyxmwlyplkutwllf

 - o uli folytom, wm tqifijy^rajy jyefpMuniyg/ ok rifyg/



t/gtjyiftjcm;odkm;zlk/lkvmaw@trsm;Bu}&@gao;w, f ull fwlifxyllylavk/mo@;zlk/lkgr, f

v. Symbos

tokenfwhoaulwaw@tu@maw@ullv@fv@fuluel&, Ellfygw, / txtojzihatmulxypmvkrslaw@ullyg/

• Insert \ Symbol ullvpfvlyfvlullyD ay: vmwhbox xuull ftvklyh wclulluvpfvlygy lyDawmhinsert botton ullyfvlukifpml/Luxull a&mufvmwmawlRyqvffr, f

vi. Comment

r\$vfomp&mvckk&t, fqlkiftolkwnfygvdfr, f Oyrm -

* Report XI'M WEMWINDA&UMZIJYZMAKYW, jaygawill Report
a&;aewhtashin pin&ifayrlypao;blakiftjae&mrin Cursor aypawill
Insert \ Comment awyximmay;zwhinayy pin&iftre&whagin
VG NG WUJye&mximEllioftyyayy

vii. Reference

Reference XLI Footnote VIIIC: What multiples (VIICSUI X DID () W multiples () VIICSUI X DID () W multiples () VIICSUI X DID (

- Insert \ Reference \ Footnote UILV pl/y/VILI&if Footnote and Endnote dialog box ay: Vmygr, # tj bin/tt yio Vilyi in it oliyyEii ygw, #
- Footnotes ull/ligcs, txm,r, tqlkifatmulajc&s(vifcsulaw)[m outqlikmpn/lukhatmulajcrikkleygvifir, //
- Endnotes ull kmr, fqlkifawmh&sfvifcsufaw([m Docu: & taemufqlrfn azmfyygvrffr, f
- F-note jzpáp? E-note jzpáp elygwáw&lybll * Pefr×nloj //lyfyll(bullets)
 ×nirán/m, pwmaw&lla/fcs, Ellfygw, f

viii. Picture

Picture XU toltrsmqlyzpfbuawmhFrom File el Chart wlojzpf, & i ygw, f From File ulivlymlunkatmi f Chart uliwmhLesson 5, page 29 rbjyeNunky

- ♦ From File
 - O Insert \ Picture \ From File UIUVpWyWILF, iqkii Insert Picture dialog box ay: Vmygr, i tjbkfinull txnioi (csiiwh ziiull/lukiiy) Insert botton UEIWURii //yyl m Docu: Xii&mui Vmrijzpiyqw, i
 - O **/syfyle**!t wil Picture toolbar Vnfwygwnfay:Vmygr, */ wu, foll ay:rvmckif **/syfullwcsuluvpfvyfvlufyg/ 'grf [kwf Right click \
 Show Pictue Toolbar Qll/) ac:Vluflvnf&ygw, */



O Picture Toolbar XIII

- Insert Picture 1/3/1/1/1 Opf xylx n/2 |
- Color ta&miftrs/tpma/4zli(Oyrm-r)cl/a&mi? tjzltr)
- More \ Less Contrast ylymunivii mpzli
- More \ Less Brightness ykkt a&mi awmuyrutæñ&l
- Crop ylull vlt ylo vlijzwawmuźli

yllullselect yg/ Crop tool ull lyg/ ylkhHandle ae&mrin Mouse ull Pzdkmlluniyg/ Mouse [m + y|h|+||jzpioitygr, // t/itcgrin vltyiovliquus(fay;Elliyglyb'g[mylkhtc||tc||tpmullxelluapb]rvllvltyllfullz, ixkwiwlenfyg/

- Rotate Vnki
- Line Style rofallumi fawely fxm, who drawing object jzpf, fylk if rofaweht xityg; al/fcs, fill
- Compress Picture ½y/y/LLNFile Size i , foftatmif cyllay;ygr, / yNLNt½; fajymi (off,rfir [kv/yg/ email/internet awftwlufqkiftokoi/ygw, //
- Text Wrapping \(\forall y \) \(\forall t \) \\ \text{Wrapping uke by) o i a wiff, five tulk \(\forall t \), \(\forall t \) \(\forall t \) \(\forall t \) \(\forall t \), \(\forall t \), \(\forall t \) \(\forall t \), \(\forall t \),

½**½/yke½** pmaw**e¾** m wqulwpylwn{izpheygr, # o In Line With Text Wrap **izpheyqr**, **# ½yýlull/n{ae&ma½Ellfyqr**, **#** o Square Wrap **jzpheygr, # ½yyylull/n{ae&ma½Ellfygr, #** o Tight ½ yíyk[m pm&htaem∟ifin&bygr, f o Behind Text **½yíyk[m pm&ht a&&r&&ygr, 1/** o In Front of Text pmaw([m½/ykkhtay:^atmuffnae&m, lygr, f o Top and Botttom pmavv([m ½k/ykky:r@n jzwfo@rygr, f/ o Through owrswixmNyDom, wrap ae&m, r, htus, ft0efull o Edit Wrap Option jykyi£likgw,∦olulu∨pk/kyky) ylly:riklivhwrap node awlullae&mal/day;Ell iwmawl& yNAtay:jyeN/mcNaif ygr, f

> Format Object – drawing object jzpfr, fqkifrsftxltyg? ta&mifawGa%cs, fxll

ix. Diagram

Lesson 2 Drawing toolbars, page 23 ratao;phylyelluniyo/

x. Text Box

Lesson 2 Drawing toolbars, page 23 ristao;pwjyelluniyy

xi. File

VURNOCUMENT XUNTICM, Document WCMNULX new Insert \ File rvycifn wckluselect vykm, wmrsnizpygapey select vykm, raif topa&mulvm, h Document u select vykm, wmwallReplace vyyphluygr, f

xii. Object

Insert \ Object ulb Myfawmhtjcmy/# &rawfawfawyfa 'Ell f? Chart awfull ac:, knfoffell fgw, f'grf [kvi/nf tjcmy/# &rawfull wilul/#lufefohell fygw, f'

- O Insert \ Object **Ultif MURif** Dialog box **XUMMygr**, **1** Create New **el** Create from File **QI/Dtyll 2-CRI/gw**, **1**
- e*klylomzliwckuknioi;csiw, iqkiawmcreate from File XLI Browse uklylyluli wkiiwkliukluklingy lylkiinsert vylyg/ Insert rvycifin vktyf, iqkii Link to file ulicheck vylomyg/ 'gqkii rvzlifijylyi jajymi;rl wckvyf, iqkii Link jzpaewltwili tvktavinuivluly) ajymi;vle ygr, f
- o zliftopíwck/lycsiíw, fqkifawmhcreate New XLI uli ftvkhvh y/#t&riwckulivkukhyg/ ok vlyfyg/ 'gqkt/by/#t&riy6fi/mygr, f uli fvksiíwmaw&efwpEllfygr, f
- O Insert \ Object UID NY DAWN Calender WCLULU (NG LULL R, Ell ygw, 1 (Problem 4, page 28 rill un ygy)

xiii. Bookmark


Document XLI pmv/l/pmallumi f/pmyllfwcklulltrn6wfsvay;wmulbill/llvmyg/

- pmvl/pmallumi (^pmyll f wclclullselect vlylly)) Insert / Bookmark ullvplyg/
- trnáy;yg/ Add uluvpýg/ 'gqkift/pmaNumifullBookmark owfsvfyp) yglyb
- Bookmark Owfsvfxmwhe&mawfullGo To Ollyfawmh jrefreioffEll fygw, f tjgtjyif Hyperlink twfulvnf Bookmark Vltyfygw, f

xiv. Hyperlink (Ctrl + K)

VuRilamuhewheamwcluae tjcmaeamwcluiltjrefoff;Ellfalltwildfulhby;r, fi Vlyhamifsulwcjzplygw, f

- O Hyperlink ubity) Document XII Bookmark ay; Xm, whe & mwclut tire of the almost a figure of the control of the
- o tjæjyiftjcm, Document awwikni, tjreze Ellygw, f
 - pmvl/pmaNumi f^pmyll f wclclullselect vlyfyg/
 - Insert / Hyperlink **uluvpivlyg/**
 - 'gqkif Hyperlink box ay:∨mygr, f




- Hyperlink ullvukkliktfivlyf, r, fqkif Bookmark ullvpfyg/ ay:vmwhbox xffirull fvltsifwhBookmark name ulkfilyDuvpfyg/ ok vlyfvllufyg/ 'gqkif Hyperlink qufof, fay;wm lyDoff;ygflyb
- Hyperlink ulitjcmzli wcki kloksi w, fqki f Look in ae&mrin zli iawiuk/luking/ awilyibqki fuvpivkýg/ ok vkýg/ vkylybot; whyperlink awiulijyeprioylunigg/

5. Format menu

i. Font

Select **\bullet km, \bullet \b**

- Format menu \ Font ullvp\(\format\)\(\form
- Font tyll (ub) un Nu&atmi?
- tjcm;useftyilf; 2-yilfu oyhyitohjyijzpiriir [kwyg/ lyiawmtyilf; 3-ck/kkitohjykybabmw&m;uvJtwkyg/ ulj ibmomulj fvuiaw@vkhunivilu&ifyksfoi;ygvthr, f



ii. Paragraph

Select VIXMWhpmyll aw Lillylbliay;zlly

- Format menu \ Paragraph ullvpl/l/lllibox wcklivmygr, f tjbin Idents and Spacing — Line and Page Break — Asian Typography ql/litylif 3-yllf awlkygr, f
- ♦ Idents and Spacing **tyli(x**L
 - O General ac&mrfn pmyll &hAlign ulinfliggr, f
 - O Identation uawithusenfwll Keyboard ay: U Tab key utilifalion utao; offir, htufitao; ulingly
 - o spacing ae&mrfmawnhusaenfwllenter acquiwlt cg pmyll fwyll fell wyll fulfa0;oft, fitufita0;ull fillyg/
 - usaemívljyljy i ájymi (vbwfsvórlullatmubulqlfriklivh) Preview tuluktójri áe&ygr, //
- Line and Page Breaks tyll (x/filusawithwidow/Orphan control box ull Check vykm,zwygw, fou pmyll wyll khaemuiq kpmaNumi (ull aemuipmsuEintopiullamuirofi,zle) pmyll wyll kht a&bo kpmaNumi (ull a&bpmsuEinkhtmuiq krin a&muiraeapzllumu (ay;ygr, f

- iii. Bullets and Numbering
 elygwp0iviluaznjyzlivittyiwittcg? tcsuftvuawiluli&\$;&\$;vi;vi; wcsup0
 aznjycsi iwittcqrin olikyqr, 1/
 - Format menu \ Bulettes and Numbering UILVpfvfvIL&if box
 WCbxLivingr, f tjffn Bulleted Numbered Outline Numbered List
 Style QIJItyIf 4-yIf aw@ygr, f
 - O Bullets aw6hht/fcsikifBulleted tyli/xfin &finz61/fcs, Ellygw, / ay;xmwlt xu wch5bullu60;blqlkifCustomize uE8/Nybawmbullu8mulbfina&mul8finzEllyga0;w, /
 - O Number aw&nhy;csi&ifptwbulluybbl/scsi&ifNumbered tyllf xfn &fnzal/scs, Ellygw, f ay;xm,wltxl wcfsbullao;bl qlkifcustomize uEllylylawmbullukmulbfna&mulkfnzEllygw, f
 - O Outline Numbered tyll (uawminumbered tyll (e) tawmwygw, f Olf byll/mwmu tqi filevel tvluf elygwaw Gbullets aw Gulle & mcpp 0 by; Ell fwmizpfygw, f
 - O List Style ae&mrin Outline Numbered tyll frin phybullur&- Customize ulblayr, fvnf tqirajywltcgrin yllybvi fuhtmifpbohe&mcs Ellihtmifuh By;ygr, frivay;xm,wmaw&u wckulljyllyijznin plutsi &iftopiyblivrs||xyixntsi &ifAdd es||Modify wlublybvyhqmi Elliygw, f

iv. Border and Shading

pmwaNumi (csi (jzpáp? pmaNumi (trsm; jzpáp? pmyll ftvlu jzpáp select vkix m, N, D, zpN, D, k i faemucíta & mi é y a b mi cwíwma w (u li v ky; Eli (y w , 1/2)

- Format menu \ Border and Shading UILVpfvlyfvlLikifbox WckLifvm ygr, // tjbin Border Page Border Shading Qllyftyll (3-yll (awlkygr, //
 - O Border tyll (uawmhselect vyfxm,whpmaNumi (pmyll fawfull abmi fwfzle) aemuthta&mi fxnfzlyg/ abmi fwll (ylphlwfull Bulluovle) fxcs, ftolyylell fovllaemuthta&mi full of Epioulem ta&mi fa/fell (ygw, f prfoylly) follunlyg/ select vyfxm, lyf) [kwfr [kwf*/dylyg/ select vyfxm,b;qlki fawmhcursor csxm,whpmyll fulleffect jzpfygr, f/
 - O Page Border tyll (uvn) Border elrußygb!/ Ouawmcursor csxm,whsection wch/hulleffect jzpapygr, / ull ftaee! pm/fulw/fulwn(ulbm effect jzpapcsi&ift!)pm/fulullsection Break Olly) Oljcm, Section wcktjzpfowfsvixm,zll/lygr, //
 - O Shading tyll (uawmhaemuthta&mi fal/szlygb)

v. Column


Document wck/ll 'grs [kwi tpdvityll (wchin aum/llwb)whswEll (ygw, 1/ Default ay; xm; wltwll (aum/ltell by llaum/ltus) (tus, faum/lta&twillawfull ull pdvBullun j yllyi Ell (ygw, 1/

- ◆ Format menu \ Column ullvpl/lylvlukif box wclxlu/mygr, #
- ay; xm, wha unfolta & tw Cu faw & cu fylly looks is & if Number of Columns ae & mr fn obs i wha unfolta & tw Cu full / Lu for hy; v Lu Lu for hy;
- aum\u00edaw&hum\u00edr\u00edn\u00edr\u00edn\u

vi. Tabs

vii. Drop Cap

Drop Cap **Uawmhpmyll (wyll &b&Sqlipmv)lullpmv)lt Bullylbits(jzpátmi í vlyáy**; wmyg/ Drop Cap **vlytellt wfuí pmyll á&Sqlipmv)ll&b&Srin** Cursor **csxmyg/ lyjawmh**Format menu \ Drop Cap **ullvpl/ll&i f**box **wclsfli/mygr**, */



• erlemtaeelatmuffin pmaNlumi (2-aNlumi (t 1/4) f Drop Cap wck/lyfy xmygw, 1/

×liwhe&m

Trarel omav; pumajymaeNuw, f wu, fuawmh omav;u ararluli olehzaz htlkboßywlefu jzpchwltjzpftysukwck taNumif jyebjymjyaewmyg/]arar ... omelazazel umplaewlef av? azazu aumifrav;wa, mukilizli omulie&m z, clifw, } vli omu wlibjymowli araru omulicsmwmaygh]tlgulok/kwmaygh omav;&, } wl ararujyebjymw, f 'Bwmlomjyebjymwlukwloum, aNumifi ararlum yukuk/bygava&m/ omav;jyebjymwlukwmu]ararlum odvlk/J... tlbtcsbu omuazazbygi by:xii bewm arar&} [bwnf/

viii. Text Direction

pmvkawe pmaNumi fawe pmyll aweull direction ajymi fzlyg/wclowdkm; zlk/llvmu uk ajymi fcsi (whpmvk? pmaNumi faweull select vyfkm, Ny)) ny pyg/select vyfkm, &if section wclvk? Document wclvkullajymi fypl/lufejzpfygw, f

ix. Text Direction

pmvkawe pmaNumi fawe pmyll aweull direction ajymi fzlyg/wclowdkm; zlk/llvmu uk ajymi fcsi (whpmvk? pmaNumi faweull select vyfkm, Ny)) ** rlybyg/select vyfkm, & if section wclvk? Document wclk/llullajymi fypl/llufejzpfygw, f


x. Change Case

Select **\kikm, whom\kaw6 pmaNumi faw6 pmyll faw&ullylobliymi fzllyg/**

6. Tools menu

- i. spelling and Grammer
 - **% Like Mythy have Little Mythy Like Mythy Like Wighty Like Mythy Like Mythy**
 - r@aew, bxifwpmvNawCullteA&miebzmfyNyPawmhatmuloufr@atBuJyMpmvNawCullazmfyygr, #
 - renaewmullrjyiesibelausmoenapcsiw, equifignore once ull uvpfygy tjemvlelwhuvenwlaweullxylypteullay;apcsillif awmilgnore all ullvpfylygy
 - pm/kw/kr6;ae/lite&&miaznjyxm, / atmuzuf6w/ tBujlylpm/kaw@w0&w, / tJbJu wckuli/£NyD Change vlyfvlu&if rlypm/ktpm, pm/ktop/zpfo6;ygr, / 'gayr, haemufxyftJb/li pm/kxyNyD aw@wltcgwilfr6ixyNyDawmhtBujlylaeOpr6;yg/ tJb/li rvl6sib/ bm/ktr6;ullwcgwnf tm/kyifsiw, fqlkifawmh


change All **ulluvpf/klyfyy' 'gc|lkif 'pmv|kellvlwhemufxyfpmv|kawfullyg wcgwnf tmv|kyifypf/luffijzpfygw, f**



ii. Protect Document

ull Ruciulltjcm;obw&mlyljyifqifajymifvJvmrslullumuG fay;ygr, f

◆ Tools menu \ Protect Document UlLVpNyNLRifbox WCay: Vmygr, f



box Xfin Option check box Olichwikygr, i tiku Epioukmwciali Check Vlykmyg/ atmukulu Password ae&mfin uli ftolijyk/livh Password uliduknay;ly) ok Vlyk/lukifaemukyfbox wck xyfay:vmygr, i tibfin apmapmu/dukm;whPassword ulidi jyel/dufay;ly) ok Vlyk/lufyg/ 'galkifuli kkrifuli orm;vm&mufyifaiffawfullumuf fay;lyjjzpfofiyydyj

- Option check box Olcku ...
 - o Tracked Changes ull kmr, fqlkifjyifqifajymifvbr@wfull tell&mifpmvklajymifay;ygvtfr, f
 - o Comments ull kmr, falkifpmvlttopfxyfxnfwme! &ByfpmvllawfullzsufypffawGvlyfvlf&awmlyg/
 - o Forms ull kmr, falkif Cursor ulle&ma/46/lf&awmyg/pmt op/46/faw&zsucsi/wmawGvly/lf&awmyg/
- Protect Document Vyxmwhzii wckujiyi iq i jznipiuwmawi/yiziit wiuf Password Othiviym, i zii iuki iyjixi i Tools menu \ Unprotect Document Uki iyjiy Password Ukiluxniay; iy) OK Vyiyir Szii iuki it yiovii jyjiyi i ijymi i Vivmawi/yiay; vikriizpiym, i

iii. Auto Correct Options

pnt/alukumtrinawiygr, iqikiftvitavinufyiiqiiay;whvlyiaqmicsukwclyg/
Oyrm- pmaklumifwckhakiqhpmvh[mcapital Letter jzpiatmiiajymifvhy;wmrsl/
aelemrniawis vemrniawillitvitavinufyiiqiiay;Ellifygw, folhonivnf
u&i pn? jrefmpmawillikwitcgrinawnht! gawili jyó emay;wwifygw, f
t*Nofwilmillikwitcgrinawnhyxrqhpmvh[mcapital jzpielkwityr, hu&ifjrefm
usawnht! Nofficielly yfyd/

u&ifjrefrom/ALIEN/NVIt cgrb ...

Tools menu \ Auto Correct Options \ Auto Correct XL Capitalize first letter of first

sentanse el Capitalize first letter of table cell aw L Huncheck Vy (x m, z ll/ llt y y y gr, f

'golk i fy x rollom v law (pmv llt lu lajymi froß aw molayg)


aemukywckiawnt''" ¼luwtcgrfn tqifajywlubiyg/ 'gull/nf, 'DAuto Correct Options rfiblyi &wmyg/ tao;plwllProblem 3, page 56 rfiofi;Nliniyg/

iv. Customize

Tools menu \ Customize **uklin/lukiiay:\mwh**box **x/in** Toolbars — Commands — Options **ql/D tylii** 3-yliiawlkygr, */

- Toolbars tyll (el Commands tyll (2-ckulb) ly pawmhrt ptv Rukl f Toolbars top (v) (, Ell y qw , f)
 - o Tools menu \ Customize Uki yy
 - o Customize box XLI Toolbars tyll (xff) New ULIVPMyfyg/ay:Vmwhbox Xff) MyToolbar Olf [kvf Ull BulluRmemrn (wcby;yg/ OK Vk/yg/
 - o 'gakif MyTollbar ally) Toolbar topiwcky: vmwmullawlkygr, 9

- o Customize XII Commands tyll (ulbftyg/b, fouftjcrfrfn File menu Edit menu pwmawfullwfkygr, / nmbujcrfrfnawm oufqil km rettvluf Commands awfullawfkygr, //
- o nmbukkiivhcommands awku uii Epibukmawiuiidrag qiyi) apmapmutopiviykm;wimytoolbar xuiiqikniay;yg/
 jye[zkwkii iwm&i iv]drag qiyi) jye[zkwkii iygw, #
- Command tyll (rinawith) Insert XLI equation editor Ullwcgw< Olly 1/21 Vlygvtir, / (equation editor twuftao; pt/viullProblem 4, page 56 rinum (v/)
- Option tyll (rinawnhavmavmq, fin List font names in their font wckulblunkatmi/ olullcheck vykm&ifFont awkif hvlt cgrin yxrylbhljrikygr, / Uncheck vykm&iawmh'kvd ybhljrikring/



v. Options

Options xff tyll fawftrsplußlygw, f tp01/14/14/10/6/14/14/16

- View tyllfu jrifulfeldilfwmawltwlugg Oyrm Paragraph Mark ull Check Vlykm, Vluf, falkifpmyllftm, Vlkhemuffn (Enter acgulxm, what ae&mtm, Vlff) Paragraph Mark awluliznfyaeygr, for the compawl more of the print vlywltcg ygvmffr wygy ygapcsi liawmhfile \ Print \ Option \ Hidden Text ull Check Vlyay; &ygr, for the company of the print \ Option \ Hidden Text ull Check Vlyay; &ygr, for the company of the print \ Option \ Hidden Text ull Check Vlyay; &ygr, for the company of the print \ Option \ Hidden Text ull Check Vlyay; &ygr, for the company of the print \ Option \ Hidden Text ull Check Vlyay; &ygr, for the company of the print \ Option \ Hidden Text ull Check Vlyay; &ygr, for the company of the print \ Option \ Hidden Text ull Check Vlyay; &ygr, for the company of the company
- General tyll (rin/Jal/Acs, p&maw@trsm,Bulaw@krinyg/tJbkuerem wcNun@atmi/) Blue background, white text ullcheck vybkm,r, iq@ifpm/Auftm,v|laemuchtjyma&mi@hpmv|law@ullwmhtjzla&miy|bHjrifu@frsl/vyby;ygr, // 'qayr, htJb/bliymifvJlyjiri&wm[mprint]

- **vlyfcifelroufqilfyglot/** Print **vlyfwlt cgrfn aemutittjzla&mifel/**pmvlttrnfa&mifolay:ygvdfr, f
- * Edit tyll (rinawnth Hyperlink elbuiqil iwhuse CTRL+Click to follow hyperlink wclub) vityovijymi (vity;ziviygvitir, % ollulicheck vyixm;r, iqiki i Hyperlink click vyiwit cgrin Ctrl key uliyixmiyirs uvpiviyivikygr, % Ctrl key relycsi b) wilukiluit oliyykviki iawnth Uncheck vyixm;ay;yg/ (Hyperlink tallumi (ulipage 43 rinumiyg/)
- ◆ Print tyll (rin vit yio vil Hidden Text Ull Check / Uncheck Vi/xmay;yg/
- Save tyll (rin Save AutoRecover info every ullCheck vlyix m,lyiawmh olab; u repft ulufin 5-rep? 10-repf pwmawluk nbkmay; r, f qkif vukkt lokaewkii (ull5-repfynivii) (? 10-repfynivii) (rin ulifylwmuaely)) tyltavinui save vlyay; aeygyttir, ?
- Security tyli(uawnhvitykii Password Xnfo(ay;zlyg/ (Lesson 4 Save & Print, page 28 rinuniyg/)
- * Spelling & Grammer ranni vityovjyi fay; & ranw&jygw, 1 Check Spelling As You Type ulicheck vyixmay; Nyi pm/aliwit cgrantray, qikifu&jylwmuae tjpmvitrayaw@itea&mirOfwm, Nyipoway; ygvth, 1 jyizh/tykiftjtea&mirOfwm,ckwh pmvitay: ran Right Click vyiyg/ay: vmwhpop menu xranoiavar, fipmvitaw@ilu&jylwmuae tbujykygr, 1 uli ivitsiiwwchiluvpfvyfay; viukiftvitavanajymi(vay; ygr, 1

7. Table menu

Table menu twiftcitalumi (timawililesson 3. Table, page 26 rijyeluniyo)

i. Insert

- o Table \ Insert \ Table ullvp\/\langle\life if box wchy:\vmygr, \(f \) the ull \(f \) the intert \ Columns Rows ta\(t \) the ull \(t \)
- o Table Wcklypomqkiawminsert Uaewqincolumn Row Cell awlull xylypxnby;Elliyqw, 1

ii. Delete

- o Table \ Delete \ Table **Q & i awm**Cursor **CSX m, W.h** Table **WCh/hUll ZSU/ypi/lLi/yr**, **1**
- o Table \ Delete Uae Row Column Cell Wcks (ull/nfzsufypEllfygw, f

iii. Merge Cells

o **Oluawm**select **Vlykmwhtuliawlilayqi (yphiliyqr, 1**

iv. Split Cells

o Oluawmhcursor csxm, whtu full tufuftrom, Buffyet By; ygr, # Olulu ph/yh/lu Rifbox wcby: vmygr, # tj b finul tjcm, csi whoolumns - Rows ta&tw full kluckney; & ygr, #

v. Table AutoFormat

o Table Wck/fin Cursor cscm/ly/awminable AutoFormat Ullvp///lukifbox wcky:vmygr, f tjku Category: ae&mrin All Table Style Ull/Activitinable Styles ae&mrin toilvyicm/ly/bom, eremyloliw/itrm/lu/aw/&rinyg/ tjku wckwclulluvp//yboin/luniyg/ atmubulu Preview tulurin eremylolihe&mygr, f ull Epibul/wbvclullw/ly/bqkifApply vyi/lu//lygb//

vi. Auto Fit

- o Columns tcslulselect vykmily) Distribute Columns Evenly uluvphilikiftjD
 Columns aw(mnhhmmizphot;wmulwkygr, f
- o Rows awilings i in the Select Vyly) Distribute Rows Evenly Ulluvpivilliwmey usefrma&;aumi foftrflyg/

vii. Convert

- o Convert Text to Table Text aw Littrable Z, mulify bijymi (ay; ygr, 1)
 - Text tcdlullselect vly(xm,lly)) Convert Text to Table uluvp/vlulyg/ay:vmvl)box xlfin Columns-Rows awfullvluyovlulxnfay;yg/
- o Convert Table to Text Table WCLUNText tizpfyeaiymi (ay;yqr, 1
 - Table UNSelect VylyD Convert Table to Text UNVpNNyg ay:VmWhbox Xfn Paragraph Mark — Tabs pwmaw&以 UN ftaetxmeytqifijyr, fi WckUNXJYD OK Vylyg/ Table Uae Text ybjyefijymi (Ofitygr, f/ tajymi (tvaw&&Rifvikyov)yefiyy;&ygr, f/

viii. Sort

o Table Wckillselect Nypawmhsort ullvpfvllkifbox wcky:vmygr, 《 tjkli sort by ae&mrfn b, fumfvlllnpwnNyp pay;&rfnvbllwmulla½cs, fay;yg/ 'grf [kwfvj_type ae&mrfn2½cs, &ifvnf&ygw, 《 ok vkyNypwltcgrfn bmaw@jymi (vbf;ovbllwmyeppaq;Nunky)

ix. Formula

- o Table wcku web!*Pefawfullvf fvf full wfutsuEllfillinity;ygr, #
- o ul ftajzxkvtsi (vltulu i vae & mr in cursor csx myy/ (2002 at mulu Total ae & mr in uvptsyy/)
 ayqi fjci f

o Table \ Formula UILVp\(\fomalle\) | Formula ae&mr\(\fomalle\) | Table \ Formula \(\fomalle\) | UILVp\(\fomalle\) | IILVp\(\fomalle\) | IILVp\(\f

- o 'gayr, fit] tajz [mrthaeygw, f bm/lb|llwmhcEptoutkmZjzpfwh2002 ullyg aygi (xm,vllyg/ 2002 ullu@jylwm*Pefwvllvll*Svf, bt;vljzpfygw, f
- o tj Byltjzp&atmif2003 tu&r6wllwck|znfo6fay;xmzllylygytfr, f
- o Y 2003 atmuiu Total ae&mrbuvpcsy) Formula \=SUM(ABOVE) xyivyluniyy/
 tajzreukygvtir, //
 ajrbuici (

	2002	Y 2003	
Delivery	1	2	2
Post abortion care	2	2	4
Pre eclampsia	3	2	
Haemorrhage	4	2	
Prolong obstructed labor	5	2	
Total	2017	10	

x. Table Properties

- o Table WCLIBSelect VINNY Table Properties UKI MLIRII box ay: Vmygr, 1
- o box rin tyll (4-yll (aw lkygr, 1
 - Table tyll (u Table wcl/lebufqll ygw, 1
 - Aligns b, inmillymaw@/yEllifygw, f
 - Wrap xnfo((ay;Ell (ygw , f)
 - Size ulvní csířílíygw, f
 - Rows tyll (u Select Vlykm, whows aweburing life, f
 - Specify height ae&mrin web | Pefxnio fay;yg/ 0yrm 0.5 cm xnixmay;w, fqlygplf
 - Rows height is acomon At least ay; xmr, fqkif Rows aw(mten(qk) 0.5 cm & by awnhyttyfwlt cgrin t) buyklygr, 1
 - Exactly ay; xm,r, fqkiawmhRows aw([m 0.5 cm twatus nbbt(0&lelluygr, f)

- Columns tyll (rawn) Columns awalitus, fullowfs/kay; Ell fygw, f
- Cells tyll (rinawnthselect vytem, whoell awthAligns awthbwrsvay; Ell (yqw, f)

8. Window menu

i. New Window

New Window **ulluvpi/lukifvukil**Window **ringwit &mt mvlluliaemuixyf** Window **wcktjzpiyin**, **by;ygr, i zliftopiwcjzpioinjcifr[kwyg/zliwclulirwh.lw/jrifuffaw&Ellf, Shunitsiw/ltcgrino/JEllfygw, i**

Oyrm - ziliwckullyxr Window rin Print Layout View elluniyi) 'kvd Window rin Normal View ellunitsi iwit cgrin Olelli iygw, 1

b, fwindow relibjzpjzpfzlifujly i dijznipłulwmawł/yr, falk i faemulky fwindow relivnę wlyllifwnę vluly pajymię vaerejzpygw, f

ii. Arrange All

Files transle All ullupivilles fin Arrange All ullupivilles for a strange for

iii. Split

File **Wckf bxm,cserin** Split **ullvply)** Window **EnclypEll jygw**, **1**

zii Mojjem t pilvít yii fawuliwlyli íwn fNunlÆli á tmi í ' Mýáqmi ésulu uhð áyg/

Oyrm zil (wck: hhb) yxr Window u pmrsuEin 2 ullun hep Offin 'kwd Window uaely) pmrsuEin 10 ullun hÆll (ygw, 1/2

Split VyxmwhWindow ulijyeksuksi kif Window menu \ Remove Split uluvp\vlubbly ygb) 'gqlusfrma&;aumifoffrfiyg/

9. Help menu

i. Microsoft Word Help

tcuftcl/vpl/v&maw&wltcgrfi? yllyDodsi i/wmaw&llvltcgrfin MS Help <ultnDull &, Ell ygw, I MS Help ulluvpi/vlu&i f Office Assistant ay: vmygr, I tj bfin od/llvlnr;c&faw&luxnlyD Search ulluvpfay;yg/

ii. Hide Office Assistant

ull Miriul(xfin Office Assistant u Wynew, Wkiw, pkinwmhelp menu \
Hide Office Assistant ullvp/llyg/ o//yEllawmfir [wygb!/

iii. What This?

What This? **ullvpf/lyll), kmyg/ lyllawmhull fod/llvhwck<ay:rin uvpf/lyf/lufyg/ ouiqil &m&S (vi (csufaway:vmygvtfr, f**

5. Fix the Problems

Problem 1

Microsoft Word **rin a&Bupmaw&Liae&ifehaemulupmawysulysuloti**, /

Status bar **ay: u** OVR command **yf hevlyd Oluli**Double Click **Vyfvlu&if tqihjyofi;rfiyd jyelytysufapcsiw, fqlifvlolulo**J Double Click **xyfvlyfvluyd**

Problem 2

Table columns **awlikt niñ kwm t &rfcutheygw, f**Ctrl key **uktyawmiñ luniy**g **usfrma&;aumi foftrfiy**g/

Problem 3

'^" YALINI rali (wmaway: vmw)t cgrin undo (Ctrl z) vyay;yg/ 'gali'^"
jyeay: vmygvthr, f

Undo (Ctrl z) vyawmt vyyayiw, ix i a i awmhauto Correct options rinofitjy i ay;
&ygr, f Tools menu u Auto Correct options ultiliyg/ tjb.rin Auto format as you
type ultiliofityg/ olbel Straight quote with Smart quote box rin Check
vybemwmulluncheck vybellyg/ 'gallusfrma&;aumifofityg/bil

Problem 4

Octing II &m equation aw ELL & wmo y cut lymb!

Equation Editor ulbir, folkifcuth, fxiygb!/

- Equation Editor Q IVM MS Word r flygv my pomyy Tools menu \ Customize \
 Commands ult fyg/
- b, bujcrfrin Insert ull/Likelyg/ nmbujcrfrin Equation Editor ull/Likelyg/
- drag qly) Menu bar ab; uae&mv(vrfn csxm, vluyg/box ulydv/vluyg/box

'tt coeffine Equation Editor who well y glyb (Eq: Ed: install rvy kao; whu e jy lwm in qui i Microsoft Office Installer CD awmi (y gr, f CD Rom X bull Installer CD X nay; ly awm ok vyay; vuyy)

- Eq: Ed: tools box rin hidden icons awitrsm Bulkilygw, if jri he & whw cloud uvpivly lukifoelouiq ii whtjcm; icons awiyg ay: vmygr, if the utility is the literature of the l

VILIN/Pajymi (Valewmaw Beygr, # t) Dtu Culock fin to Kalvho b (ci faw ctyli fuefaw Culi / Lulock on Eli fyglyb

Problem 5

Insert \ Object ukt fyg/ Create New XL Calender Control uk/s, yg/ OK Vyyg/
'gqtCalender av;wck u/mygr, / ve/cepoutmziulajymiściw, fqtif...
... Toolbars XL Control Toolbox ukt fvllyg/ oltho, buá'gi fqtrin Design
Mode icon & ygw, / t/Dicon ullvply) Calender ay:r fjyel/muvp/ygy/
'gqtifve/cepoutmziulajymiśay;Ellygyy