


The game board uses `display: grid` with `grid-template-columns: repeat(3, 1fr)` to create three equal-width columns for the 3×3 Tic-Tac-Toe board.




Checkpoint 3 — Keyframe Animation

Selector: `.marquee-text` / `@keyframes press-start`

The **Press Start** text uses an animation with 0%, 50%, and 100% keyframes that changes its position with `transform` and changes its color. The animation also uses a delay and the `both` fill mode.

```
}


@keyframes press-start
0% {
  transform: translateX(0);
  color: var(--neon-cyan);
}
50% {
  transform: translateX(40px);
  color: var(--neon-pink);
}
100% {
  transform: translateX(0);
  color: var(--neon-cyan);
}
```



Checkpoint 4 — Layered Composition

Selectors: `.layer-stack` and `.layer`


`.layer-stack` uses `position: relative` as the positioning parent. The child layers use `position: absolute` with different `z-index` values to stack the background X, PLAYER 1 text, and WINS! text.



Checkpoint 5 — Micro-Interaction

Selectors: `.tile:hover` and `.tile:focus-visible`

The Tic-Tac-Toe tiles use transitions on `transform` and `box-shadow`. Hovering or keyboard-focusing a tile enlarges it and adds a neon glow.



Checkpoint 6 — Professional & Responsive

Selector: `@media (max-width: 768px)`

At screen widths of 768px or less, `.cabinet-header` changes to `flex-direction: column`, stacking the title and navigation for smaller screens. The Tic-Tac-Toe tiles also become smaller to better fit the viewport.

