

CSS Flexbox CSS Grid @keyframes Positioning & z-index Competitive Arcade

Four arcade cabinets, one hour, zero JavaScript. Predict layouts before they render, solve a CSS crime scene, then build your own neon arcade page using `display: flex`, `display: grid`, `@keyframes`, and `z-index` — written with professional, standards-compliant HTML and CSS.

FORMAT**Teams of 2**

3 needs instructor approval

DURATION**60 Minutes****CORE MECHANICS****Predict + Debug +
Build****TOTAL POINTS****100 Points****FINAL SUBMISSION DUE****Today · 09/28/2026**

4:30 PM hard deadline

Activity Progress: 4 of 9

**STOP & READ — TEAM RULES FOR EVERY ROUND**

 **ONE laptop per team.** Only the Driver's machine is open. All other laptops, tablets, and phones stay closed and put away.

 **ALL solutions go in ONE shared Google Doc.** Name it `Activity05-TeamName` and share it with every teammate.

 **Record everything:** Round 1 score + report, every bug diagnosis, fixed CSS, and screenshots, plus Round 3 checkpoint screenshots.

 **No AI tools, search engines, CSS generators, or help from other teams** during timed rounds.

 **Not in the Google Doc = not graded.** Keep version history on — it is your evidence.

 **Submit through iCollege by 4:30 PM today.** One submission per team.

 Overview  Arcade Rounds  CSS Crime Scene  Starter Code  Build Challenge  Gra

Professional Starter Template

Semantic HTML5 skeleton with a documented, sectioned embedded stylesheet

Round 3 Launchpad



How to Use the Template

Save the file as `index.html` inside a new folder named `css-arcade-teamname`. Every checkpoint has a labelled comment block — replace each `TODO` with your own CSS. Keep the semantic structure (`header`, `nav`, `main`, `section`, `footer`) and rename text and classes to fit your theme.



No ZIPs or Images Needed

Every file for today is embedded in this page — use the Preview, Download, or Copy buttons. The original lab downloads map to these files:

- **Recipe with Flexbox** → Zone 1 of `css_arcade_broken.html` (CSS Crime Scene tab)
- **Tic-Tac-Toe with Grid** → Zone 2 of `css_arcade_broken.html`
- **Fraction Animation challenge** → Zone 3 of `css_arcade_broken.html`
- **I ♥ NY T-Shirt challenge** → Zone 4 of `css_arcade_broken.html` (the tee is drawn in CSS, so no image file is required)
- **Round 3 build** → the `index.html` starter template below



Professional HTML & CSS Standards (graded)

- No inline `style=""` attributes and no `<br>` for spacing — all presentation lives in the stylesheet.
- Colors, spacing, and radii come from `:root` custom properties.
- Class names are meaningful and lowercase-hyphenated (`.score-board`, not `.div2`).
- Every `img` has a descriptive `alt`; headings follow order (one `h1`).
- Consistent 2-space indentation and a comment header naming each stylesheet section.
- Page passes the [W3C HTML validator](#) and the [W3C CSS validator](#) with zero errors.



index.html — CSS Arcade Cabinet Starter

► Preview



Download



Copy

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="CSS Arcade Cabinet — Activity 05 build chall
  <title>CSS Arcade Cabinet · Team Name</title>
<!--
  Activity 05 · CSS Arcade Night · Round 3 Build
  Team Name: _____
  Members / IDs: _____
  Theme: _____
-->
<style>
  /* =====
  0. DESIGN TOKENS (Checkpoint 6 — custom properties)

```

```
===== */  
:root {  
  --bg: #0c0a1a;  
  --surface: #16132b;  
  --ink: #f8fafc;  
  --neon-pink: #f472b6;  
  --neon-cyan: #22d3ee;
```

