API Documentation

Author: Muhammad Anas Kusuma Amir
Base URL: http://localhost:8080/api/v1
Version: 1.0
Status: Final

1. Endpoints

1.1. Authentications

1.1.1. Login

Authenticate the user and obtain a JWT access token.

Sample Usage Postman/Bruno:

POST http://localhost:8080/api/v1/auth/login
Authorization -

Request JSON:

```
{
 "username": "admin",
 "password": "admin123"
}
```

Response


```
{
  "success": true,
  "message": "Login successful",
  "data": {
    "accessToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhZG1pbiIsImlhdCI6M
Tc5Mjg0MDk2MywiZXhwIjoxNzkyOTI3MzYzfQ.czDEQZOPNIMvBo0AJKIoIz62r1CSf_om
jLp1gWqhMw5OX53FRFznpih_vOBqHaJWVs4SyEDIwqPWw2LRykYXzA",
    "tokenType": "Bearer",
    "expiresIn": 86400,
    "username": "admin",
    "role": "ADMIN"
  },
  "timestamp": "2026-10-24T11:22:44.017882282Z",
  "traceId": "178300f3"
}
```


Later, get the accessToken once you've logged in, and you'll be able to access all the features, and the access token is valid for 86,400 seconds or 24 hours.

Error Response

Status	Condition	Body message
400	Field is empty	"Username: username is required"
401	Incorrect password / username does not exist	"Invalid username or password"

1.2. Provinces

Indonesian provinces (BPS code). Read-only for all roles; CUD access is limited to ADMIN. Make sure this section has logged in and obtained an access token; for more details, see Section 1.1.1.

1.2.1. List Provinces

Retrieve a list of provinces with pagination and optional filters.

Sample Usage Postman/Bruno:

GET http://localhost:8080/api/v1/provinces
Authorization Bearer Token
Role Admin

Query Params:

Parameter	Type	Default	Description
name	string	-	Filter by name (partial, case-insensitive)
includeInactive	boolean	false	true = include provinces active=false
page	integer	0	Page (0-based)
size	Integer	20	Page size (max 100)
sort	String	name	Format: field,asc|desc

Response


```
{
  "success": true,
  "message": "OK",
  "data": {
    "content": [
      {
        "id": 7,
        "code": "39",
        "name": "Ngawi Selatan",
        "active": true,
        "createdBy": "admin",
        "createdAt": "2026-10-24T09:26:26.057073Z",
        "updatedBy": "admin",
        "updatedAt": "2026-10-24T09:26:26.057073Z"
      },
      {↔8↔}
    ],
    "page": 0,
    "size": 20,
    "totalElements": 2,
    "totalPages": 1,
    "hasNext": false
  },
  "timestamp": "2026-10-24T11:53:41.825544995Z",
  "traceId": "716c3091"
}
```


The response always excludes data that has been soft deleted.

1.2.2. Get Province by ID

Details for one province.

Sample Usage Postman/Bruno:

GET http://localhost:8080/api/v1/provinces/{id}
Authorization Bearer Token
Role Admin

Response:


```
{
  "success": true,
  "message": "OK",
  "data": {
    "id": 6,
    "code": "38",
    "name": "Ngawi Utara",
    "active": true,
    "createdBy": "admin",
    "createdAt": "2026-10-24T09:18:38.624140Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T09:18:38.624140Z"
  },
  "timestamp": "2026-10-24T11:55:46.423956566Z",
  "traceId": "cbfb5b5d"
}
```


Equivalent to one item on the list

Error Response

Status	Condition
404	ID not found or has been deleted

1.2.3. Create Province

Create a new province.

Sample Usage Postman/Bruno:

POST http://localhost:8080/api/v1/provinces
Authorization Bearer Token
Role Admin

Request Body (JSON):

```
{
 "code": "50",
 "name": "DKI Jakarta",
 “active”: true // Optional
}
```

Response:


```
{
  "success": true,
  "message": "Province created",
  "data": {
    "id": 12,
    "code": "50",
    "name": "DKI Jakarta",
    "active": true,
    "createdBy": "admin",
    "createdAt": "2026-10-24T12:59:25.002596811Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T12:59:25.002596811Z"
  },
  "timestamp": "2026-10-24T12:59:25.028047212Z",
  "traceId": "f0a4ae78"
}
```

Error Response

Status	Condition	Body message
400	Field is empty / > max	"Code: code is required"
403	Role: Public	"Forbidden: insufficient permissions"
422	Code already exists	"Province code already exists 31"

1.2.4. Update Province

Province update. Partial update, only the fields that were sent are updated.

Sample Usage Postman/Bruno:

PATCH http://localhost:8080/api/v1/provinces/{id}
Authorization Bearer Token
Role Admin

Request Body (JSON (All Optional)):

```
{
 "name": "DKI Jakarta Raya",
 “active”: true
}
```

Response:


```
{
  "success": true,
  "message": "Province updated",
  "data": {
    "id": 7,
    "code": "39",
    "name": "DKI Jakarta Raya",
    "active": true,
    "createdBy": "admin",
    "createdAt": "2026-10-24T09:26:26.057073Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T09:26:26.057073Z"
  },
  "timestamp": "2026-10-24T13:09:48.508084095Z",
  "traceId": "39f6de9b"
}
```


Error Response

Status	Condition
404	ID not found
409	Concurrent edit (different versions)
403	Not an ADMIN

1.2.5. Delete Province

This is a soft delete. The data is not removed from the database; it is simply marked with `deleted=true`. The data will no longer appear in the response. Audit records are stored permanently.

DELETE http://localhost:8080/api/v1/provinces/{id}
Authorization Bearer Token
Role Admin

Response:


```
{
  "success": true,
  "message": "Province deleted",
  "timestamp": "2026-10-24T13:15:22.475989311Z",
  "traceId": "f90f6709"
}
```


Error Response

Status	Condition	Body message
404	ID not found	"Province not found with id: 1"
422	Still have an active branch	"Cannot delete province with active branches. Deactivate or delete branches first."

1.3. Branches

Distribution branch. Each branch is associated with one province. Read-only for all roles; CUD access is limited to ADMIN. Make sure this section has logged in and obtained an access token; for more details, see Section 1.1.1.

1.3.1. List Branches

List branch with Pagination and filter.

Sample Usage Postman/Bruno:

GET http://localhost:8080/api/v1/branches
Authorization Bearer Token
Role Admin

Query Params:

Parameter	Type	Default	Description
provinceId	long	-	Filter by province ID. Contoh: ?provinceId=1
name	string	-	Filter by name (partial, case-insensitive)
includeInactive	boolean	false	Show up the inactive
Page, size, sort	-	-	same as Province

Response


```
{
  "success": true,
  "message": "OK",
  "data": {
    "content": [↔20↔],
    "page": 0,
    "size": 20,
    "totalElements": 34,
    "totalPages": 2,
    "hasNext": true
  },
  "timestamp": "2026-10-24T13:26:57.982966775Z",
  "traceId": "2e4a0378"
}
```


1.3.2. Get Branch by ID

See detail branch by ID.

Sample Usage Postman/Bruno:

GET http://localhost:8080/api/v1/branches/{id}
Authorization Bearer Token
Role Admin

Response

```
{
  "success": true,
  "message": "OK",
  "data": {
    "id": 5,
    "code": "NW-004",
    "name": "Ngawi Branch 4",
    "address": "Alamat Branch",
    "phone": "021-1234567",
    "active": true,
    "provinceId": 6,
    "provinceName": "Ngawi Utara",
    "createdBy": "admin",
    "createdAt": "2026-10-24T09:21:31.425910Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T09:21:31.425910Z"
  },
  "timestamp": "2026-10-24T13:28:55.902320508Z",
  "traceId": "aa8576ef"
}
```


Error Response

Status	Condition
404	ID not found or has been deleted

1.3.3. Create Branch

Create a new branch.

Sample Usage Postman/Bruno:

POST http://localhost:8080/api/v1/branches
Authorization Bearer Token
Role Admin

Request Body (JSON):

```
{
   "provinceId": 9,
   "code": "SU-02",
   "name": "Jawa Selatan",
   "address": "Jl. TB Simatupang No. 5", // optional
   "phone": "021-7654321", // optional
   "active": true // optional
 }
```

Response:


```
{
  "success": true,
  "message": "Branch created",
  "data": {
    "id": 65,
    "code": "SU-02",
    "name": "Kolam KDM",
    "address": null,
    "phone": "021-1234567",
    "active": true,
    "provinceId": 9,
    "provinceName": "Jawa Selatan",
    "createdBy": "admin",
    "createdAt": "2026-10-24T13:33:54.221755595Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T13:33:54.221755595Z"
  },
  "timestamp": "2026-10-24T13:33:54.252668155Z",
  "traceId": "09188233"
}
```

Error Response

Status	Condition	Body message
400	Validation failed	"provinceId: provinceId is required"
403	Not an ADMIN	-
404	provinceId not found	"Province not found with id: 999"
422	Duplicate code	"Branch code already exists: JKT-02"

1.3.4. Update Branch

Partial update branch.

Sample Usage Postman/Bruno:

PATCH http://localhost:8080/api/v1/branches/{id}
Authorization Bearer Token
Role Admin

Request Body (JSON (All Optional)):

```
{
 "name": "Mustika Jaya",
 //"address": “Jl. TB Simatupang No. 5",
   "phone": "021-9999999",
 //"active": false
}
```

Response:


```
{
  "success": true,
  "message": "Branch updated",
  "data": {
    "id": 14,
    "code": "NW-013",
    "name": "Mustika Jaya",
    "address": "Alamat Branch",
    "phone": "021-9999999",
    "active": true,
    "provinceId": 6,
    "provinceName": "Ngawi Utara",
    "createdBy": "admin",
    "createdAt": "2026-10-24T09:21:31.425910Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T14:15:00.921768Z"
  },
  "timestamp": "2026-10-24T14:15:08.187569550Z",
  "traceId": "633b750c"
}
```


Error Response

Status	Condition
404	ID not found
409	Concurrent edit (different versions)
403	Not an ADMIN

1.3.5. Delete Branch

Soft delete branch.

DELETE http://localhost:8080/api/v1/branches/{id}
Authorization Bearer Token
Role Admin

Response:


```
{
  "success": true,
  "message": "Branch deleted",
  "timestamp": "2026-10-24T13:15:19.712493265Z",
  "traceId": "fbdbe987"
}
```


Error Response

Status	Condition	Body message
404	ID not found	-
422	Still have an active Store	"Cannot delete branch with active stores. Deactivate or delete stores first."

1.4. Stores

Store. Each store is associated with one Branch (which is associated with one Province). This is the most complex resource because it has a whitelist flag and cross-level filters.

1.4.1. List Stores

Store list with pagination and multiple filters.

Sample Usage Postman/Bruno:

GET http://localhost:8080/api/v1/stores
Authorization Bearer Token
Role Admin

Query Params:

Parameter	Type	Default	Description
provinceId	long	-	Filter by province ID. Contoh: ?provinceId=1
branchId	long	-	filter by branch ID
name	string	-	Filter by name (partial, case-insensitive)
whitelistedOnly	boolean	false	If true, store only the whitelist
includeInactive	boolean	false	Show up the inactive
Page, size, sort	-	-	same as other resource

Response

- Filter Store in Ngawi:

Response Headers 12 Timeline Tests


```
{
  "id": 7,
  "code": "DIY-001",
  "name": "Indomaret Jogja",
  "address": "Gg. Jamal 55",
  "whitelisted": false,
  "active": true,
  "branchId": 33,
  "branchName": "DI Yogyakarta Branch 1",
  "provinceId": 10,
  "provinceName": "DI Yogyakarta",
  "createdBy": "admin",
  "createdAt": "2026-10-24T10:14:00.815480Z",
  "updatedBy": "admin",
  "updatedAt": "2026-10-24T10:14:00.815480Z"
},
{
  "id": 1,
  "code": "STR-001",
  "name": "Indomaret Sudirman",
  "address": "Jl. Sudirman No. 1",
  "whitelisted": true,
  "active": true,
  "branchId": 33,
  "branchName": "DI Yogyakarta Branch 1",
  "provinceId": 10,
  "provinceName": "DI Yogyakarta",
  "createdBy": "admin",
  "createdAt": "2026-10-24T10:01:45.113415Z",
  "updatedBy": "admin",
  "updatedAt": "2026-10-24T10:01:45.113415Z"
}
],
"page": 0,
"size": 20,
"totalElements": 2,
```

- Whitelisted Only


```
{
  "success": true,
  "message": "OK",
  "data": {
    "content": [
      {
        "id": 1,
        "code": "STR-001",
        "name": "Indomaret Sudirman",
        "address": "Jl. Sudirman No. 1",
        "whitelisted": true,
        "active": true,
        "branchId": 33,
        "branchName": "DI Yogyakarta Branch 1",
        "provinceId": 10,
        "provinceName": "DI Yogyakarta",
        "createdBy": "admin",
        "createdAt": "2026-10-24T10:01:45.113415Z",
        "updatedBy": "admin",
        "updatedAt": "2026-10-24T10:01:45.113415Z"
      }
    ],
    "page": 0,
    "size": 20,
    "totalElements": 1,
    "totalPages": 1,
    "hasNext": false
  },
  "timestamp": "2026-10-24T14:41:12.312931177Z",
  "traceId": "521b4da3"
}
```


- Combined filter (whitelisted & province name)




```
{
  "success": true,
  "message": "OK",
  "data": {
    "content": [
      {
        "id": 1,
        "code": "STR-001",
        "name": "Indomaret Sudirman",
        "address": "Jl. Sudirman No. 1",
        "whitelisted": true,
        "active": true,
        "branchId": 33,
        "branchName": "DI Yogyakarta Branch 1",
        "provinceId": 10,
        "provinceName": "DI Yogyakarta",
        "createdBy": "admin",
        "createdAt": "2026-10-24T10:01:45.113415Z",
        "updatedBy": "admin",
        "updatedAt": "2026-10-24T10:01:45.113415Z"
      }
    ],
    "page": 0,
    "size": 20,
    "totalElements": 1,
    "totalPages": 1,
    "hasNext": false
  },
  "timestamp": "2026-10-24T14:41:35.432612138Z",
  "traceId": "51b16413"
}
```


This endpoint uses batch fetching. The number of queries to the database remains constant (5 queries) regardless of the size (20, 100, or even 1,000). There is no N+1 issue.

1.4.2. Get Stores by ID

Details for one store.

Sample Usage Postman/Bruno:

GET http://localhost:8080/api/v1/stores/{id}
Authorization Bearer Token
Role Admin

Response


```
{
  "success": true,
  "message": "OK",
  "data": {
    "id": 7,
    "code": "DIY-001",
    "name": "Indomaret Jogja",
    "address": "Gg. Jamal 55",
    "whitelisted": false,
    "active": true,
    "branchId": 33,
    "branchName": "DI Yogyakarta Branch 1",
    "provinceId": 10,
    "provinceName": "DI Yogyakarta",
    "createdBy": "admin",
    "createdAt": "2026-10-24T10:14:00.815480Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T10:14:00.815480Z"
  },
  "timestamp": "2026-10-24T14:44:08.711420149Z",
  "traceId": "029719db"
}
```


Error Response

Status	Condition
404	ID not found or has been deleted

1.4.3. Create Store

Create a new Store.

Sample Usage Postman/Bruno:

POST http://localhost:8080/api/v1/stores
Authorization Bearer Token
Role Admin

Request Body (JSON):

```
{
  "branchId": 51,
  "code": "JWB-017",
  "name": "Indomaret dewa gaming",
  "address": "Jl. Sudirman No. 1", // optional
  "whitelisted": true, // optional
  “active”: true // optional
}
```

Response:

```
{
  "success": true,
  "message": "Store created",
  "data": {
    "id": 24,
    "code": "JWB-017",
    "name": "Indomaret dewa gaming",
    "address": null,
    "whitelisted": false,
    "active": true,
    "branchId": 51,
    "branchName": "Jawa Barat Branch 5",
    "provinceId": 8,
    "provinceName": "Jawa Barat",
    "createdBy": "admin",
    "createdAt": "2026-10-24T14:50:51.097529407Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T14:50:51.097529407Z"
  },
  "timestamp": "2026-10-24T14:50:51.171230909Z",
  "traceId": "ac57fa17"
}
```


Error Response

Status	Condition	Body message
400	Validation failed	"branchId: branchId is required"
403	Not an ADMIN	-
404	branchId not found	"Branch not found with id: 999"
422	Duplicate code	"Store code already exists: STR-001"

1.4.4. Update Store

Partial update store.

Sample Usage Postman/Bruno:

PATCH http://localhost:8080/api/v1/stores/{id}
Authorization Bearer Token
Role Admin

Request Body (JSON (All Optional)):

```
{
 "name": "Mustika Jaya",
 //"address": “Jl. TB Simatupang No. 5",
 //"whitelisted": false,
 //"active": false
}
```

The branchId and code cannot be updated. The branchId and code cannot be updated. Users can enable or disable a store’s whitelist at any time.

Response:

```
{
  "success": true,
  "message": "Branch updated",
  "data": {
    "id": 14,
    "code": "NW-013",
    "name": "Mustika Jaya",
    "address": "Alamat Branch",
    "phone": "021-9999999",
    "active": true,
    "provinceId": 6,
    "provinceName": "Ngawi Utara",
    "createdBy": "admin",
    "createdAt": "2026-10-24T09:21:31.425910Z",
    "updatedBy": "admin",
    "updatedAt": "2026-10-24T14:15:00.921768Z"
  },
  "timestamp": "2026-10-24T14:15:08.187569550Z",
  "traceId": "633b750c"
}
```


1.4.5. Delete Store

Soft delete Store.

DELETE http://localhost:8080/api/v1/store/{id}
Authorization Bearer Token
Role Admin

Response:


```
{
  "success": true,
  "message": "Store deleted",
  "timestamp": "2026-10-24T14:56:31.133397888Z",
  "traceId": "6e26c453"
}
```


Error Response

Status	Condition
404	ID not found