1. The probability of a leap year selected at random contain 53			
Sunday is:			
(a) 53/ 366 (b) 1/7 <mark>(c) 2/7</mark> (d) 53/365			
2. A bag contains 3 red and 2 blue marbles. A marble is drawn at			
random. The probability of drawing a black ball is :			
(a) 3/5 (b) 2/5 <mark>(c) 0/5</mark> (d) 1/5			
3. The probability that it will rain tomorrow is 0.85. What is the			
probability that it will not rain tomorrow			
(a) 0.25 (b) 0.145 (c) 3/20 (d) none of these 4.			
What is the probability that a number selected from the			
numbers (1, 2, 3,,15) is a multiple of 4?			
(a) 1/5 (b) 4/5 (c) 2/15 (d) 1/3			
5. What are the total outcomes when we throw three coins?			
(a) 4 (b) 5 (c) 8 (d) 7			
6. The probability that a prime number selected at random from the			
numbers (1,2,3, <u></u> 35) is :			
(a) 12/35 (b) 11/35 (c) 13/35 (d) none of these			
7. The sum of the probability of an event and non event is:			
(a) 2 (b) 1 (c) 0 (d) none of these.			
8. The following probabilities are given; choose the correct answer			
for that which is not possible.			
(a) 0.15 (b) 2/7 (c) 7/5 (d) none of these.			
9. If three coins are tossed simultaneously, than the probability of			
getting at least two heads, is:			
(a) $1/4$ (b) $3/8$ (c) $\frac{1}{2}$ (d) $1/8$			
10. A letter is chosen at random from the letters of the word			
ASSASSINATION. The probability that the letter chosen has:			
(a) 6/13 (b) 7/13 (c) 1 (d) none of these.			
11. A dice is thrown. Find the probability of getting an even			
number.			
(A) 2/3 (B) 1 (C) 5/6 (D) 1/2			
12. Two coins are thrown at the same time. Find the probability of			
getting both heads.			
(A) 3/4 (B) 1/4 (C) 1/2 (D) 0			
(5) (5)			

13. Two did sum of 9 is		simultaneou	sly. The pro	bability of getting	a
(A) 1/10	(B) 3/10	(C) 1/	<mark>'9</mark> (D)) 4/9	
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number. (A) 3/4 (B) 27/50 (C) 1/4 (D) 29/100					
_	a blue ball is	double that o		s .If the probabilit then the number o	-
16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is: (A) 143/150 (B) 147/150 (C) 1/25 (D) 1/50					
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square. (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100					
18. What i (A) 1/7	s the probabil (B) 53/366		_	s in a leap year?) 7/366	
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) $1/26$ (B) $3/26$ (C) $7/52$ (D) $1/13$					
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312, then the probability that it will point to an odd number is: (A) 1/6 (B) 1/12 (C) 7/12 (D) 5/12					
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same					

result i.e. three heads or three tails and loses otherwise. Then the				
probability that Ary	-	•		
(A) 3/4 (B) 1/2 22. Riya and Kajal	` '	` '	ath will bayo tho	
same birthday is the		•	ill will liave the	
(A) 364/365			(D) 1/133225	
23. A number x is chosen at random from the numbers -2, -1, 0, 1, 2. Then the probability that $x^2 < 2$ is?				
(A) 1/5 (B) 2/5	(C) 3/5	(D) 4/5		
a marble is dra	nwn at random nen the numbe	from the jar, the	others are white. If e probability that it es in the jar is: (A)	
25. A number is set Then the probability (A) 7/50 (B) 4/25	ty that it is a m	nultiple of 3 and		
26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?				
a) b)	5	1 C)	4 d)	
7	42	21	21	
27. Runs scored by batsman in 5 one day matches are 50, 70, 82, 93, and 20. The standard deviation is				
		c) 25.29	d) 25.69	
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.				
_	<mark>) 13, 18</mark>		d) 13, 16	
29. A coin is tosse cases is	ed up 4 times.	The probability t	that tails turn up in 3	

a) ¹ /2	b) $^{1}/3$		c) $^{1}/4$	d)	
1/6					
30. X is a variate between 0 and 3. The value of E(X2) is					
a) 8	b) 7	c) 27	d) 9		
31.The rand	dom variables X	and Y have	variances 0.2	and 0.5	
respectivel	y. Let Z= 5X-2Y.	The varian	ce of Z is?		
a) 3	b) 4	c) 5	<mark>d) 7</mark>		
32.Out of t	he following val	ues, which d	one is not poss	ible in	
probability?					
a) $P(x) = 1$	b) ∑ x P	(x) = 3			
c) $P(x) = 0.5$	d) P(x)	= -0.5			
22 If E(v) =	. 2 and E(=) = 4 +	than E/= - v	·\ _2		
a) 2	2 and E(z) = 4, t b) 6	c) 0		ufficient data	
<u> </u>	ariance of two ir	,	•		
34. THE COV	ariance or two n	idependent	Talluolli Vallab	ie is	
a) 1	b) 0	c) - 1	d) Un	defined	
	$= k^2 - 8$ then, then				
a) 0	b) 1			sufficient data	
•	0.5 and x = 4, th	$en \dot{E}(x) = ?$	ŕ		
a) 1	b) 0.5	c) 4	<mark>d) 2</mark>		
	wata muahahilitu.	مانمدنان مانسد		l muahahilitiaa ia	
_	rete probability	aistribution	, the sum of all	probabilities is	
always?	b) Infinite	<u>a) 1</u>	d) Una	dofinad	
a) 0	b) illillille	c) 1	u) one	defined	
38.If the probability of hitting the target is 0.4, find mean and					
variance.	•	<i>3</i>	•		
a) 0.4, 0.24	b) 0.6, 0.	24	c) 0.4, 0.16	d) 0.6, 0.16	
,	, ,		,	,	
39.If the probability that a bomb dropped from a place will strike the					
_	% and if 10 bom	_	-		
a) 0.6, 0.24	b) 6, 2.4	c) 0.4	4, 0.16	d) 4, 1.6	

40. Find the mean of tossing 8 coins.

a) 2	b) 4	c) 8		d) 1	
41. What i	s the mear	and vari	ance for st	andard norr	nal distribution?
•			•	s 1 and varia is ∞ and va	
42.Varian (a) E(X)			able X is gi c) E(X2) -	ven by - (E(X))2	d) (E(X))2
43.Mean o a) E(X)			e X is given c) E(X2) -	•	d) (E(X))2
44.Mean o a) 0 45.Varianc	<mark>b) a</mark>		c) a/2	d)	1
a) 0 46.Find the	•		c) a/2	C	1) 1
×	0	1	2 3	4	
f(x)	1/9	2/9	3/9 2	/9 1/9	
a) 2, 4/3 47.Find the	•		-		d) 3, 2/3
x	0 1	2 3			
f(x)	1/6 2/6	2/6 1/6			

c) 2.5

b) 1.5

d) 3.5

a) 0.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

- a) np b) npq c) np2q d) npq2
- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use Binomial Distribution .
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard Deviation?
- a) \sqrt{np} b) \sqrt{pq} c) (np)2 d) \sqrt{npq}