

1. Which command creates a new ROS2 workspace?
 - a) `ros2 create workspace`
 - b) `mkdir -p ~/ros2_ws/src`
 - c) `ros2 workspace build`
 - d) `ros2_ws create`
2. In ROS2, what is a node?
 - a) A single line of Python code
 - b) A running program that performs one task
 - c) A robot's physical component
 - d) A configuration file
3. Topics are used for sending continuous messages between nodes. (True/False)
4. What command makes ROS2 available in your terminal?
 - a) `install ros2`
 - b) `source /opt/ros/jazzy/setup.bash`
 - c) `ros2 ready`
 - d) `colcon build`
5. Match the workspace folder with what it stores:
 1. `src/`
 2. `build/`
 3. `install/`
 - a. Source code and packages
 - b. Compiled files and executables
 - c. Temporary build data
6. What command shows all active topics in ROS2?
 - a) `ros2 list topics`
 - b) `ros2 topic list`
 - c) `ros2 show topics`
 - d) `ros2 nodes list`
7. Python and C++ are the two main programming languages used in ROS2. (True/False)
8. What does `tf2` do in ROS2?
 - a) Builds packages automatically
 - b) Manages coordinate frames and transformations

- c) Creates new nodes
 - d) Displays sensor data in text format
9. Match each ROS2 tool with what it does:
- 1. rviz2
 - 2. static_transform_publisher
 - 3. joint_state_publisher_gui
 - a. Displays 3D models and frames
 - b. Publishes a fixed transform between frames
 - c. Lets you move robot joints using sliders
10. If you try to build your workspace inside the src folder, what happens?
- a) It builds successfully
 - b) It fails — colcon build must run from the workspace root
 - c) It deletes your files
 - d) It automatically fixes the path
-

Answer Key

- 1. b
- 2. b
- 3. True
- 4. b
- 5. 1-a, 2-b, 3-c
- 6. b
- 7. True
- 8. b
- 9. 1-a, 2-b, 3-c
- 10. b