


```
meetha156@localhost:~ — /usr/bin/vim fib.sh

echo "enter number"
read n

a=0
b=1

echo "fibonacci series"

for((i=1;i<=n;i++))
do
    echo $a
    fn=$((a + b))
    a=$b
    b=$fn
done

"fib.sh" 16L, 128B 14,6-13 All
```

```
meetha156@localhost:~

[meetha156@localhost ~]$ vi fib.sh
[meetha156@localhost ~]$ sh fib.sh
enter number
12
fibonacci series
0
1
1
2
3
5
8
13
21
34
55
89
[meetha156@localhost ~]$
```

```
Activities Terminal Feb 23 19:26 meetha156@localhost:~/shell_lab
[meetha156@localhost ~]$ mkdir shell_lab
[meetha156@localhost ~]$ cd shell_lab
[meetha156@localhost shell_lab]$ vi calculator.sh
[meetha156@localhost shell_lab]$ chmod +x calculator.sh
[meetha156@localhost shell_lab]$ ./calculator.sh
Enter first number:
12
Enter second number:
4
1.Add 2.Subtract 3.Multiply 4.Divide
3
Result = 48
[meetha156@localhost shell_lab]$ chmod +x calculator.sh
[meetha156@localhost shell_lab]$ ./calculator.sh
Enter first number:
40
Enter second number:
8
1.Add 2.Subtract 3.Multiply 4.Divide
4
Result = 5
[meetha156@localhost shell_lab]$
```

```
Activities Terminal Feb 23 19:07 meetha156@localhost:~/shell_lab — /usr/bin/vim calculator.sh
echo "Enter first number:"
read a
echo "Enter second number:"
read b
echo "1.Add 2.Subtract 3.Multiply 4.Divide"
read ch
case $ch in
  1) echo "Result = $(expr $a + $b)" ;;
  2) echo "Result = $(expr $a - $b)" ;;
  3) echo "Result = $(expr $a \* $b)" ;;
  4) echo "Result = $(expr $a / $b)" ;;
  5) echo "Invalid choice" ;;
esac

"calculator.sh" 14L, 325B 14,0-1 All
```

```
Activities Terminal Feb 23 19:40 meetha156@localhost:~/shel_lab
[meetha156@localhost ~]$ mkdir shel_lab
[meetha156@localhost ~]$ cd shel_lab
[meetha156@localhost shel_lab]$ vi leapyear.sh
[meetha156@localhost shel_lab]$ chmod +x leapyear.sh
[meetha156@localhost shel_lab]$ ./leapyear.sh
Enter a year:
2025
Not a leap year
[meetha156@localhost shel_lab]$ chmod +x leapyear.sh
[meetha156@localhost shel_lab]$ ./leapyear.sh
Enter a year:
2026
Not a leap year
[meetha156@localhost shel_lab]$ vi leapyear.sh
[meetha156@localhost shel_lab]$ chmod +x leapyear.sh
[meetha156@localhost shel_lab]$ ./leapyear.sh
Enter a year:
2028
Leap year
[meetha156@localhost shel_lab]$
```

```
Activities Terminal Feb 23 19:39 meetha156@localhost:~/shel_lab — /usr/bin/vim leapyear.sh
echo "Enter a year:"
read y
if [ $((y % 400)) -eq 0 ] || { [ $((y % 4)) -eq 0 -a $((y % 100)) -ne 0 ]; }
then
    echo "Leap year"
else
    echo "Not a leap year"
fi

```

"leapyear.sh" 9L, 162B 9,0-1 All