

Top 100 Java Interview Questions & Answers

1. What is a class in Java?

Answer: Java encapsulates the codes in various classes which define new data types. These new data types are used to create objects.

2. What is a JVM?

Answer: JVM is Java Virtual Machine which is a run time environment for the compiled java class files.

3. What is the right data type to represent a price in Java?

Answer: BigDecimal, if memory is not a concern and Performance, is not critical, otherwise double with predefined precision.

4. Does Java support multiple inheritances?

Answer: Java doesn't support multiple inheritances.

5. What are the supported platforms by Java Programming Language?

Answer: Java runs on a variety of platforms, such as Windows, Mac OS, and the various versions of UNIX/Linux like HP-Unix, Sun Solaris, Red hat Linux, Ubuntu, Cent OS, etc.

6. List any five features of Java?

Answer: Some features include Object Oriented

- Platform Independent
- Robust
- Interpreted
- Multi-threaded

coding.knowledge
harish

7. Explain method overloading?

Answer: When a Java program contains more than one methods with the same name but different properties, then it is called method overloading.

8. What restrictions are placed on the location of a package statement within a source code file?

Answer: A package statement must appear as the first line in a source code file (eliminating blank lines and comments).

9. What method is used to specify a container's layout?

Answer: The `setLayout()` method is used to specify a container's layout.

10. What is the immediate superclass of the Applet class?

Answer: The `Panel` class is the immediate superclass of the `Applet` class.

11. What are the access modifiers in Java?

Answer: There are 3 access modifiers. `Public`, `protected` and `private`, and the default one if no identifier is specified is called `friendly`, but programmer cannot specify the `friendly` identifier explicitly.

12. What is are packages?

Answer: A package is a collection of related classes and interfaces providing access protection and namespace management.

13. What is meant by Inheritance and What are its advantages?

Answer: Inheritance is the process of inheriting all the features from a class. The advantages of inheritance are reusability of code and accessibility of variables and methods of the super class by subclasses.

14. Can we rethrow the same exception from catch handler?

Answer: Yes, we can rethrow the same exception from our catch handler. If we want to rethrow checked exception from a catch block we need to declare that exception.

15. what value is a variable of the String type automatically initialized?

Answer: The default value of a `String` type is `null`.

16. When a thread blocks on I/O, what state does it enter?

Answer: When it blocks on I/O, A thread enters the waiting state.

17. Which containers use a Flow Layout as their default layout?

Answer: The `Panel` and `Applet` classes use the `Flow Layout` as their default layout.

18. Explain Java Coding Standards for Constants ?

Answer:

Constants in java are created using `static` and `final` keywords.

coding.knowledge
harish

1) Constants contain only uppercase letters.

2) If the constant name is a combination of two words it should be separated by an underscore.

3) Constant names are usually nouns.

Ex:MAX_VALUE, MIN_VALUE, MAX_PRIORITY, MIN_PRIORITY

19. What is synchronization and why is it important?

Answer: The term synchronization is the ability to control the access of multiple threads to shared resources. And it is important because, without it, it is not possible for one thread to modify a shared object while another thread is in the process of using or updating that object's value. This often leads to major errors.

20. Explain Java Coding Standards for variables?

Answer:

1) Variable names should start with small letters.

2) Variable names should be nouns

3) Short meaningful names are recommended.

4) If there are multiple words every inner word should start with Uppercase character.

Ex : string,value,empName,MEP salary

coding.knowledge
harish

21. What is an abstract class?

Answer: An abstract class is a class designed with implementation gaps for subclasses to fill in and is deliberately incomplete.

22. Name three Component subclasses that support painting?

Answer: The Canvas, Frame, Panel, and Applet classes support painting.

23. What is the difference between JDK and JVM?

Answer: Full-Form: Java Development Kit Full Form: Java Virtual Machine
For Development Purpose

To execute the java programs

It provides all the tools, executables and binaries required to compile, debug and execute a Java Program The execution part is handled by JVM to provide machine independence.

24. Why Java doesn't support multiple inheritances?

Answer: Because of "Diamond Problem", Java doesn't support multiple inheritances in classes.

25. What modifiers may be used with an inner class that is a member of an outer class?

Answer: A (non-local) inner class may be declared as public, protected, private, static, final, or abstract.

26. Which java. util classes and interfaces support event handling?

Answer: The Event Object class and the Event Listener interface support event processing.

27. What is a transient variable?

Answer: A transient variable is a variable that may not be serialized.

28. Is null a keyword?

Answer: No, the null is not a keyword.

coding.knowledge
harish

29. What is an applet?

Answer: Applet is a dynamic and interactive program that runs inside a web page displayed by a java capable browser

30. What is the lifecycle of an applet?

Answer:

init() method – Can be called when an applet is first loaded

start() method – Can be called each time an applet is started.

paint() method – Can be called when the applet is minimized or maximized.

stop() method – Can be used when the browser moves off the applet's page.

destroy() method – Can be called when the browser is finished with the applet.

31. What's new with the stop(), suspend() and resume() methods in JDK 1.2 ?

Answer:

These methods have been deprecated in JDK 1.2.

32. What is the Vector class?

Answer: The term Vector class provides the ability to implement a growable array of objects.

33. What is the difference between the >> and >>> operators?

Answer: The >> operator carries the sign bit when shifting right while the >>> zero-fills bits that have been shifted out.

34. What is the difference between this() and super()?

Answer: this() can be used to invoke a constructor of the same class whereas super() can be used to invoke a super class constructor.

coding.knowledge
harish

35. What is a native method?

Answer: A native method is a method that is applied in a language other than Java.

36. What value does read Line() return when it has reached the end of a file?

Answer:The readLine() method returns null when it has reached the end of a file.

37. What is the Java API?

Answer: The *Java API* is a large collection of ready-made software components that provide many useful capabilities, such as graphical user interface (GUI) widgets.

38. Why there are no global variables in Java?

Answer: Global variables are globally accessible. Java does not support globally accessible variables due to following reasons:

The global variables breaks the referential transparency

Global variables creates collisions in namespace.

39. What are different types of access modifiers?

Answer: public: Any thing declared as public can be accessed from anywhere. private: Any thing declared as private can't be seen outside of its class. protected: Any thing declared as protected can be accessed by classes in the same package and subclasses in the other packages. default modifier : Can be accessed only to classes in the same package.

40. What is Constructor?

Answer: A constructor is a special method whose task is to initialize the object of its class.

It is special because its name is the same as the class name.

They do not have return types, not even void and therefore they cannot return values.

They cannot be inherited, though a derived class can call the base class constructor.

Constructor is invoked whenever an object of its associated class is created.

41. What is an Iterator ?

Answer: The Iterator interface is used to step through the elements of a Collection.

Iterators let you process each element of a Collection.

Iterators are a generic way to go through all the elements of a Collection no matter Define How it is organized.

Iterator is an Interface implemented a different way for every Collection.

42. What is the difference between Reader/Writer and InputStream/Output Stream?

Answer: The Reader/Writer class is character-oriented and the InputStream/OutputStream class is byte-oriented.

coding.knowledge
harish

43. What is servlet?

Answer: Servlets are modules that extend request/response-oriented servers, such as java-enabled web servers. For example, a servlet might be responsible for taking data in an HTML order-entry form and applying the business logic used to update a company's order database.

44. What is clipping?

Answer: Clipping is the process of confining paint operations to a limited area or shape.

45. What is memory leak?

A memory leak is where an unreferenced object that will never be used again still hangs around in memory and doesn't get garbage collected.

46. Can a for statement loop indefinitely?

Answer: Yes, a for statement can loop indefinitely. For example, consider the following: `for(;;)`

47. Explain Java Coding standards for Methods?

Answer:

1) Method names should start with small letters.

2) Method names are usually verbs

3) If a method contains multiple words, every inner word should start with an uppercase letter.

Ex : `toString()`

4) Method name must be combination of verb and noun

Ex : `getCarName(),getCarNumber()`

48. Why Java is not a pure Object Oriented language?

Answer: Java supports primitive types such as int, byte, short, long, etc that why it is not said to be a pure object-oriented language.

49. What are the access modifiers?

Answer: Java provides three access controls such as public, private and protected access modifier. When none of these are used, it's called default access modifier.

50. Can we overload the main method?

Answer:

Yes, we can overload the main method with syntax as public static void main(String args[]).

51. What is the method in java?

Answer: It contains the executable body that can be applied to the specific object of the class.

The method includes method name, parameters or arguments and return type and a body of executable code.

Syntax : type methodName(Argument List){

ex: public float add(int a, int b, int c)

methods can have multiple arguments. Separate with commas when we have multiple arguments.

thrown in the method are instances of their subclass.

coding.knowledge
harish

52. Explain about Automatic type conversion in java?

Answer:

Java automatic type conversion is done if the following conditions are met:

1) When two types are compatible

Ex: int, float

int can be assigned directly to float variable.

2) Destination type is larger than source type.

Ex: int, long.

Int can be assigned directly to long .Automatic type conversion takes place if int is assigned to long because long is larger datatype than int.

Widening Conversion comes under Automatic type conversion.

53. What is the difference between the prefix and postfix forms of the ++ operator?

Answer: The prefix form performs the increment operation and returns the value of the increment operation. The postfix form returns the current value all of the expression and then performs the increment operation on that value.

54. In how many ways we can do exception handling in java?

Answer:

We can handle exceptions in either of the two ways :

- 1) By specifying a try-catch block where we can catch the exception.
- 2) Declaring a method with throws clause.

coding.knowledge
harish

55. What does null mean in java?

Answer:

When a reference variable doesn't point to any value it is assigned null.

Example: Employee employee;

In the above example employee object is not instantiate so it is pointed nowhere.

56. Can we define a package statement after the import statement in java?

Answer: We can't define a package statement after the import statement in java. a package statement must be the first statement in the source file. We can have commented before the package statement.

57. Define How many objects are created in the following piece of code?

```
MyClass c1, c2, c3;
```

```
c1 = new MyClass ();
```

```
c3 = new MyClass ();
```

Answer: Only 2 objects are created, c1 and c3. The reference c2 is only declared and not initialized.

58. What is JSP?

Answer: JSP is a technology that returns dynamic content to the Web client using HTML, XML and JAVAelements. JSP page looks like a HTML page but is a servlet. It contains Presentation logic andbusiness logic of a web application.

59. What is the purpose of apache tomcat?

Answer: Apache server is a standalone server that is used to test servlets and create JSP pages. It is free and open source that is integrated in the Apache web server. It is fast, reliable server to configure the applications but it is hard to install. It is a servlet container that includes tools to configure and manage the server to run the applications. It can also be configured by editing XML configuration files.

60. Explain where variables are created in memory?

Answer: When we declare variables are created in the stack. So when the variable is out of scope those variables get garbage collected.

61. Can we use catch statement for checked exceptions?

Answer: If there is no chance of raising an exception in our code then we can't declare catch block for handling checked exceptions. This raises a compile-time error if we try to handle checked exceptions when there is no possibility of causing an exception.

62. Explain a situation where finally block will not be executed?

Answer: Finally, the block will not be executed whenever JVM shutdowns. If we use `system.exit(0)` in try statement finally block if present will not be executed.

63. What is UNICODE?

Answer: Unicode is used for internal representation of characters and strings and it uses 16 bits to represent each other.

64. Explain about the main() method in java?

Answer: The main () method is the starting point of execution for all java applications.

```
public static void main(String[] args) {}
```

String args[] are an array of string objects we need to pass from command line arguments.

Every Java application must have at least one main method.

65. Define How destructors are defined in Java?

Answer: In Java, there are no destructors defined in the class as there is no need to do so. Java has its own garbage collection mechanism which does the job automatically by destroying the objects when no longer referenced

66. What will be the output of Round(3.7) and Ceil(3.7)?

Answer: Round(3.7) returns 4 and Ceil(3.7) returns 4.

coding.knowledge
harish

67. What is constructor in java?

Answer: A constructor is a special method used to initialize objects in the java.

we use constructors to initialize all variables in the class when an object is created. As and when an object is created it is initialized automatically with the help of constructor in java.

We have two types of constructors

Default Constructor

Parameterized Constructor

68. How can we find the actual size of an object on the heap?

Answer: In Java, there is no way to find out the actual size of an object on the heap.

69. Can a variable be local and static at the same time?

Answer: No a variable can't be static as well as local at the same time. Defining a local variable as static gives compilation error.

70. Can we have static methods in an Interface?

Answer: Static methods can't be overridden in any class while any methods in an interface are by default abstract and are supposed to be implemented in the classes being implementing the interface. So it makes no sense to have static methods in an interface in Java.

71. In how many ways we can do synchronization in java?

Answer:

There are two ways to do synchronization in java:

1) Synchronized methods

2) Synchronized blocks

To do synchronization we use the synchronized keyword.

coding.knowledge
harish

72. When do we use synchronized blocks and advantages of using synchronized blocks?

Answer: If very few lines of code require synchronization then it is recommended to use synchronized blocks. The main advantage of synchronized blocks over synchronized methods is it reduces the waiting time of threads and improves performance of the system.

73. What is the difference between access specifiers and access modifiers in java?

Answer: In C++ we have access specifiers as public, private, protected and default and access modifiers as static, final. But there is no such division of access specifiers and access modifiers in java. In Java, we have access to modifiers and nonaccess modifiers.

Access Modifiers: public, private, protected, default

Non Access Modifiers: abstract, final, strip.