ORGANIC AUTOFLOWER FEEDING GUIDE

ROOTS

Ratios **O**f **O**rganic **T**op-dress & **S**tarter

Dr. Earth starter soil mix + guano & langbeinite top-dress, 6 x 5-gal bags



Starter mix at planting, then a **flowering top-dress**, for six autoflowers in 5-gal fabric grow bags.

Contents

1 Materials 3

PART 1 **Starter Soil Mix** 4

2 How Much Per Bag 4

3 Why This Mix 5

4 Steps 5

5 Watch For (Starter) 6

PART 2 **Flowering Top-Dress** 7

6 The Recipe 7

7 Rates Check 8

8 Mix 8

9 Apply (Each Bag) 8

10 That Week & Next Round 9

11 Watch For (Flowering) 9

REFERENCE **Charts & Timeline** 10

12 Cups to Tablespoons 10

13 Feeding Timeline 11

14 Quick Cards 12

1 Materials



Sunshine Mix #4
base soil



Worm castings
base mix



Quoddy Blend
Coast of Maine lobster compost, 0.6-0.3-0.2



Dr. Earth Veg
Home Grown 4-6-3



Dr. Earth Bloom
Flower Girl 3-9-4



Seabird Guano
Down To Earth. 0-11-0, 20% Ca



Langbeinite
Down To Earth. 0-0-22, ~10.8% Mg, 22% S



1/4-cup scoop
= 4 Tbsp



5-gal bucket
for mixing



Six 5-gal bags
one autoflower each

Regular feeds

Dr. Earth Veg / Bloom and Neptune's Harvest are your regular feeds. Cut back the week you top-dress.

Base mix = your usual blend of Sunshine Mix #4, worm castings and Quoddy Blend (composted manure, sphagnum peat, aged bark, lobster & crab shell meal).

PART 1

Starter Soil Mix

2 How Much Per Bag

Per 5-gal bag	Label rate	Your mix
Veg 4-6-3	1/4 cup (4 Tbsp)	**10 Tbsp** (5/8 cup, 2.5 scoops)
Bloom 3-9-4	1/2 cup (8 Tbsp)	**6 Tbsp** (3/8 cup, 1.5 scoops)

EACH BAG GETS

10	6	4
Tbsp Veg	Tbsp Bloom	scoops total

Totals for all 6 bags

Veg: 60 Tbsp = 3 3/4 cups = 15 scoops

Bloom: 36 Tbsp = 2 1/4 cups = 9 scoops

Note

Your Veg is ~2.5x the label rate; if you see burnt or clawed tips early, drop toward 6-8 Tbsp next time.

Label check

Veg label (new plantings, potting soil): 1/4 cup per 1/2 cu ft (about 5 gal). Dr. Earth's cannabis Growers Guide also uses 1/4 cup Home Grown per 5-gal container, blended into the top 4 in.

Flower Girl label (flower containers, new plantings): 1/2 cup per ~5 gal potting soil, or 1 heaping Tbsp per quart.

3 Why This Mix

- **Veg** is higher in N for early leaf and root growth.
- **Bloom** pre-loads P and K. Autos flip to flower on their own after a few weeks, and Dr. Earth is slow-release.
- Autos are **light feeders**. Too much Veg can burn roots and leave excess N in flower.

4 Steps

1. Fill and mix your base blend.
2. Measure Veg + Bloom for each bag.
3. Mix thoroughly through the soil (or at least the top several inches).
4. Fill the bag, leaving **~2 in headroom** for the later top-dress.
5. Water in. If you can, let it settle a few days before planting.
6. Plant the seed.



5 Watch For (Starter)

Burnt or clawed tips early
Too strong.

Pale lower leaves early
May need more N. Check watering and pH first, before adding more dry amendment.

Next
When flowering starts, move to Part 2: the flowering top-dress.



PART 2

Flowering Top-Dress

6 The Recipe

Ingredient	Whole bucket	Per plant
Seabird Guano 0-11-0 (20% Ca)	30 Tbsp = **7.5 scoops** (about 2 cups)	**5 Tbsp**
Langbeinite 0-0-22 (~10.8% Mg, 22% S)	12 Tbsp = **3 scoops** (3/4 cup)	**2 Tbsp** (6 tsp)
Fill: Sunshine Mix #4 + Quoddy Blend Lobster Compost + worm castings	Fill to 5 gal	**~13 cups** total mix



EACH PLANT GETS

~13	5	2
cups mix	Tbsp guano	Tbsp langbeinite

7 Rates Check

Within label rates

Scoop = 1/4 cup = 4 Tbsp. Guano label is 1 Tbsp/gal monthly (5 Tbsp per 5-gal bag); langbeinite is 1-2 tsp/gal monthly for established plants (6 tsp per bag, in range).

8 Mix

1. Add guano and langbeinite to the empty bucket.
2. Fill to 5 gal with Sunshine Mix #4, Quoddy Blend and castings.
3. Mix well until even, no clumps.
4. Split into **6 equal portions**, about **13 cups each**.

Fewer plants?

Same per-plant amounts; make about 13 cups of mix per plant.

9 Apply (Each Bag)

1. Check headroom: 13 cups is a 1.5-2 in layer (you left ~2 in at planting).
2. Lightly scratch the top inch of soil.
3. Spread the portion evenly, keeping it away from the stem.
4. Water in gently.

10 That Week & Next Round

- Hold off or cut back Dr. Earth Bloom and Neptune's Harvest.
- Skip top-dressing in the final 2-3 weeks.

Round two: 3-4 weeks later, **only** if it lands before the last 2-3 weeks before harvest.

11 Watch For (Flowering)

Burnt/crispy leaf tips
Too strong. Back off feeding, water plain.

Lower leaves yellowing late in flower
Normal fade. Leave it.

Yellowing early in flower
Could be hunger or a pH/watering issue. Check before adding more.



REFERENCE

Charts & Timeline

12 Cups to Tablespoons

Cups	Tablespoons
1 cup	**16 Tbsp**
3/4 cup	**12 Tbsp**
2/3 cup	**~10 2/3 Tbsp**
1/2 cup	**8 Tbsp**
1/3 cup	**~5 1/3 Tbsp**
1/4 cup (your scoop)	**4 Tbsp**
1/8 cup	**2 Tbsp**
1 Tbsp	**3 tsp**



13 Feeding Timeline

1. **AT PLANTING**
   Starter mix: 10 Tbsp Veg + 6 Tbsp Bloom per bag.
2. **WHEN FLOWERING STARTS**
   Top-dress: ~13 cups per bag (5 Tbsp guano + 2 Tbsp langbeinite).
3. **3-4 WEEKS LATER**
   Optional round 2, unless it falls in the final 2-3 weeks.
4. **FINAL 2-3 WEEKS**
   No top-dress.



14 Quick Cards

STARTER MIX

PER BAG
10 Tbsp Veg (2.5 scoops) + 6 Tbsp Bloom (1.5 scoops).

6 BAGS
3 3/4 cups Veg (15 scoops) + 2 1/4 cups Bloom (9 scoops).

MIX
Blend in, leave ~2 in headroom, water in.

FLOWERING TOP-DRESS

BUCKET
7.5 scoops guano + 3 scoops langbeinite + soil mix to 5 gal.

PER PLANT
~13 cups (5 Tbsp guano + 2 Tbsp langbeinite).

APPLY
Scratch, spread, off the stem, water in.

THAT WEEK / REPEAT
Ease off Dr. Earth Bloom & Neptune's. Round 2 in 3-4 wks, never in the last 2-3 wks.