## **Blinkit Analysis**

• See all the data imported:

```
SELECT * FROM blinkit_data
```

#### • DATA CLEANING:

Cleaning the Item\_Fat\_Content field ensures data consistency and accuracy in analysis. The presence of multiple variations of the same category (e.g., LF, low fat vs. Low Fat) can cause issues in reporting, aggregations, and filtering. By standardizing these values, we improve data quality, making it easier to generate insights and maintain uniformity in our datasets.

```
UPDATE blinkit_data
SET Item_Fat_Content =
    CASE
         WHEN Item_Fat_Content IN ('LF', 'low fat') THEN 'Low Fat'
         WHEN Item_Fat_Content = 'reg' THEN 'Regular'
         ELSE Item_Fat_Content
         END;
```

After executing this query check the data has been cleaned or not using below query


```
SELECT DISTINCT Item_Fat_Content FROM blinkit_data;
```

	Item_Fat_Content
1	Low Fat
2	Regular

### A. KPI's

#### 1. TOTAL SALES:

```
SELECT CAST(SUM(Total_Sales) / 1000000.0 AS DECIMAL(10,2)) AS
Total_Sales_Million
FROM blinkit_data;
```



#### 2. AVERAGE SALES

```
SELECT CAST(AVG(Total_Sales) AS INT) AS Avg_Sales
FROM blinkit_data;
```



#### 3. NO OF ITEMS

```
SELECT COUNT(*) AS No_of_Orders
FROM blinkit_data;
```



#### 4. AVG RATING

SELECT CAST(AVG(Rating) AS DECIMAL(10,1)) AS Avg\_Rating
FROM blinkit\_data;



# **B. Total Sales by Fat Content:**

```
SELECT Item_Fat_Content, CAST(SUM(Total_Sales) AS DECIMAL(10,2)) AS
Total_Sales
FROM blinkit_data
GROUP BY Item_Fat_Content
```



# C. Total Sales by Item Type

```
SELECT Item_Type, CAST(SUM(Total_Sales) AS DECIMAL(10,2)) AS Total_Sales
FROM blinkit_data
GROUP BY Item_Type
ORDER BY Total_Sales DESC
```

<b>Ⅲ</b>	Results 📳 Messages		
	Item_Type	Total_Sales	
1	Fruits and Vegetables	178124.08	
2	Snack Foods	175433.92	
3	Household	135976.53	
4	Frozen Foods	118558.88	
5	Dairy	101276.46	
6	Canned	90706.73	
7	Baking Goods	81894.74	
8	Health and Hygiene	68025.84	
9	Meat	59449.86	
10	Soft Drinks	58514.16	
11	Breads	35379.12	
12	Hard Drinks	29334.68	
13	Others	22451.89	
14	Starchy Foods	21880.03	
15	Breakfast	15596.70	
16	Seafood	9077.87	

## **D. Fat Content by Outlet for Total Sales**

```
SELECT Outlet_Location_Type,
      ISNULL([Low Fat], 0) AS Low_Fat,
      ISNULL([Regular], 0) AS Regular
FROM
(
   SELECT Outlet_Location_Type, Item_Fat_Content,
          CAST(SUM(Total_Sales) AS DECIMAL(10,2)) AS Total_Sales
   FROM blinkit_data
   GROUP BY Outlet_Location_Type, Item_Fat_Content
) AS SourceTable
PIVOT
(
   SUM(Total_Sales)
   FOR Item_Fat_Content IN ([Low Fat], [Regular])
) AS PivotTable
ORDER BY Outlet_Location_Type;
```

■ Results						
	Outlet_Location_Type	Low_Fat	Regular			
1	Tier 1	215047.91	121349.90			
2	Tier 2	254464.77	138685.87			
3	Tier 3	306806.99	165326.03			

#### **Query Explanations**

This query aims to transform the blinkit\_data table to display total sales (Total\_Sales) for each combination of Outlet\_Location\_Type and Item\_Fat\_Content. The result will show Outlet\_Location\_Type as rows and Item\_Fat\_Content categories ("Low Fat" and "Regular") as columns. If there are no sales for a particular combination, the query will display 0 instead of NULL.

#### **Detailed Explanation:**

1. Subquery

```
o Aggregation:
```

```
sql
CopyEdit
SELECT
    Outlet_Location_Type,
    Item_Fat_Content,
    CAST(SUM(Total_Sales) AS DECIMAL(10,2)) AS Total_Sales
FROM
    blinkit_data
GROUP BY
    Outlet_Location_Type,
    Item_Fat_Content
```

- **Purpose:** This subquery groups the data by Outlet\_Location\_Type and Item Fat Content, calculating the total sales for each combination.
- CAST (SUM (Total\_Sales) AS DECIMAL (10,2)): Sums the Total\_Sales for each
  group and casts the result to a decimal with two decimal places for precision.

#### 2. **PIVOT Operation:**

```
o Pivoting:
```

```
sql
CopyEdit
PIVOT
(
    SUM(Total_Sales)
    FOR Item_Fat_Content IN ([Low Fat], [Regular])
) AS PivotTable
```

- Purpose: Transforms the rows of Item\_Fat\_Content into columns ([Low Fat] and [Regular])
- SUM(Total\_Sales): Aggregates the Total\_Sales for each Item\_Fat\_Content category within each Outlet Location Type.
- 3. Main Query:
  - o Selecting and Handling NULLs:

```
sql
CopyEdit
SELECT
    Outlet_Location_Type,
    ISNULL([Low Fat], 0) AS Low_Fat,
    ISNULL([Regular], 0) AS Regular
FROM
    PivotTable
ORDER BY
    Outlet_Location_Type;
```

- ISNULL([Low Fat], 0) AS Low\_Fat: Replaces any NULL values in the [Low Fat] column with 0 and renames the column to Low\_Fat.
- ISNULL([Regular], 0) AS Regular: Similarly, replaces NULL values in the [Regular] column with 0.
- ORDER BY Outlet\_Location\_Type: Sorts the final result set by Outlet\_Location\_Type.

#### Why Use ISNULL?

When performing a PIVOT operation, if a particular combination of Outlet\_Location\_Type and Item\_Fat\_Content doesn't exist in the data, the resulting cell will contain a NULL value. Using ISNULL (column)

## E. Total Sales by Outlet Establishment

SELECT Outlet\_Establishment\_Year, CAST(SUM(Total\_Sales) AS DECIMAL(10,2))
AS Total\_Sales
FROM blinkit\_data
GROUP BY Outlet\_Establishment\_Year
ORDER BY Outlet\_Establishment\_Year

	Outlet_Establishment_Year2	Total_Sales
1	1998	204522.26
2	2000	131809.02
3	2010	132113.37
4	2011	78131.56
5	2012	130476.86
6	2015	130942.78
7	2017	133103.91
8	2020	129103.96
9	2022	131477.77

### F. Percentage of Sales by Outlet Size

#### **SELECT**

```
Outlet_Size,

CAST(SUM(Total_Sales) AS DECIMAL(10,2)) AS Total_Sales,

CAST((SUM(Total_Sales) * 100.0 / SUM(SUM(Total_Sales)) OVER()) AS

DECIMAL(10,2)) AS Sales_Percentage

FROM blinkit_data

GROUP BY Outlet_Size

ORDER BY Total_Sales DESC;
```

#### Query Explanation:

Outlet\_Size: This column represents the size category of the outlet (e.g., Small, Medium, Large).

CAST(SUM(Total\_Sales) AS DECIMAL(10,2)) AS Total\_Sales:

- SUM(Total\_Sales): Calculates the total sales for each Outlet Size.
- CAST(... AS DECIMAL(10,2)): Formats the resulting sum to a decimal number with two decimal places for precision.

CAST((SUM(Total\_Sales) \* 100.0 / SUM(SUM(Total\_Sales)) OVER()) AS DECIMAL(10,2)) AS Sales\_Percentage:

- SUM(Total\_Sales) \* 100.0: Multiplies the total sales of the current Outlet\_Size by 100 to prepare for percentage calculation.
- SUM(SUM(Total\_Sales)) OVER():
  - o SUM(Total\_Sales): Within the GROUP BY context, this computes the total sales for each Outlet\_Size.
  - o **SUM(...) OVER()**: The outer SUM combined with the OVER() clause calculates the grand total of all Total\_Sales across all outlet sizes without collapsing the result set.
- SUM(Total\_Sales) \* 100.0 / SUM(SUM(Total\_Sales)) OVER(): Divides the total sales of the current Outlet\_Size by the grand total sales and multiplies by 100 to get the percentage contribution of each outlet size to the overall sales.
- CAST(... AS DECIMAL(10,2)): Formats the resulting percentage to two decimal places.

⊞F	Results 📳 M	essages	
	Outlet_Size	Total_Sales	Sales_Percentage
1	Medium	507895.73	42.27
2	Small	444794.17	37.01
3	High	248991.58	20.72

### **G. Sales by Outlet Location**

```
SELECT Outlet_Location_Type, CAST(SUM(Total_Sales) AS DECIMAL(10,2)) AS
Total_Sales
FROM blinkit_data
GROUP BY Outlet_Location_Type
ORDER BY Total_Sales DESC
```

⊞ F	Results 🖺 Messages	
	Outlet_Location_Type	Total_Sales
1	Tier 3	472133.03
2	Tier 2	393150.64
3	Tier 1	336397.81

# H. All Metrics by Outlet Type:

```
SELECT Outlet_Type,
```

```
CAST(SUM(Total_Sales) AS DECIMAL(10,2)) AS Total_Sales,

CAST(AVG(Total_Sales) AS DECIMAL(10,0)) AS Avg_Sales,

COUNT(*) AS No_Of_Items,

CAST(AVG(Rating) AS DECIMAL(10,2)) AS Avg_Rating,

CAST(AVG(Item_Visibility) AS DECIMAL(10,2)) AS Item_Visibility
```

FROM blinkit\_data

GROUP BY Outlet\_Type

ORDER BY Total\_Sales DESC

Results Results Messages						
	Outlet_Type	Total_Sales	Avg_Sales	No_Of_Items	Avg_Rating	Item_Visibility
1	Supermarket Type 1	787549.89	141	5577	3.96	0.06
2	Grocery Store	151939.15	140	1083	3.99	0.10
3	Supermarket Type2	131477.77	142	928	3.97	0.06
4	Supermarket Type3	130714.67	140	935	3.95	0.06