Design Pattern: Adapter


Design Pattern: Adapter




The Adapter Pattern from GoF

Intent

- Convert the interface of a class into another interface acceptable to the client.
 - Wrap an existing class with a new interface.
- Allow incompatible classes work together



Participating Classes



Target: defines the domain-specific interface that Client likes.

Adapter: adapts the interface Adaptee to the Target interface.

Adaptee: defines an existing interface that needs an adapter to become compatible to target.


Client: collaborates with objects conforming to the Target interface.

General Template to Develop Adapter Pattern in Java

```
class Adaptee {
                                                              class Client{
  legacyMethod(...) {
                                                                useAdapter() {
                                                                   Target x = new Adapter();
                                                                   x.clientMethod(...);
interface Target{
 clientMethod(...);
                                                                 Client
                                                                                     «interface»
// a wrapper class
                                                                                      Target
                                                             -Target reference
class Adapter implements Target {
                                                                                    +Request()
  clientMethod(...) {
    adapteeMethod(...)
    // MORE
                                                                                      Adapter
                                                                                                            Adaptee
                                                                                  -Adaptee reference
                                                                                                      +SpecificFormOfRequest
                                                                                  +Request()
```

Class Exercise

 Let's assume we would like to use a legacy code for a few geometric shapes (line, rectangle), and a client needs to use an adapter, as client's interface doesn't match with the legacy code.



Now Let's Learn More By An Example

 Let's assume we would like to use a legacy code for a few geometric shapes (line, rectangle), and a client needs to use an adapter, as client's interface doesn't match with the legacy code.

