


Må nok ikke være noget på static site endnu, da der muligvis skal være det på det, i overmorgen det kan jeg ikke find ud at lav

Skulle skrive noget af nedenstående, undtagen mit githublink, da havde valgt i static sites, ca midt i listen, angående hjemmeside kan ikke huske hvad det hed.

Jeg tror at har at der kan lægges noget på en hjemmesiden

<https://fsgvsvr.one/HhHhHhowm.html> Resten kan jeg ikke find ud at lav



render Dashboard Blueprints Env Groups Docs Community Help

Events Environment Redirects/Rewrites Headers PRs Metrics Settings

Repository
The repository used for your Static Site.
`https://github.com/gkftfhgtyctsrtyt/gkftfhgtyctsrtyt`
Edit

Branch
The repository branch used for your Static Site.
`main`
Edit

Root Directory
Defaults to repository root. When you specify a [root directory](#) that is different from your repository root, Render runs all your commands in the [specified directory](#) and ignores changes outside the directory.
Edit

Build Filters
Filter for files and paths to monitor for automatic deploys. [Learn about build filters.](#)
Filter paths are absolute. If you've defined a root directory, you can still define paths outside of the root directory.
Edit

Included Paths
Changes that match these paths will trigger a new build.

17°C Solskin 1917 20-05-2023

render Dashboard Blueprints Env Groups Docs Community Help

Events Environment Redirects/Rewrites Headers PRs Metrics Settings

Filter for files and paths to monitor for automatic deploys. [Learn about build filters.](#)
Filter paths are absolute. If you've defined a root directory, you can still define paths outside of the root directory.


Included Paths
Changes that match these paths will trigger a new build.
+ Add Included Path

Ignored Paths
Changes that match these paths will **not** trigger a new build.
+ Add Ignored Path

Build Command
This command runs in the root directory of your repository when a new version of your code is pushed, or when you deploy manually. It is typically a script that installs libraries, runs migrations, or compiles resources needed by your app.
`$ yarn`
Edit

Publish directory
The [relative](#) path of the directory
`./`

17°C Solskin 1917 20-05-2023



render

Dashboard

Blueprints

Env Groups

Docs

Community

Help

Now +

eaakil@students.eaaa.dk

Events

Environment

Redirects/Rewrites

Headers

PRs

Metrics

Settings

Custom Domains

Your server is always available on <https://gkftf.onrender.com>.

You can also point custom domains you own to this app. See [DNS configuration instructions](#).

Add Custom Domain

PR Previews

Pull Request Previews

Enabled to automatically create a preview URL for every new pull request created on the `main` branch in `gkftfhytctsrtyt/gkftfhytctsrtyt`. Pull Request Previews create a new instance for just this service. Use [Preview Environments](#) to clone a group of services for every PR.

Disabled

Edit

17°C

Solskin

Søg

1919

20-05-2023

render

Dashboard

Blueprints

Env Groups

Docs

Community

Help

Now +

eaakil@students.eaaa.dk

Events

Environment

Redirects/Rewrites

Headers

PRs

Metrics

Settings

Pull Request Previews

Enabled to automatically create a preview URL for every new pull request created on the `main` branch in `gkftfhytctsrtyt/gkftfhytctsrtyt`. Pull Request Previews create a new instance for just this service. Use [Preview Environments](#) to clone a group of services for every PR.

Disabled

Edit

Health & Alerts

Service Failure Notifications

Set the failure notification setting for this service.

Use account notification settings

Edit

Delete Static Site

Suspend Static Site

17°C

Solskin

Søg

1920

20-05-2023