htmissScalar_NOSYS

overview · all regions and selections · rank 19 / 169

rank 19 / 169 by endcap / ht40 / D_equal

NOTE: this is the cut variable; its D in the cut selection is shaped by the cut itself.

region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.789	0.789	0.789	0.789	0.789	0.803	0.789	0.868	34,970
endcap	ht40	0.469	0.559	0.323	0.415	0.290	0.533	0.583	0.781	7,390
endcap	bkg split	1.000	below 27,580 / above 7,390							
barrel	all	0.798	0.818	0.798	0.839	0.798	0.837	0.820	0.872	1,089
barrel	ht40	0.535	0.621	0.347	0.601	0.391	0.593	0.641	0.796	220
barrel	bkg split	1.000	below 869 / above 220							
all	all	0.789	0.792	0.789	0.789	0.789	0.809	0.796	0.868	36,059
all	ht40	0.492	0.580	0.324	0.476	0.315	0.553	0.606	0.784	7,610
all	bkg split	1.000	below 28,449 / above 7,610							


selections: all = every event; ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

htmissScalar_NOSYS


region: ENDCAP · selection: all (every event) · rank 19 / 169

D_equal 0.789 D_pooled 0.789 min 0.789 (mH125_mS15) max 0.868 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

htmissScalar_NOSYS


region: ENDCAP · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 19 / 169

D_equal 0.469 D_pooled 0.559 min 0.290 (mH200_mS50) max 0.781 (mH1000_mS275) bkg n = 7,390 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

htmissScalar_NOSYS

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 19 / 169

D(below vs above) 1.000 n below = 27,580 n above = 7,390 large D = background shape changes across the cut






htmissScalar_NOSYS


region: BARREL · selection: all (every event) · rank 19 / 169

D_equal 0.798 D_pooled 0.818 min 0.798 (mH125_mS15) max 0.872 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

htmissScalar_NOSYS


region: BARREL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 19 / 169

D_equal 0.535 D_pooled 0.621 min 0.347 (mH125_mS15) max 0.796 (mH1000_mS275) bkg n = 220 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

htmissScalar_NOSYS

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 19 / 169

D(below vs above) 1.000 n below = 869 n above = 220 large D = background shape changes across the cut






htmissScalar_NOSYS


region: ALL · selection: all (every event) · rank 19 / 169

D_equal 0.789 D_pooled 0.792 min 0.789 (mH125_mS15) max 0.868 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

htmissScalar_NOSYS


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 19 / 169

D_equal 0.492 D_pooled 0.580 min 0.315 (mH200_mS50) max 0.784 (mH1000_mS275) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

htmissScalar_NOSYS

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 19 / 169

D(below vs above) 1.000 n below = 28,449 n above = 7,610 large D = background shape changes across the cut

