MSeg_endcap_avg_dR_raw

overview · all regions and selections · rank 25 / 169

rank 25 / 169 by endcap / ht40 / D_equal

constant (no page) in: barrel/all, barrel/ht40

region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.462	0.541	0.235	0.457	0.369	0.532	0.577	0.667	34,970
endcap	ht40	0.462	0.541	0.235	0.446	0.368	0.532	0.577	0.666	7,390
endcap	bkg split	0.023	below 27,580 / above 7,390							
barrel	all	nan	nan	nan	nan	nan	nan	nan	nan	1,089
barrel	ht40	nan	nan	nan	nan	nan	nan	nan	nan	220
barrel	bkg split	nan	below 869 / above 220							
all	all	0.291	0.307	0.249	0.305	0.265	0.319	0.328	0.386	36,059
all	ht40	0.292	0.307	0.250	0.307	0.266	0.318	0.329	0.387	7,610
all	bkg split	0.023	below 28,449 / above 7,610							


selections: all = every event; ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

MSeg_endcap_avg_dR_raw


region: ENDCAP · selection: all (every event) · rank 25 / 169

D_equal 0.462 D_pooled 0.541 min 0.235 (mH125_mS15) max 0.667 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR_raw


region: ENDCAP · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 25 / 169

D_equal 0.462 D_pooled 0.541 min 0.235 (mH125_mS15) max 0.666 (mH1000_mS275) bkg n = 7,390 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR_raw

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 25 / 169

D(below vs above) 0.023 n below = 27,580 n above = 7,390 large D = background shape changes across the cut







MSeg_endcap_avg_dR_raw

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 25 / 169

D(below vs above) nan n below = 869 n above = 220 large D = background shape changes across the cut






MSeg_endcap_avg_dR_raw


region: ALL · selection: all (every event) · rank 25 / 169

D_equal 0.291 D_pooled 0.307 min 0.249 (mH125_mS15) max 0.386 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR_raw


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 25 / 169

D_equal 0.292 D_pooled 0.307 min 0.250 (mH125_mS15) max 0.387 (mH1000_mS275) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR_raw

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 25 / 169

D(below vs above) 0.023 n below = 28,449 n above = 7,610 large D = background shape changes across the cut

