msvtx_y

overview · all regions and selections · rank 127 / 169

rank 127 / 169 by endcap / ht40 / D_equal


region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.118	0.127	0.100	0.124	0.130	0.121	0.143	0.131	34,970
endcap	ht40	0.110	0.117	0.094	0.127	0.124	0.117	0.133	0.120	7,390
endcap	bkg split	0.014	below 27,580 / above 7,390							
barrel	all	0.166	0.160	0.203	0.190	0.135	0.170	0.163	0.150	1,089
barrel	ht40	0.156	0.149	0.192	0.178	0.128	0.161	0.152	0.141	220
barrel	bkg split	0.118	below 869 / above 220							
all	all	0.129	0.141	0.114	0.114	0.138	0.134	0.151	0.151	36,059
all	ht40	0.123	0.134	0.106	0.107	0.130	0.127	0.144	0.144	7,610
all	bkg split	0.011	below 28,449 / above 7,610							


selections: all = every event; ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2


msvtx_y


region: ENDCAP · selection: all (every event) · rank 127 / 169

D_equal 0.118 D_pooled 0.127 min 0.100 (mH125_mS15) max 0.143 (mH600_mS150) bkg n = 34,970 sig n = 9,996










edge bins include under/overflow · NaN and -999 removed

msvtx_y


region: ENDCAP · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 127 / 169

D_equal 0.110 D_pooled 0.117 min 0.094 (mH125_mS15) max 0.133 (mH600_mS150) bkg n = 7,390 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_y

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 127 / 169

D(below vs above) 0.014 n below = 27,580 n above = 7,390 large D = background shape changes across the cut






msvtx_y


region: BARREL · selection: all (every event) · rank 127 / 169

D_equal 0.166 D_pooled 0.160 min 0.135 (mH200_mS50) max 0.203 (mH125_mS15) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_y


region: BARREL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 127 / 169

D_equal 0.156 D_pooled 0.149 min 0.128 (mH200_mS50) max 0.192 (mH125_mS15) bkg n = 220 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_y

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 127 / 169

D(below vs above) 0.118 n below = 869 n above = 220 large D = background shape changes across the cut








msvtx_y


region: ALL · selection: all (every event) · rank 127 / 169

D_equal 0.129 D_pooled 0.141 min 0.114 (mH125_mS15) max 0.151 (mH600_mS150) bkg n = 36,059 sig n = 14,983










edge bins include under/overflow · NaN and -999 removed

msvtx_y


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 127 / 169

D_equal 0.123 D_pooled 0.134 min 0.106 (mH125_mS15) max 0.144 (mH600_mS150) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

msvtx_y

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 127 / 169

D(below vs above) 0.011 n below = 28,449 n above = 7,610 large D = background shape changes across the cut

