msvtx_nTGCInwards

overview · all regions and selections · rank 143 / 169

rank 143 / 169 by endcap / ht40 / D_equal

region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.038	0.036	0.053	0.097	0.069	0.052	0.038	0.057	34,970
endcap	ht40	0.049	0.035	0.064	0.108	0.081	0.063	0.038	0.049	7,390
endcap	bkg split	0.018	below 27,580 / above 7,390							
barrel	all	0.007	0.007	0.006	0.009	0.009	0.007	0.006	0.007	1,089
barrel	ht40	0.002	0.002	0.006	0.005	0.005	0.003	0.002	0.003	220
barrel	bkg split	0.008	below 869 / above 220							
all	all	0.112	0.099	0.110	0.155	0.128	0.116	0.090	0.074	36,059
all	ht40	0.123	0.110	0.122	0.166	0.139	0.127	0.102	0.085	7,610
all	bkg split	0.018	below 28,449 / above 7,610							


selections: all = every event; ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

msvtx_nTGCInwards


region: ENDCAP · selection: all (every event) · rank 143 / 169

D_equal 0.038 D_pooled 0.036 min 0.038 (mH600_mS150) max 0.097 (mH125_mS55) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed


msvtx_nTGCInwards


region: ENDCAP · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 143 / 169

D_equal 0.049 D_pooled 0.035 min 0.038 (mH600_mS150) max 0.108 (mH125_mS55) bkg n = 7,390 sig n = 9,996











edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCInwards

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 143 / 169

D(below vs above) 0.018 n below = 27,580 n above = 7,390 large D = background shape changes across the cut








msvtx_nTGCInwards


region: BARREL · selection: all (every event) · rank 143 / 169

D_equal 0.007 D_pooled 0.007 min 0.006 (mH600_mS150) max 0.009 (mH125_mS55) bkg n = 1,089 sig n = 4,987










edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCInwards


region: BARREL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 143 / 169

D_equal 0.002 D_pooled 0.002 min 0.002 (mH600_mS150) max 0.006 (mH125_mS15) bkg n = 220 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCInwards

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 143 / 169

D(below vs above) 0.008 n below = 869 n above = 220 large D = background shape changes across the cut






msvtx_nTGCInwards


region: ALL · selection: all (every event) · rank 143 / 169

D_equal 0.112 D_pooled 0.099 min 0.074 (mH1000_mS275) max 0.155 (mH125_mS55) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCInwards


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 143 / 169

D_equal 0.123 D_pooled 0.110 min 0.085 (mH1000_mS275) max 0.166 (mH125_mS55) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCInwards

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 143 / 169

D(below vs above) 0.018 n below = 28,449 n above = 7,610 large D = background shape changes across the cut

