MSTracklet_barrel_avg_dR_raw

overview · all regions and selections · rank 160 / 169

rank 160 / 169 by endcap / ht40 / D_equal

constant (no page) in: endcap/all, endcap/ht40


region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	nan	nan	nan	nan	nan	nan	nan	nan	34,970
endcap	ht40	nan	nan	nan	nan	nan	nan	nan	nan	7,390
endcap	bkg split	nan	below 27,580 / above 7,390							
barrel	all	0.097	0.119	0.083	0.067	0.070	0.096	0.132	0.150	1,089
barrel	ht40	0.113	0.136	0.097	0.075	0.089	0.112	0.150	0.165	220
barrel	bkg split	0.023	below 869 / above 220							
all	all	0.043	0.052	0.032	0.030	0.032	0.039	0.060	0.065	36,059
all	ht40	0.044	0.052	0.033	0.030	0.032	0.040	0.061	0.066	7,610
all	bkg split	0.001	below 28,449 / above 7,610							


selections: all = every event; ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

MSTracklet_barrel_avg_dR_raw

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 160 / 169

D(below vs above) nan n below = 27,580 n above = 7,390 large D = background shape changes across the cut






MSTracklet_barrel_avg_dR_raw


region: BARREL · selection: all (every event) · rank 160 / 169

D_equal 0.097 D_pooled 0.119 min 0.067 (mH125_mS55) max 0.150 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_avg_dR_raw


region: BARREL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 160 / 169

D_equal 0.113 D_pooled 0.136 min 0.075 (mH125_mS55) max 0.165 (mH1000_mS275) bkg n = 220 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_avg_dR_raw

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 160 / 169

D(below vs above) 0.023 n below = 869 n above = 220 large D = background shape changes across the cut






MSTracklet_barrel_avg_dR_raw


region: ALL · selection: all (every event) · rank 160 / 169

D_equal 0.043 D_pooled 0.052 min 0.030 (mH125_mS55) max 0.065 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_avg_dR_raw


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 160 / 169

D_equal 0.044 D_pooled 0.052 min 0.030 (mH125_mS55) max 0.066 (mH1000_mS275) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_avg_dR_raw

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 160 / 169

D(below vs above) 0.001 n below = 28,449 n above = 7,610 large D = background shape changes across the cut

