MSTracklet_barrel_rms_dR_raw

overview · all regions and selections · rank 162 / 169


```
rank 162 / 169  by endcap / ht40 / D_equal

constant (no page) in: endcap/all, endcap/ht40

region  selection D_equal D_pooled   125/15   125/55   200/50  400/100  600/150 1000/275   n_bkg
-------------------------------------------------------------------------------------------------
endcap  all           nan      nan      nan      nan      nan      nan      nan      nan  34,970
endcap  ht40          nan      nan      nan      nan      nan      nan      nan      nan   7,390
endcap  bkg split     nan   below 27,580 / above 7,390

barrel  all         0.097    0.119    0.083    0.066    0.070    0.096    0.132    0.150   1,089
barrel  ht40        0.113    0.136    0.097    0.075    0.089    0.112    0.150    0.165     220
barrel  bkg split   0.023   below 869 / above 220


all     all         0.043    0.052    0.032    0.030    0.032    0.039    0.060    0.065  36,059
all     ht40        0.044    0.052    0.033    0.030    0.032    0.040    0.061    0.066   7,610
all     bkg split   0.001   below 28,449 / above 7,610


selections: all = every event;  ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2
```

MSTracklet_barrel_rms_dR_raw

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 162 / 169

D(below vs above) nan n below = 27,580 n above = 7,390 large D = background shape changes across the cut






MSTracklet_barrel_rms_dR_raw


region: BARREL · selection: all (every event) · rank 162 / 169

D_equal 0.097 D_pooled 0.119 min 0.066 (mH125_mS55) max 0.150 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_rms_dR_raw


region: BARREL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 162 / 169

D_equal 0.113 D_pooled 0.136 min 0.075 (mH125_mS55) max 0.165 (mH1000_mS275) bkg n = 220 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_rms_dR_raw

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 162 / 169

D(below vs above) 0.023 n below = 869 n above = 220 large D = background shape changes across the cut






MSTracklet_barrel_rms_dR_raw


region: ALL · selection: all (every event) · rank 162 / 169

D_equal 0.043 D_pooled 0.052 min 0.030 (mH125_mS55) max 0.065 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_rms_dR_raw


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 162 / 169

D_equal 0.044 D_pooled 0.052 min 0.030 (mH125_mS55) max 0.066 (mH1000_mS275) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_rms_dR_raw

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 162 / 169

D(below vs above) 0.001 n below = 28,449 n above = 7,610 large D = background shape changes across the cut

