MSeg_barrel_avg_dR_raw

overview · all regions and selections · rank 164 / 169

rank 164 / 169 by endcap / ht40 / D_equal

constant (no page) in: endcap/all, endcap/ht40


region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	nan	nan	nan	nan	nan	nan	nan	nan	34,970
endcap	ht40	nan	nan	nan	nan	nan	nan	nan	nan	7,390
endcap	bkg split	nan	below 27,580 / above 7,390							
barrel	all	0.366	0.497	0.101	0.431	0.291	0.471	0.540	0.645	1,089
barrel	ht40	0.452	0.583	0.112	0.511	0.368	0.550	0.627	0.735	220
barrel	bkg split	0.114	below 869 / above 220							
all	all	0.291	0.303	0.249	0.308	0.266	0.273	0.330	0.331	36,059
all	ht40	0.292	0.304	0.250	0.309	0.267	0.274	0.331	0.333	7,610
all	bkg split	0.004	below 28,449 / above 7,610							


selections: all = every event; ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

MSeg_barrel_avg_dR_raw

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 164 / 169

D(below vs above) nan n below = 27,580 n above = 7,390 large D = background shape changes across the cut






MSeg_barrel_avg_dR_raw


region: BARREL · selection: all (every event) · rank 164 / 169

D_equal 0.366 D_pooled 0.497 min 0.101 (mH125_mS15) max 0.645 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSeg_barrel_avg_dR_raw


region: BARREL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 164 / 169

D_equal 0.452 D_pooled 0.583 min 0.112 (mH125_mS15) max 0.735 (mH1000_mS275) bkg n = 220 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

MSeg_barrel_avg_dR_raw

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 164 / 169

D(below vs above) 0.114 n below = 869 n above = 220 large D = background shape changes across the cut






MSeg_barrel_avg_dR_raw


region: ALL · selection: all (every event) · rank 164 / 169

D_equal 0.291 D_pooled 0.303 min 0.249 (mH125_mS15) max 0.331 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSeg_barrel_avg_dR_raw


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 164 / 169

D_equal 0.292 D_pooled 0.304 min 0.250 (mH125_mS15) max 0.333 (mH1000_mS275) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

MSeg_barrel_avg_dR_raw

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 164 / 169

D(below vs above) 0.004 n below = 28,449 n above = 7,610 large D = background shape changes across the cut

