# trigPassed_HLT_e60_lhmedium_L1eEM26M

overview · all regions and selections · rank 169 / 169



rank 169 / 169  by endcap / ht40 / D_equal

constant (no page) in: endcap/all, endcap/ht40


| region | selection | D_equal | D_pooled | 125/15 | 125/55 | 200/50 | 400/100 | 600/150 | 1000/275 | n_bkg |
|---|---|---|---|---|---|---|---|---|---|---|
| endcap | all | nan | nan | nan | nan | nan | nan | nan | nan | 34,970 |
| endcap | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 7,390 |
| endcap | bkg split | nan | below 27,580 / above 7,390 | | | | | | | |
| barrel | all | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.001 | 1,089 |
| barrel | ht40 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.001 | 220 |
| barrel | bkg split | nan | below 869 / above 220 | | | | | | | |
| all | all | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 36,059 |
| all | ht40 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 7,610 |
| all | bkg split | nan | below 28,449 / above 7,610 | | | | | | | |


selections: all = every event;  ht40 = htmissScalar_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

# trigPassed_HLT_e60_lhmedium_L1eEM26M

region: ENDCAP · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 169 / 169

D(below vs above) nan  n below = 27,580  n above = 7,390  large D = background shape changes across the cut







# trigPassed_HLT_e60_lhmedium_L1eEM26M


region: BARREL · selection: all (every event) · rank 169 / 169

D_equal 0.000 D_pooled 0.000 min 0.000 (mH600_mS150) max 0.001 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# trigPassed_HLT_e60_lhmedium_L1eEM26M


region: BARREL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 169 / 169

D_equal 0.000 D_pooled 0.000 min 0.000 (mH125_mS55) max 0.001 (mH1000_mS275) bkg n = 220 sig n = 4,987


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized






edge bins include under/overflow · NaN and -999 removed

# trigPassed_HLT_e60_lhmedium_L1eEM26M

region: BARREL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 169 / 169

D(below vs above) nan  n below = 869  n above = 220  large D = background shape changes across the cut







# trigPassed_HLT_e60_lhmedium_L1eEM26M


region: ALL · selection: all (every event) · rank 169 / 169

D_equal 0.000 D_pooled 0.000 min 0.000 (mH200_mS50) max 0.000 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# trigPassed_HLT_e60_lhmedium_L1eEM26M


region: ALL · selection: ht40 (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 169 / 169

D_equal 0.000 D_pooled 0.000 min 0.000 (mH400_mS100) max 0.000 (mH1000_mS275) bkg n = 7,610 sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

# trigPassed_HLT_e60_lhmedium_L1eEM26M

region: ALL · background only: below vs at/above the cut (htmissScalar_NOSYS >= 40 GeV, signal and background) · rank 169 / 169

D(below vs above) nan  n below = 28,449  n above = 7,610  large D = background shape changes across the cut

